





P/N 87263-**-2*



P/N 87263-**-0*

CKT. SIZE	PART NO. FOR PARTS WITHOUT CAP	PART NO. FOR PARTS WITH CAP
4	87263-042*	87263-040*
6	87263-062*	87263-060*
8	87263-082*	87263-080*
10	87263-102*	87263-100*
12	87263-122*	87263-120*
14	87263-142*	87263-140*
16	87263-162*	87263-160*
18	87263-182*	87263-180*
20	87263-202*	87263-200*
22	87263-222*	87263-220*
24	87263-242*	87263-240*
26	87263-262*	87263-260*
28	87263-282*	87263-280*
30	87263-302*	87263-300*
32	87263-322*	87263-320*
34	87263-342*	87263-340*
36	87263-362*	87263-360*
38	87263-382*	87263-380*
40	87263-402*	87263-400*
42	87263-422*	87263-420*
44	87263-442*	87263-440*

SEE SHEET 1 EC NO: S2016-1073 DRAWING: MGNARLY CHK'D: SCHEONG APPR: KHL IM	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
							MM ONLY		NTS	METRIC		
					mm	INCH	DRAWN BY		DATE		TITLE	
			▽E=0	4 PLACES	± ---	± ---	JDK	1991/01/11		MGRID, B/ENTRY RECEPT. 2.80MM HT. W/LOC. PEGS W/CAP, SMT		
				3 PLACES	± ---	± ---	CHECKED BY	DATE				
			▽F=0	2 PLACES	± 0.20	± ---	MLAI	1991/01/11				
				▽B=0	1 PLACE	± ---	± ---	APPROVED BY	DATE			
			0 PLACE		±	±	MLONG	2010/03/19		moLEX		
			ANGULAR ± 3 °				MATERIAL NO.		DOCUMENT NO.			SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87263-***2*		2 OF 4	
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
J11												




SECTION U-U

PART NO. 87263-***9* (CKTS 04 TO 14)
SINGLE SPROCKET HOLE T/REEL - TYPE A

△ PART NO. FOR PARTS WITHOUT CAP IN T/REEL	△ PART NO. FOR PARTS WITH CAP IN T/REEL	CKT. SIZE	F	So	W	T/REEL TYPE
87263-048*	87263-049*	4	11.5	-	24	A
87263-068*	87263-069*	6	11.5	-	24	
87263-088*	87263-089*	8	11.5	-	24	
87263-108*	87263-109*	10	11.5	-	24	
87263-128*	87263-129*	12	11.5	-	24	B
87263-148*	87263-149*	14	11.5	-	24	
87263-168*	87263-169*	16	11.5	-	24	
87263-188*	87263-189*	18	14.2	28.4	32	
87263-208*	87263-209*	20	20.2	40.4	44	
87263-228*	87263-229*	22	20.2	40.4	44	
87263-248*	87263-249*	24	20.2	40.4	44	
87263-268*	87263-269*	26	20.2	40.4	44	
87263-288*	87263-289*	28	20.2	40.4	44	
87263-308*	87263-309*	30	20.2	40.4	44	
87263-328*	87263-329*	32	26.2	52.4	56	
87263-348*	87263-349*	34	-	-	-	
△ 87263-368*	87263-369*	36	26.2	52.4	56	
87263-388*	87263-389*	38	-	-	-	
87263-408*	87263-409*	40	-	-	-	
△ 87263-3686	-	36	26.2	52.4	56	B1

NOTES:

1. LEADER AND TRAILER TAPE





2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. PACKAGING STANDARD IS AS PER EIA-481.

4. TAPE & REEL QUANTITY: EMBOSSED TYPE A & B = 1000PCS/REEL
EMBOSSED TYPE B1 = 900PCS/REEL


5. THE TAPE IS TREATED FOR ANTI-STATIC.





SECTION V-V

PART NO. 87263-***9* (CKTS 16 TO 40)
DOUBLE SPROCKET HOLE T/REEL - TYPE B


SEE SHEET 1 EC NO: S2016-1073 DRAWN: GEMARLY CHKD: SCHEONG APPR: KHLIM	QUALITY SYMBOLS F_A=0 F_C=0 F_P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
			MM ONLY		NTS	METRIC		
			mm	INCH	TITLE			MGRID, B/ENTRY RECEPT. 2.80MM HT. W/LOC. PEGS W/CAP, SMT molex
			4 PLACES ± --- ± ---	JDK 1991/01/11				
			3 PLACES ± --- ± ---	CHECKED BY DATE				
			2 PLACES ± 0.20 ± ---	MLAI 1991/01/11				
			1 PLACE ± --- ± ---	APPROVED BY DATE				
0 PLACE ± ±	MLONG 2010/03/19							
J11	REV	ANGULAR ± 3 °		DOCUMENT NO.		SHEET NO. 3 OF 4		
		DRAFT WHERE APPLICABLE		SEE TABLE				
		MUST REMAIN WITHIN DIMENSIONS		SD-87263-***2*				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								








PART NO. 87263-**9* (CKTS 04 TO 16)
SINGLE SPROKET HOLE T/REEL - TYPE A




PART NO. 87263-**9* (CKTS 18 TO 40)
DOUBLE SPROCKET HOLE T/REEL - TYPE B




SECTION V-V

△ PART NO. FOR PARTS WITHOUT CAP IN T/REEL	△ PART NO. FOR PARTS WITH CAP IN T/REEL	CKT. SIZE	F	So	W	T/REEL TYPE
87263-048*	87263-049*	4	11.5	----	24	A
87263-068*	87263-069*	6	11.5	----	24	
87263-088*	87263-089*	8	11.5	----	24	
87263-108*	87263-109*	10	11.5	----	24	
87263-128*	87263-129*	12	11.5	----	24	
87263-148*	87263-149*	14	11.5	----	24	
87263-168*	87263-169*	16	11.5	----	24	
87263-188*	87263-189*	18	14.2	28.4	32	B
87263-208*	87263-209*	20	20.2	40.4	44	
87263-228*	87263-229*	22	20.2	40.4	44	
87263-248*	87263-249*	24	20.2	40.4	44	
87263-268*	87263-269*	26	20.2	40.4	44	
87263-288*	87263-289*	28	20.2	40.4	44	
87263-308*	87263-309*	30	20.2	40.4	44	
87263-328*	87263-329*	32	26.2	52.4	56	
87263-348*	87263-349*	34	----	----	----	
△ ₉ 87263-368*	87263-369*	36	26.2	52.4	56	
87263-388*	87263-389*	38	----	----	----	
87263-408*	87263-409*	40	----	----	----	
△ ₉ 87263-3686	----	36	26.2	52.4	56	B1


NOTES:
1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. PACKAGING STANDARD IS AS PER EIA-481.
4. TAPE & REEL QUANTITY: EMBOSSED TYPE A & B = 1000PCS/REEL
EMBOSSED TYPE B1 = 900PCS/REEL
5. THE TAPE IS TREATED FOR ANTI-STATIC.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO ECTR				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				MGRID, B/ENTRY RECEPT. 2.80MM HT. W/LOC. PEGS W/CAP, SMT							
	MM	INCH	EC NO: 605777 DRWN: RMV02 2018/02/02 CHK'D: GJEEVANSURES 2018/10/11 APPR: ISHWARG 2018/10/11 INITIAL REVISION: DRWN: JDK 1991/01/11 APPR: MLONG 2010/03/19								
4 PLACES	±	±									
3 PLACES	±	±									
2 PLACES	± 0.2	±									
1 PLACE	±	±									
0 PLACES	±	±	PRODUCT CUSTOMER DRAWING								
ANGULAR TOL ± 3.0 °			DOCUMENT NUMBER			DOC TYPE		DOC PART	REVISION		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SD-87263-XX2X			PSD		001	J12		
THIRD ANGLE PROJECTION			DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
			A3-SIZE		87263		SEE TABLE		GENERAL MARKET		3 OF 4

E



C



A

EDCB

A