

150141BS73100 Information

heisener

For Reference Only

Part Number150141BS73100ManufacturerWurth Electronics Inc.CategoryOptoelectronics

Optoelectronics LED Indication - Discrete

Description LED BLUE CLEAR 1411 SMD

Package 1411 (3528 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









150141BS73100 Specifications

Manufacturer Part Number 150141BS73100 Manufacturer Wurth Electronics Inc. Category Optoelectronics ED Indication - Discrete Package 1411 (3528 Metric) Series WL-SMTW Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470mm Wavelength - Peak 465mm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 1.00mm Report errors?	*	
Category Optoelectronics LED Indication - Discrete Package 1411 (3528 Metric) Series WL-SMTW Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Manufacturer Part Number	150141BS73100
Package 1411 (3528 Metric) Series WL-SMTW Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Manufacturer	Wurth Electronics Inc.
Package 1411 (3528 Metric) Series WL-SMTW Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Category	Optoelectronics
Series WL-SMTW Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm		LED Indication - Discrete
Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Package	1411 (3528 Metric)
Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 270mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Series	WL-SMTW
Lens ColorColorlessLens TransparencyClearMillicandela Rating270mcdLens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)3.2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant470mmWavelength - Peak465nmFeatures-Package / Case1411 (3528 Metric)Supplier Device Package3528Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Color	Blue
Lens TransparencyClearMillicandela Rating270mcdLens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)3.2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak465nmFeatures-Package / Case1411 (3528 Metric)Supplier Device Package3528Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 3.2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant Wavelength - Peak Features - Package / Case 1411 (3528 Metric) Supplier Device Package Size / Dimension 3.50mm L x 2.80mm W Height (Max) 270mcd Round Round with Flat Top, 2.40mm 3.2V 2.0mA 120° Surface Mount 470nm 470nm 465nm - 2.10mm	Lens Color	Colorless
Lens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)3.2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak465nmFeatures-Package / Case1411 (3528 Metric)Supplier Device Package3528Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)3.2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak465nmFeatures-Package / Case1411 (3528 Metric)Supplier Device Package3528Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Millicandela Rating	270mcd
Current - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak465nmFeatures-Package / Case1411 (3528 Metric)Supplier Device Package3528Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Lens Style/Size	Round with Flat Top, 2.40mm
Viewing Angle120°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak465nmFeatures-Package / Case1411 (3528 Metric)Supplier Device Package3528Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Voltage - Forward (Vf) (Typ)	3.2V
Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Current - Test	20mA
Wavelength - Dominant Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package Size / Dimension Height (Max) 470nm 470nm 470nm 470nm 5210nm	Viewing Angle	120°
Wavelength - Peak 465nm Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Mounting Type	Surface Mount
Features - Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Wavelength - Dominant	470nm
Package / Case 1411 (3528 Metric) Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Wavelength - Peak	465nm
Supplier Device Package 3528 Size / Dimension 3.50mm L x 2.80mm W Height (Max) 2.10mm	Features	-
Size / Dimension3.50mm L x 2.80mm WHeight (Max)2.10mm	Package / Case	1411 (3528 Metric)
Height (Max) 2.10mm	Supplier Device Package	3528
	Size / Dimension	3.50mm L x 2.80mm W
Report errors?	Height (Max)	2.10mm
		Report errors?

150141BS73100 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

150141BS73100 Payment Methods



















150141BS73100 Shipping Methods













If you have any question about 150141BS73100, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com