

1720840000 Information

Heisener.com

Part Number 1720840000 **Manufacturer** Weidmuller

Category Connectors, Interconnects

Terminal Blocks - Din Rail, Channel

Description CONN TERM BLK FEED THRU 12-26AWG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1720840000 Specifications

Manufacturer 1720840000 Manufacturer Weidmuller Category Connectors, Interconnects Feed Through Feed Through Disconnect Type - Number of Positions 2 Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige		
Category Connectors, Interconnects Package - Series Z Type Feed Through Disconnect Type - Number of Positions 2 Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Manufacturer Part Number	1720840000
Package-SeriesZTypeFeed ThroughDisconnect Type-Number of Positions2Number of Levels1Terminal - Width5.1mmTermination StylePush In, SpringCurrent - IEC24AVoltage - IEC400VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²Features-ColorBeige	Manufacturer	Weidmuller
Package - Series Z Type Feed Through Disconnect Type - Number of Positions 2 Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Category	Connectors, Interconnects
Series Z Type Feed Through Disconnect Type - Number of Positions 2 Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige		Terminal Blocks - Din Rail, Channel
Type Feed Through Disconnect Type - Number of Positions 2 Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Package	-
Disconnect Type Number of Positions 2 Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - awG Wire Gauge or Range - mm² 60.5-4mm² Features Color Beige	Series	Z
Number of Positions2Number of Levels1Terminal - Width5.1 mmTermination StylePush In, SpringCurrent - IEC24AVoltage - IEC400VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4 mm²Features-ColorBeige	Туре	Feed Through
Number of Levels 1 Terminal - Width 5.1mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Disconnect Type	-
Terminal - Width Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - Color Beige	Number of Positions	2
Termination Style Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - Color Push In, Spring 24A 400V 400V 400V 400V 50A 400V 60A 60A 60A 60A 60A 60A 60B 60B	Number of Levels	1
Current - IEC 24A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Terminal - Width	5.1mm
Voltage - IEC400VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²Features-ColorBeige	Termination Style	Push In, Spring
Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Current - IEC	24A
Voltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²Features-ColorBeige	Voltage - IEC	400V
Wire Gauge or Range - AWG Wire Gauge or Range - mm² Color 12-26 AWG 0.5-4mm² - Beige	Current - UL	10A
Wire Gauge or Range - mm² Features Color Beige	Voltage - UL	300V
Features - Color Beige	Wire Gauge or Range - AWG	12-26 AWG
Color Beige	Wire Gauge or Range - mm ²	0.5-4mm ²
	Features	-
Report errors?	Color	Beige
		Report errors?

1720840000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1720840000 Payment Methods

































If you have any question about 1720840000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com