

1761465-3

1761465-3 Information

beise	 1761465-3 TE Connectivity AMP Connectors Connectors, Interconnects Card Edge Connectors - Edgeboard Connectors CONN PCI EXP FEMALE 98POS 0.039 - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



1761465-3 Specifications

Manufacturer TE Connectivity AMP Connectors Carle Edge Connectors, Interconnects Card Edge Connectors - Edgeboard Connectors Package - Series Standard Edge.050 Card Type PCI Express? Gender Female Number of Positions/Bay/Row - Number of Positions 98 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.039" (1.00mm) Features Board Guide Mounting Type Through Hole, Right Angle Contact Material Colper Alloy Contact Finish Thickness 30µin (0.76µm) Contact Type - Cotact Type - Color Black Flange Feature - Operating		
Action Connectors, Interconnects Package - Package Standard Edge.050 Card Type PCI Express? Gender Female Number of Positions/Bay/Row - Number of Positions/Bay/Row 0.062" (1.57mm) Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.039" (1.00mm) Features Board Guide Mounting Type Through Hole, Right Angle Contact Material Copper Alloy Contact Finish Thickness 30µin (0.76µm) Contact Type - Color Black Flange Feature	Manufacturer Part Number	1761465-3
Card Edge Connectors - Edgeboard ConnectorsPackage-SeriesStandard Edge .050Card TypePCI Express?GenderFemaleNumber of Positions/Bay/Row-Number of Positions/Bay/Row0.062" (1.57mm)Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeThrough Hole, Right AngleContact MaterialCopper AlloyContact Finish Thickness30µin (0.76µm)Contact Type-Cotact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Manufacturer	TE Connectivity AMP Connectors
Package-SeriesStandard Edge .050Card TypePCI Express?GenderFemaleNumber of Positions/Bay/Row-Number of Positions98Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeThrough Hole, Right AngleContact MaterialCopper AlloyContact Finish Thickness30µin (0.76µm)Contact Type-Cotact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Category	Connectors, Interconnects
Standard Edge .050 Card Type PCI Express? Gender Female Number of Positions/Bay/Row - Number of Positions/Bay/Row 98 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.039" (1.00mm) Features Board Guide Mounting Type Through Hole, Right Angle Contact Material Copper Alloy Contact Finish Thickness Gold Contact Type - Contact Type Supin (0.76µm) Contact Type - Contact Finish Thickness Gold Contact Finish Thickness Gold Contact Type - Color Black Flange Feature - Operating Temperature 40°C ~ 85°C		Card Edge Connectors - Edgeboard Connectors
Card TypePCI Express?GenderFemaleNumber of Positions/Bay/Row-Number of Positions/Bay/Row98Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeThrough Hole, Right AngleContact MaterialCopper AlloyContact Finish ThicknessGoldContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Package	-
GenderFemaleNumber of Positions/Bay/Row-Number of Positions98Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeSolderContact MaterialCoper AlloyContact Finish ThicknessGoldContact Type-Contact Specific	Series	Standard Edge .050
Number of Positions/Bay/Row-Number of Positions98Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeSolderContact MaterialCopper AlloyContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Card Type	PCI Express?
Number of Positions 98 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.039" (1.00mm) Features Board Guide Mounting Type Through Hole, Right Angle Contact Material Solder Contact Finish Gold Contact Finish Thickness Gold Contact Type - Color Black Flange Feature - Operating Temperature -	Gender	Female
Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeThrough Hole, Right AngleTerminationSolderContact MaterialCopper AlloyContact Finish ThicknessGoldContact Type-ColorBlackFlange Feature-40°C ~ 85°C	Number of Positions/Bay/Row	-
Number of Rows2Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeThrough Hole, Right AngleTerminationSolderContact MaterialCopper AlloyContact FinishGoldContact Finish Thickness30µin (0.76µm)ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Number of Positions	98
Pitch0.039" (1.00mm)FeaturesBoard GuideMounting TypeThrough Hole, Right AngleTerminationSolderContact MaterialCopper AlloyContact Finish ThicknessGoldContact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Card Thickness	0.062" (1.57mm)
FeaturesBoard GuideMounting TypeThrough Hole, Right AngleTerminationSolderContact MaterialCopper AlloyContact FinishGoldContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature40°C ~ 85°C	Number of Rows	2
Mounting TypeThrough Hole, Right AngleTerminationSolderContact MaterialCopper AlloyContact FinishGoldContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Pitch	0.039" (1.00mm)
TerminationSolderContact MaterialCopper AlloyContact FinishGoldContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Features	Board Guide
Contact MaterialCopper AlloyContact FinishGoldContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Mounting Type	Through Hole, Right Angle
Contact FinishGoldContact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Termination	Solder
Contact Finish Thickness30µin (0.76µm)Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Contact Material	Copper Alloy
Contact Type-ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Contact Finish	Gold
ColorBlackFlange Feature-Operating Temperature-40°C ~ 85°C	Contact Finish Thickness	30µin (0.76µm)
Flange Feature-Operating Temperature-40°C ~ 85°C	Contact Type	-
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Color	Black
	Flange Feature	-
Report errors?	Operating Temperature	$-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
		Report errors?

1761465-3 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 1761465-3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com