

### 4306M-101-223 Information

Heisener.com

Part Number 4306M-101-223
Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 5 RES 22K OHM 6SIP

Package 6-SIF

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **4306M-101-223 Specifications**

Manufacturer Part Number       4306M-101-223         Manufacturer       Bourns Inc.         Category       Resistors         Package       6-SIP         Series       4300M         Circuit Type       Bussed         Resistance (Ohms)       22k         Tolerance       ±2%         Number of Resistors       5         Number of Pins       6         Power Per Element       250mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       6-SIP         Supplier Device Package       6-SIP         Size / Dimension       0.584" L x 0.085" W (14.83mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)		
Category         Resistors           Package         6-SIP           Series         4300M           Circuit Type         Bussed           Resistance (Ohms)         22k           Tolerance         ±2%           Number of Resistors         5           Number of Pins         6           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         6-SIP           Supplier Device Package         6-SIP           Size / Dimension         0.584" L x 0.085" W (14.83mm x 2.16mm)           Height - Seated (Max)         0.250" (6.35mm)	Manufacturer Part Number	4306M-101-223
Resistor Networks, Arrays           Package         6-SIP           Series         4300M           Circuit Type         Bussed           Resistance (Ohms)         22k           Tolerance         ±2%           Number of Resistors         5           Number of Pins         6           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         6-SIP           Supplier Device Package         6-SIP           Size / Dimension         0.584" L x 0.085" W (14.83mm x 2.16mm)           Height - Seated (Max)         0.250" (6.35mm)	Manufacturer	Bourns Inc.
Package         6-SIP           Series         4300M           Circuit Type         Bussed           Resistance (Ohms)         22k           Tolerance         ±2%           Number of Resistors         5           Number of Pins         6           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         6-SIP           Supplier Device Package         6-SIP           Size / Dimension         0.584" L x 0.085" W (14.83mm x 2.16mm)           Height - Seated (Max)         0.250" (6.35mm)	Category	Resistors
Series       4300M         Circuit Type       Bussed         Resistance (Ohms)       22k         Tolerance       ±2%         Number of Resistors       5         Number of Pins       6         Power Per Element       250mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       6-SIP         Supplier Device Package       6-SIP         Size / Dimension       0.584" L x 0.085" W (14.83mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)22kTolerance±2%Number of Resistors5Number of Pins6Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case6-SIPSupplier Device Package6-SIPSize / Dimension0.584" L x 0.085" W (14.83mm x 2.16mm)Height - Seated (Max)0.250" (6.35mm)	Package	6-SIP
Resistance (Ohms)       22k         Tolerance       ±2%         Number of Resistors       5         Number of Pins       6         Power Per Element       250mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       6-SIP         Supplier Device Package       6-SIP         Size / Dimension       0.584" L x 0.085" W (14.83mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)	Series	4300M
Tolerance ±2%  Number of Resistors 5  Number of Pins 6  Power Per Element 250mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 6-SIP  Supplier Device Package 6-SIP  Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Circuit Type	Bussed
Number of Resistors  5 Number of Pins 6 Power Per Element 250mW  Temperature Coefficient 4100ppm/°C Operating Temperature -55°C ~ 125°C  Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max)  5  Case Case Case Case Case Case Case Cas	Resistance (Ohms)	22k
Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Tolerance	±2%
Power Per Element $250 \text{mW}$ Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough HolePackage / Case $6\text{-SIP}$ Supplier Device Package $6\text{-SIP}$ Size / Dimension $0.584^{\circ}\text{L} \times 0.085^{\circ}\text{W} (14.83 \text{mm} \times 2.16 \text{mm})$ Height - Seated (Max) $0.250^{\circ}\text{(}6.35 \text{mm})$	Number of Resistors	5
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$ Mounting Type Through Hole  Package / Case $6\text{-SIP}$ Supplier Device Package  Size / Dimension $0.584^{\circ}\text{L} \times 0.085^{\circ}\text{W} (14.83 \text{mm} \times 2.16 \text{mm})$ Height - Seated (Max) $0.250^{\circ}\text{(6.35 \text{mm})}$	Number of Pins	6
Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 6-SIP  Supplier Device Package 6-SIP  Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Power Per Element	250mW
Applications - Mounting Type Through Hole  Package / Case 6-SIP  Supplier Device Package 6-SIP  Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Applications	-
Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Mounting Type	Through Hole
Size / Dimension       0.584" L x 0.085" W (14.83mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)	Package / Case	6-SIP
Height - Seated (Max) 0.250" (6.35mm)	Supplier Device Package	6-SIP
	Size / Dimension	0.584" L x 0.085" W (14.83mm x 2.16mm)
D	Height - Seated (Max)	0.250" (6.35mm)
Report errors?		Report errors?

#### 4306M-101-223 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 4306M-101-223 Payment Methods





















### 4306M-101-223 Shipping Methods













If you have any question about 4306M-101-223, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com