



4608X-102-101LF Information



For Reference Only

Part Number 4608X-102-101LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 4 RES 100 OHM 8SIP

Package 8-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4608X-102-101LF Specifications

| Manufacturer Part Number 4608X-102-101LF Manufacturer Bourns Inc. Category Resistors Package 8-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 100 Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) Depart arrent? | | |
|---|--------------------------|--|
| Category Resistors Package 8-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 100 Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Manufacturer Part Number | 4608X-102-101LF |
| Resistor Networks, Arrays Package 8-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 100 Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Manufacturer | Bourns Inc. |
| Package 8-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 100 Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Category | Resistors |
| Series 4600X Circuit Type Isolated Resistance (Ohms) 100 Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | | Resistor Networks, Arrays |
| Circuit TypeIsolatedResistance (Ohms)100Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.798" L x 0.098" W (20.27mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm) | Package | 8-SIP |
| Resistance (Ohms) 100 Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Series | 4600X |
| Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Circuit Type | Isolated |
| Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.798" L x 0.098" W (20.27mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm) | Resistance (Ohms) | 100 |
| Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Tolerance | $\pm 2\%$ |
| Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Number of Resistors | 4 |
| Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Number of Pins | 8 |
| Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Power Per Element | 300mW |
| Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Temperature Coefficient | ±100ppm/°C |
| Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Operating Temperature | -55°C ~ 125°C |
| Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Applications | - |
| Supplier Device Package Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Mounting Type | Through Hole |
| Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm) | Package / Case | 8-SIP |
| Height - Seated (Max) 0.200" (5.08mm) | Supplier Device Package | 8-SIP |
| | Size / Dimension | 0.798" L x 0.098" W (20.27mm x 2.49mm) |
| Domont owners? | Height - Seated (Max) | 0.200" (5.08mm) |
| Report errors? | | Report errors? |

4608X-102-101LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4608X-102-101LF Payment Methods



















4608X-102-101LF Shipping Methods













If you have any question about 4608X-102-101LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com