

668A1003BLF

668A1003BLF Information





Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



668A1003BLF Specifications

Manufacturer Part Number 668A1003BLF Manufacturer TT Electronics/BI Category Resistors Resistor Networks, Arrays Resistor Networks, Arrays Package 16-SOIC (0.154", 3.90mm Width) Series 668 Circuit Type Isolated Resistance (Ohms) 100k Tolerance +0.1% Number of Resistors 8 Number of Pins 16 Power Per Element 100mW Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-SOIC (0.154", 3.90mm Width) Surface Mount - Power Per Element 100mW Operating Temperature -55°C ~ 125°C Applications - Surface Mount - Package / Case 16-SOIC (0.154", 3.90mm Width) Supplier Device Package 16-SOIC Size / Dimension 0.389" L x 0.154" W (9.89mm x 3.90mm) Height - Seated (Max) 0.069" (1.75mm) </th <th></th> <th></th>		
CategoryResistorsResistor Networks, ArraysPackage16-SOIC (0.154", 3.90mm Width)Series668Circuit TypeIsolatedCircuit Type100kResistance (Ohms)100kTolerance±0.1%Number of Resistors8Number of Pins16Power Per Element100mWTomperature Coefficient±25pm/°COperating Temperature-5°C ~ 125°CApplications-Surface MountSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension16-SOICHeight - Seated (Max)0.609" (1.75mm)	Manufacturer Part Number	668A1003BLF
Resistor Networks, ArraysPackage16-SOIC (0.154", 3.90mm Width)Series668Circuit TypeIsolatedResistance (Ohms)100kTolerance±0.1%Number of Resistors8Number of Pins16Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Manufacturer	TT Electronics/BI
Package16-SOIC (0.154", 3.90mm Width)Series668Circuit TypeIsolatedResistance (Ohms)100kTolerance±0.1%Number of Resistors8Number of Pins16Power Per Element100mWTemperature Coefficient±25ppm/°COperating Temperature55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Category	Resistors
Series668Circuit TypeIsolatedResistance (Ohms)100kTolerance±0.1%Number of Resistors8Number of Pins16Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Nounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Suppler Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)100kTolerance±0.1%Number of Resistors8Number of Pins16Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-5°C ~ 125°CApplications5urface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Suppler Device Package16-SOICSize / Dimension0.069" (1.75mm)	Package	16-SOIC (0.154", 3.90mm Width)
Resistance (Ohms) 100k Tolerance ±0.1% Number of Resistors 8 Number of Pins 16 Power Per Element 100mW Temperature Coefficient ±25ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Pokage / Case 16-SOIC (0.154", 3.90mm Width) Supplier Device Package 0.389" L x 0.154" W (9.89mm x 3.90mm) Height - Seated (Max) 0.069" (1.75mm)	Series	668
Tolerance±0.1%Number of Resistors8Number of Pins16Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Circuit Type	Isolated
Number of Resistors8Number of Pins16Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Resistance (Ohms)	100k
Number of Pins16Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Tolerance	$\pm 0.1\%$
Power Per Element100mWTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Number of Resistors	8
Temperature Coefficient±25pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Number of Pins	16
Operating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Power Per Element	100mW
Applications-Aoplications-Mounting TypeSurface MountPackage / Case16-SOIC (0.154", 3.90mm Width)Supplier Device Package16-SOICSize / Dimension0.389" L x 0.154" W (9.89mm x 3.90mm)Height - Seated (Max)0.069" (1.75mm)	Temperature Coefficient	±25ppm/°C
Mounting Type Surface Mount Package / Case 16-SOIC (0.154", 3.90mm Width) Supplier Device Package 16-SOIC Size / Dimension 0.389" L x 0.154" W (9.89mm x 3.90mm) Height - Seated (Max) 0.069" (1.75mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 16-SOIC (0.154", 3.90mm Width) Supplier Device Package 16-SOIC Size / Dimension 0.389" L x 0.154" W (9.89mm x 3.90mm) Height - Seated (Max) 0.069" (1.75mm)	Applications	-
Supplier Device Package 16-SOIC Size / Dimension 0.389" L x 0.154" W (9.89mm x 3.90mm) Height - Seated (Max) 0.069" (1.75mm)	Mounting Type	Surface Mount
Size / Dimension 0.389" L x 0.154" W (9.89mm x 3.90mm) Height - Seated (Max) 0.069" (1.75mm)	Package / Case	16-SOIC (0.154", 3.90mm Width)
Height - Seated (Max) 0.069" (1.75mm)	Supplier Device Package	16-SOIC
-	Size / Dimension	0.389" L x 0.154" W (9.89mm x 3.90mm)
Report errors?	Height - Seated (Max)	0.069" (1.75mm)
		Report errors?

668A1003BLF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

668A1003BLF Payment Methods



668A1003BLF Shipping Methods



If you have any question about 668A1003BLF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com