



6TCE150M Information

Heisener.com

Part Number 6TCE150M

Manufacturer Panasonic Electronic Components

Category Capacitors

Tantalum - Polymer Capacitors

Description CAP TANT POLY 150UF 6.3V 2917

2917 (7343 Metric) **Package**

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









6TCE150M Specifications

Manufacturer Part Number Manufacturer Panasonic Electronic Components Category Capacitors Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 150µF Tolerance Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing		
Category Capacitors Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 150µF Tolerance ±20% Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) 25 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Manufacturer Part Number	6TCE150M
Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 150μF Tolerance ±20% Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) 25 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Manufacturer	Panasonic Electronic Components
Package2917 (7343 Metric)SeriesPOSCAP? TCCapacitance $150\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $6.3V$ TypeMoldedESR (Equivalent Series Resistance) 25 mOhm Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Lifetime @ Temp. $1000 \text{ Hrs } @ 125^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $2917 (7343 \text{ Metric})$ Size / Dimension 0.287 " L x 0.169 " W $(7.30 \text{mm x } 4.30 \text{mm})$ Height - Seated (Max) 0.079 " (2.00mm)	Category	Capacitors
Series POSCAP? TC Capacitance 150μF Tolerance ±20% Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) 25 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)		Tantalum - Polymer Capacitors
Capacitance 150μF Tolerance ±20% Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) 25 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Package	2917 (7343 Metric)
Tolerance ±20% Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) 25 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Series	POSCAP? TC
Voltage - Rated Type Molded ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Capacitance	150μF
Type Molded ESR (Equivalent Series Resistance) 25 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Tolerance	±20%
ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Voltage - Rated	6.3V
Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Туре	Molded
Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	ESR (Equivalent Series Resistance)	25 mOhm
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Lifetime @ Temp.	1000 Hrs @ 125°C
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Mounting Type	Surface Mount
Height - Seated (Max) 0.079" (2.00mm)	Package / Case	2917 (7343 Metric)
	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Lead Spacing -	Height - Seated (Max)	0.079" (2.00mm)
1 0	Lead Spacing	-
Manufacturer Size Code D2E	Manufacturer Size Code	D2E
Features General Purpose	Features	General Purpose
Report errors?		Report errors?

6TCE150M Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

6TCE150M Payment Methods



















6TCE150M Shipping Methods













If you have any question about 6TCE150M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com