


# 768201222GPTR13

#### 768201222GPTR13 Information





Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# 768201222GPTR13 Specifications

Manufacturer Part Number 768201222GPTR13   Manufacturer CTS Resistor Products   Category Resistors   Package Resistor Networks, Arrays   Package 20-SOIC (0.220", 5.59mm Width)   Series 768   Circuit Type Bussed   Resistance (Ohms) 2.2k   Tolerance ±2%   Number of Resistors 19   Number of Pins 20   Power Per Element 100mW   Operating Temperature -5°C ~ 125°C   Applications -   Applications -   Surger Case 0.9-SOIC (0.220", 5.59mm Width)   Surger Age (Case) -   Surger Age (Case) -   Applications -   Surger Manufacture Age (Case) -   Supplier Device Package -		
CategoryResistorsResistor Networks, ArraysPackage20-SOIC (0.220", 5.59mm Width)Package20-SOIC (0.220", 5.59mm Width)Series768Circuit TypeBussedResistance (Ohms)2.2kTolerance±2%Number of Resistors19Number of Pins20Power Per Element100mWTopparture Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Nunding TypeSurface MountPackage / Case0.5OIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220"W (13.70mm x 5.59mm)Height - Seated (Max)0.01" (1.80mm)	Manufacturer Part Number	768201222GPTR13
Instrum Resistor Networks, Arrays   Package 20-SOIC (0.220", 5.59mm Width)   Series 768   Circuit Type Bussed   Resistance (Ohms) 2.2k   Tolerance ±2%   Number of Resistors 19   Number of Pins 20   Power Per Element 100mW   Temperature Coefficient ±100ppm°C   Operating Temperature -55°C ~ 125°C   Applications -   Mounting Type Surface Mount   Package / Case 20-SOIC (0.220", 5.59mm Width)   Surface Mount -   Supplier Device Package -   Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)   Height - Seated (Max) 0.071" (1.80mm)	Manufacturer	CTS Resistor Products
Package20-SOIC (0.220", 5.59mm Width)Series768Circuit TypeBussedResistance (Ohms)2.2kTolerance±2%Number of Resistors19Number of Pins20Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.71" (1.80mm)	Category	Resistors
Series768Circuit TypeBussedResistance (Ohms)2.2kTolerance±2%Number of Resistors19Number of Pins20Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications.Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Suppler Device Package.Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)2.2kTolerance±2%Number of Resistors19Number of Pins0Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications.Pounting TypeSurface MountPackage / Case0.9SOIC (0.220", 5.59mm Width)Supplier Device Package.Stez / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Package	20-SOIC (0.220", 5.59mm Width)
Resistance (Ohms) 2.2k   Tolerance ±2%   Number of Resistors 19   Number of Pins 20   Power Per Element 100mW   Temperature Coefficient ±100ppm/°C   Operating Temperature -55°C ~ 125°C   Applications -   Mounting Type Surface Mount   Package / Case 20-SOIC (0.220", 5.59mm Width)   Supplier Device Package -   Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)   Height - Seated (Max) 0.071" (1.80mm)	Series	768
Tolerance±2%Number of Resistors19Number of Pins20Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Circuit Type	Bussed
Number of Resistors19Number of Pins20Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Resistance (Ohms)	2.2k
Number of Pins20Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Tolerance	±2%
Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Number of Resistors	19
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Number of Pins	20
Operating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Power Per Element	100mW
Applications-Applications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-Size / Dimension0.540" L x 0.220" W (13.70mm x 5.59mm)Height - Seated (Max)0.071" (1.80mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Surface Mount   Package / Case 20-SOIC (0.220", 5.59mm Width)   Supplier Device Package -   Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)   Height - Seated (Max) 0.071" (1.80mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 20-SOIC (0.220", 5.59mm Width)   Supplier Device Package -   Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)   Height - Seated (Max) 0.071" (1.80mm)	Applications	-
Supplier Device Package -   Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)   Height - Seated (Max) 0.071" (1.80mm)	Mounting Type	Surface Mount
Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)   Height - Seated (Max) 0.071" (1.80mm)	Package / Case	20-SOIC (0.220", 5.59mm Width)
Height - Seated (Max) 0.071" (1.80mm)	Supplier Device Package	-
	Size / Dimension	0.540" L x 0.220" W (13.70mm x 5.59mm)
Report errors?	Height - Seated (Max)	0.071" (1.80mm)
		Report errors?

## 768201222GPTR13 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

## 768201222GPTR13 Payment Methods



If you have any question about 768201222GPTR13, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com