



# **A223M1D9AVQ Information**

Heisener.com

Part Number A223M1D9AVQ
Manufacturer Electroswitch
Category Switches

Toggle Switches

**Description** SWITCH TOGGLE DPDT 6A 125V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **A223M1D9AVQ Specifications**

Manufacturer Part Number         A223M1D9AVQ           Manufacturer         Electroswitch           Category         Switches           Package         -           Series         A           Circuit         DPDT           Switch Function         On-On           Current Rating         6A (AC/DC)           Voltage Rating - AC         125V           Voltage Rating - DC         28V           Actuator Type         Standard Round           Actuator Length         5.08mm           Illumination         Non-Illuminated           Illumination Type, Color         -           Illumination Voltage (Nominal)         -           Mounting Type         Through Hole, Right Angle           Termination Style         PC Pin           Panel Cutout Dimensions         -           Bushing Thread         Unthreaded           Ingress Protection         -           Features         Epoxy Sealed Terminals		
CategorySwitchesPackage-SeriesACircuitDPDTSwitch FunctionOn-OnCurrent Rating6A (AC/DC)Voltage Rating - AC125VVoltage Rating - DC28VActuator TypeStandard RoundActuator Length5.08mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Manufacturer Part Number	A223M1D9AVQ
Package - Series A   Circuit DPDT   Switch Function On-On   Current Rating	Manufacturer	Electroswitch
Package         -           Series         A           Circuit         DPDT           Switch Function         On-On           Current Rating         6A (AC/DC)           Voltage Rating - AC         125V           Voltage Rating - DC         28V           Actuator Type         Standard Round           Actuator Length         5.08mm           Illumination         Non-Illuminated           Illumination Type, Color         -           Illumination Voltage (Nominal)         -           Mounting Type         Through Hole, Right Angle           Termination Style         PC Pin           Panel Cutout Dimensions         -           Bushing Thread         Unthreaded           Ingress Protection         -           Features         Epoxy Sealed Terminals	Category	Switches
SeriesACircuitDPDTSwitch FunctionOn-OnCurrent Rating6A (AC/DC)Voltage Rating - AC125VVoltage Rating - DC28VActuator TypeStandard RoundActuator Length5.08mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Termination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals		Toggle Switches
CircuitDPDTSwitch FunctionOn-OnCurrent Rating6A (AC/DC)Voltage Rating - AC125VVoltage Rating - DC28VActuator TypeStandard RoundActuator Length5.08mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Package	-
Switch FunctionOn-OnCurrent Rating6A (AC/DC)Voltage Rating - AC125VVoltage Rating - DC28VActuator TypeStandard RoundActuator Length5.08mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Series	A
Current Rating6A (AC/DC)Voltage Rating - AC125 VVoltage Rating - DC28 VActuator TypeStandard RoundActuator Length5.08mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Termination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Circuit	DPDT
Voltage Rating - AC125VVoltage Rating - DC28VActuator TypeStandard RoundActuator Length5.08mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Switch Function	On-On
Voltage Rating - DC Actuator Type Standard Round Actuator Length 5.08mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features Epoxy Sealed Terminals	Current Rating	6A (AC/DC)
Actuator Type Standard Round  Actuator Length 5.08mm  Illumination Non-Illuminated  Illumination Type, Color  Illumination Voltage (Nominal)  Mounting Type Through Hole, Right Angle  Termination Style PC Pin  Panel Cutout Dimensions  - Bushing Thread Unthreaded  Ingress Protection  Features  Epoxy Sealed Terminals	Voltage Rating - AC	125V
Actuator Length  5.08mm  Illumination  Non-Illuminated  Illumination Type, Color  - Illumination Voltage (Nominal)  Mounting Type  Through Hole, Right Angle  Termination Style  PC Pin  Panel Cutout Dimensions  - Bushing Thread  Unthreaded  Ingress Protection  Features  Epoxy Sealed Terminals	Voltage Rating - DC	28V
Illumination Non-Illuminated  Illumination Type, Color - Illumination Voltage (Nominal) -  Mounting Type Through Hole, Right Angle  Termination Style PC Pin  Panel Cutout Dimensions -  Bushing Thread Unthreaded  Ingress Protection -  Features Epoxy Sealed Terminals	Actuator Type	Standard Round
Illumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Actuator Length	5.08mm
Illumination Voltage (Nominal)  Mounting Type Through Hole, Right Angle  PC Pin  Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features Epoxy Sealed Terminals	Illumination	Non-Illuminated
Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Illumination Type, Color	-
Termination Style PC Pin  Panel Cutout Dimensions -  Bushing Thread Unthreaded  Ingress Protection -  Features Epoxy Sealed Terminals	Illumination Voltage (Nominal)	-
Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features Epoxy Sealed Terminals	Mounting Type	Through Hole, Right Angle
Bushing Thread Unthreaded Ingress Protection Features Epoxy Sealed Terminals	Termination Style	PC Pin
Ingress Protection - Epoxy Sealed Terminals	Panel Cutout Dimensions	-
Features Epoxy Sealed Terminals	Bushing Thread	Unthreaded
	Ingress Protection	-
Report errors?	Features	Epoxy Sealed Terminals
		Report errors?

## **A223M1D9AVQ Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **A223M1D9AVQ Payment Methods**





















## **A223M1D9AVQ Shipping Methods**













If you have any question about A223M1D9AVQ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com