

AK8142

AK8142 Information

| | Part Number | AK8142 | |
|---------------------|------------------------|--|-----------------|
| Joney helsener.cork | Manufacturer | AKM Semiconductor Inc. | ET 25% ET |
| | Category | Integrated Circuits (ICs) Clock/Timing - Clock Generators, PLLs, Frequency Synthesizers | 「国際語目 |
| | Description Package | IC CLOCK GEN PLL 16TSSOP 16-TSSOP (0.173", 4.40mm Width) | |
| For Reference Only | | For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com | Request a Quote |

Certified Quality


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



AK8142 Specifications

| ManufacturerAKM Semiconductor Inc.CategoryIntegrated Circuits (ICs)Clock/Timing - Clock Generators, PLLs, Frequency SynthesizersPackage16-TSSOP (0.173", 4.40mm Width)Series-Type-Type-PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzOutput3 V ~ 3.6 VVoltage - Supply3 V ~ 3.6 S°CMounting Type64TSSOP (0.173", 4.40mm Width) | - | | |
|--|-----------------------------|---|--|
| CategoryIntegrated Circuits (ICs) Clock/Timing - Clock Generators, PLLs, Frequency SynthesizersPackage16-TSSOP (0.173", 4.40mm Width)Series-Type-Type-PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOutputSurface MountPackage / Case6-TSSOP (0.173", 4.40mm Width)Package / Case16-TSSOP (0.173", 4.40mm Width) | Manufacturer Part Number | AK8142 | |
| Clock/Timing - Clock Generators, PLLs, Frequency SynthesizersPackage16-TSSOP (0.173", 4.40mm Width)Series-Type-PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature30°C ~ 85°CMounting Type16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Manufacturer | AKM Semiconductor Inc. | |
| Package16-TSSOP (0.173", 4.40mm Width)Series-Type-PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width) | Category | Integrated Circuits (ICs) | |
| Series-Type-PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3V ~ 3.6 VOutput Sympler Of CircuitsSurface MountAutomating TypeSurface MountBifferential - Input:Output1000000000000000000000000000000000000 | | Clock/Timing - Clock Generators, PLLs, Frequency Synthesizers | |
| Type-PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating TemperatureSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Package | 16-TSSOP (0.173", 4.40mm Width) | |
| PLLYes with BypassInputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoOperating Temperature3V ~ 3.6 VOperating TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Series | - | |
| InputCrystalOutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width) | Туре | - | |
| OutputClockNumber of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | PLL | Yes with Bypass | |
| Number of Circuits1Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Input | Crystal | |
| Ratio - Input:Output1:2Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Output | Clock | |
| Differential - Input:OutputNo/NoFrequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Number of Circuits | 1 | |
| Frequency - Max200MHzDivider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Ratio - Input:Output | 1:2 | |
| Divider/MultiplierYes/NoVoltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Differential - Input:Output | No/No | |
| Voltage - Supply3 V ~ 3.6 VOperating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Frequency - Max | 200MHz | |
| Operating Temperature-30°C ~ 85°CMounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Divider/Multiplier | Yes/No | |
| Mounting TypeSurface MountPackage / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Voltage - Supply | 3 V ~ 3.6 V | |
| Package / Case16-TSSOP (0.173", 4.40mm Width)Supplier Device Package16-TSSOP | Operating Temperature | -30°C ~ 85°C | |
| Supplier Device Package 16-TSSOP | Mounting Type | Surface Mount | |
| | Package / Case | 16-TSSOP (0.173", 4.40mm Width) | |
| Report errors? | Supplier Device Package | 16-TSSOP | |
| | | Report errors? | |

AK8142 Guarantees



If you have any question about AK8142, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com