



CSC09A014K70GPA Information



For Reference Only

Part Number CSC09A014K70GPA

Manufacturer Vishay Dale Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 8 RES 4.7K OHM 9SIP

Package 9-SIP

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CSC09A014K70GPA Specifications

Manufacturer Part Number CSC09A014K70GPA Manufacturer Vishay Dale Category Resistors Resistor Networks, Arrays Package 9-SIP Series CSC Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.890" L x 0.098" W (22.61mm x 2.49mm)		
CategoryResistorsPackage9-SIPSeriesCSCCircuit TypeBussedResistance (Ohms)4.7kTolerance±2%Number of Resistors8Number of Pins9Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case9-SIPSupplier Device Package9-SIP	Manufacturer Part Number	CSC09A014K70GPA
Resistor Networks, Arrays Package 9-SIP Series CSC Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package	Manufacturer	Vishay Dale
Package9-SIPSeriesCSCCircuit TypeBussedResistance (Ohms)4.7kTolerance±2%Number of Resistors8Number of Pins9Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case9-SIPSupplier Device Package9-SIP	Category	Resistors
SeriesCSCCircuit TypeBussedResistance (Ohms)4.7kTolerance±2%Number of Resistors8Number of Pins9Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case9-SIPSupplier Device Package9-SIP		Resistor Networks, Arrays
Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package	Package	9-SIP
Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package	Series	CSC
Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP	Circuit Type	Bussed
Number of Resistors8Number of Pins9Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case9-SIPSupplier Device Package9-SIP	Resistance (Ohms)	4.7k
Number of Pins9Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case9-SIPSupplier Device Package9-SIP	Tolerance	±2%
Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP	Number of Resistors	8
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP	Number of Pins	9
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP	Power Per Element	200mW
Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP	Operating Temperature	-55°C ~ 125°C
Package / Case 9-SIP Supplier Device Package 9-SIP	Applications	-
Supplier Device Package 9-SIP	Mounting Type	Through Hole
	Package / Case	9-SIP
Size / Dimension 0.890" L x 0.098" W (22.61mm x 2.49mm)	Supplier Device Package	9-SIP
	Size / Dimension	0.890" L x 0.098" W (22.61mm x 2.49mm)
Height - Seated (Max) 0.195" (4.95mm)	Height - Seated (Max)	0.195" (4.95mm)
Report errors?		Report errors?

CSC09A014K70GPA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CSC09A014K70GPA Payment Methods



















CSC09A014K70GPA Shipping Methods













If you have any question about CSC09A014K70GPA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com