



CTVS06RF-23-55PA Information

Heisener.com

Part Number CTVS06RF-23-55PA

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG MALE 55POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CTVS06RF-23-55PA Specifications

Manufacturer Part NumberCTVS06RF-23-55PAManufacturerAmphenol Aerospace OperationsCategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-38999 Series III, Tri-Start? TVConnector TypePlug, Male PinsNumber of Positions55Shell Size - Insert23-55Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationAIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Nickel Plated, ElectrolessContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-		
Category Connectors, Interconnects Circular Connectors Package - Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Plug, Male Pins Number of Positions 55 Shell Size - Insert 23-55 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Manufacturer Part Number	CTVS06RF-23-55PA
Circular Connectors Package Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Plug, Male Pins Number of Positions 55 Shell Size - Insert 23-55 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Manufacturer	Amphenol Aerospace Operations
Package - Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Plug, Male Pins Number of Positions 55 Shell Size - Insert 23-55 Shell Size, MIL - Chapter Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Environment Resistant Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated	Category	Connectors, Interconnects
Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Plug, Male Pins Number of Positions 55 Shell Size - Insert 23-55 Shell Size, MIL		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions55Shell Size - Insert23-55Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationAIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Nickel Plated, ElectrolessContact FinishGoldFeaturesShieldedVoltage - Rated-	Package	-
Number of Positions55Shell Size - Insert23-55Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationAIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Nickel Plated, ElectrolessContact FinishGoldFeaturesShieldedVoltage - Rated-	Series	MIL-DTL-38999 Series III, Tri-Start? TV
Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Environment Resistant Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Features Shielded Voltage - Rated -	Number of Positions	55
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationAIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Nickel Plated, ElectrolessContact FinishGoldFeaturesShieldedVoltage - Rated-	Shell Size - Insert	23-55
Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Environment Resistant Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Shell Size, MIL	-
Fastening Type Threaded Orientation A Ingress Protection Environment Resistant Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Mounting Type	Free Hanging (In-Line)
Orientation A Ingress Protection Environment Resistant Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Fastening Type	Threaded
Shell Material, Finish Composite, Nickel Plated, Electroless Contact Finish Gold Features Shielded Voltage - Rated -	Orientation	A
Contact Finish Gold Features Shielded Voltage - Rated -	Ingress Protection	Environment Resistant
Features Shielded Voltage - Rated -	Shell Material, Finish	Composite, Nickel Plated, Electroless
Voltage - Rated -	Contact Finish	Gold
	Features	Shielded
Current Rating -	Voltage - Rated	-
	Current Rating	-
Report errors?		Report errors?

CTVS06RF-23-55PA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CTVS06RF-23-55PA Payment Methods



















CTVS06RF-23-55PA Shipping Methods













If you have any question about CTVS06RF-23-55PA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com