



DM74ALS30AM Information



For Reference Only

Part Number DM74ALS30AM

Manufacturer ON Semiconductor

Category Integrated Circuits (ICs)
Logic - Gates and Inverters

Description IC GATE NAND 1CH 8-INP 14SOIC **Package** 14-SOIC (0.154", 3.90mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DM74ALS30AM Specifications

Manufacturer Part Number DM74ALS30AM Manufacturer ON Semiconductor Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-SOIC (0.154", 3.90mm Width) Series 74ALS Logic Type NAND Gate Number of Circuits 1 Number of Inputs 8 Features - Voltage - Supply 4.5 V ~ 5.5 V Current - Quiescent (Max) - Current - Output High, Low 400µA, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)		
Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-SOIC (0.154", 3.90mm Width) Series 74ALS Logic Type NAND Gate Number of Circuits 1 Number of Inputs 8 Features - Voltage - Supply 4.5 V ~ 5.5 V Current - Quiescent (Max) - Current - Output High, Low 400μA, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Manufacturer Part Number	DM74ALS30AM
Package 14-SOIC (0.154", 3.90mm Width) Series 74ALS Logic Type NAND Gate Number of Circuits 1 Number of Inputs 8 Features - Voltage - Supply 4.5 V ~ 5.5 V Current - Quiescent (Max) - Current - Output High, Low 400μA, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Manufacturer	ON Semiconductor
Package 14-SOIC (0.154", 3.90mm Width) Series 74ALS Logic Type NAND Gate Number of Circuits 1 Number of Inputs 8 Features - Voltage - Supply 4.5 V ~ 5.5 V Current - Quiescent (Max) - Current - Output High, Low 400µA, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 114-SOIC (0.154", 3.90mm Width)	Category	Integrated Circuits (ICs)
Series74ALSLogic TypeNAND GateNumber of Circuits1Number of Inputs8Features-Voltage - Supply4.5 V ~ 5.5 VCurrent - Quiescent (Max)-Current - Output High, Low400μA, 8mALogic Level - Low0.8VLogic Level - High2VMax Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)		Logic - Gates and Inverters
Logic TypeNAND GateNumber of Circuits1Number of Inputs8Features-Voltage - Supply4.5 V ~ 5.5 VCurrent - Quiescent (Max)-Current - Output High, Low400μA, 8mALogic Level - Low0.8VLogic Level - High2VMax Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Package	14-SOIC (0.154", 3.90mm Width)
Number of Circuits1Number of Inputs8Features-Voltage - Supply4.5 V ~ 5.5 VCurrent - Quiescent (Max)-Current - Output High, Low400μA, 8mALogic Level - Low0.8VLogic Level - High2VMax Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Series	74ALS
Number of Inputs8Features-Voltage - Supply4.5 V ~ 5.5 VCurrent - Quiescent (Max)-Current - Output High, Low400μA, 8mALogic Level - Low0.8VLogic Level - High2VMax Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Logic Type	NAND Gate
Features Voltage - Supply 4.5 V ~ 5.5 V Current - Quiescent (Max) - Current - Output High, Low Logic Level - Low Logic Level - High 2V Max Propagation Delay @ V, Max CL Operating Temperature O°C ~ 70°C Mounting Type Surface Mount Supplier Device Package Package / Case - Current - Output High, Low 4.5 V ~ 5.5 V - Current - Quiescent (Max) - Cur	Number of Circuits	1
Voltage - Supply 4.5 V ~ 5.5 V Current - Quiescent (Max) - Current - Output High, Low 400 μ A, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Number of Inputs	8
Current - Quiescent (Max) Current - Output High, Low 400μA, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Features	-
Current - Output High, Low 400µA, 8mA Logic Level - Low 0.8V Logic Level - High 2V Max Propagation Delay @ V, Max CL 12ns @ 5V, 50pF Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Voltage - Supply	4.5 V ~ 5.5 V
Logic Level - Low0.8VLogic Level - High2VMax Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Current - Quiescent (Max)	-
Logic Level - High2VMax Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Current - Output High, Low	400μA, 8mA
Max Propagation Delay @ V, Max CL12ns @ 5V, 50pFOperating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Logic Level - Low	0.8V
Operating Temperature0°C ~ 70°CMounting TypeSurface MountSupplier Device Package14-SOICPackage / Case14-SOIC (0.154", 3.90mm Width)	Logic Level - High	2V
Mounting Type Surface Mount Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Max Propagation Delay @ V, Max CL	12ns @ 5V, 50pF
Supplier Device Package 14-SOIC Package / Case 14-SOIC (0.154", 3.90mm Width)	Operating Temperature	0°C ~ 70°C
Package / Case 14-SOIC (0.154", 3.90mm Width)	Mounting Type	Surface Mount
	Supplier Device Package	14-SOIC
Report errors?	Package / Case	14-SOIC (0.154", 3.90mm Width)
		Report errors?

DM74ALS30AM Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DM74ALS30AM Payment Methods





















DM74ALS30AM Shipping Methods













If you have any question about DM74ALS30AM, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com