

DR125-680-R Information



For Reference Only

Part Number DR125-680-R

Manufacturer Eaton

Category Inductors, Coils, Chokes

Fixed Inductors

Description FIXED IND 68UH 2.22A 101 MOHM

Package Nonstandard

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DR125-680-R Specifications

Manufacturer Eaton Category Inductors, Coils, Chokes Fixed Inductors Package Nonstandard Series DR Type Wirewound Material - Core Ferrite Inductance 68μH Tolerance ±20% Current Rating 2.22A Current - Saturation 2.7A Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Fixed Inductors	
Package Nonstandard Series DR Type Wirewound Material - Core Ferrite Inductance 68µH Tolerance ±20% Current Rating 2.22A Current - Saturation 2.7A Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Series DR Type Wirewound Material - Core Ferrite Inductance 68μH Tolerance ±20% Current Rating 2.22A Current - Saturation 2.7A Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Type Wirewound Material - Core Ferrite Inductance $68\mu H$ Tolerance $\pm 20\%$ Current Rating $2.22A$ Current - Saturation $2.7A$ Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Frequency - Test 100kHz	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
Inductance $68\mu H$ Tolerance $\pm 20\%$ Current Rating $2.22A$ Current - Saturation $2.7A$ ShieldingShieldedDC Resistance (DCR) 101 mOhm Q @ Freq-Frequency - Self Resonant-Ratings-Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Frequency - Test 100kHz	
Tolerance ±20% Current Rating 2.22A Current - Saturation 2.7A Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Current Rating 2.22A Current - Saturation 2.7A Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Current - Saturation 2.7A Shielding Shielded DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Shielding DC Resistance (DCR) 101 mOhm Q @ Freq Frequency - Self Resonant Ratings Operating Temperature Frequency - Test Shielded 101 mOhm - Test 100kHz	
DC Resistance (DCR) 101 mOhm Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 125°C Frequency - Test 100kHz	
Ratings - $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Frequency - Test 100kHz	
Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Frequency - Test 100kHz	
Frequency - Test 100kHz	
n .	
Features -	
Mounting Type Surface Mount	
Package / Case Nonstandard	
Supplier Device Package -	
Size / Dimension 0.492" L x 0.492" W (12.50mm x 12.50mm)	

Height - Seated (Max) 0.236" (6.00mm) Report errors?

DR125-680-R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DR125-680-R Payment Methods





















DR125-680-R Shipping Methods













If you have any question about DR125-680-R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com