

FFPF06U20DPTU

FFPF06U20DPTU Information

www.heisener.com	 FFPF06U20DPTU Fairchild/ON Semiconductor Discrete Semiconductor Products Diodes - Rectifiers - Arrays DIODE ARRAY GP 200V 6A TO220F TO-220-3 Full Pack For the pricing/inventory/lead time, please contact us	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



FFPF06U20DPTU Specifications

Manufacturer Part NumberFFPF06U20DPTUManufacturerFairchild/ON SemiconductorCategoryDiscrete Semiconductor ProductsDiodes - Rectifiers - ArraysPackageTO-220-3 Full PackSeries-Diode Configuration1 Pair Common AnodeDiode TypeStandardVoltage - DC Reverse (Vr) (Max)200VCurrent - Average Rectified (Io) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =<500ns, > 200mA (Io)Reverse Recovery Time (ttr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220F		
CategoryDiscrete Semiconductor ProductsCategoryDiscrete Semiconductor ProductsDiodes - Rectifiers - ArraysPackageTO-220-3 Full PackSeries-Diode Configuration1 Pair Common AnodeDiode TypeStandardVoltage - DC Reverse (Vr) (Max)200VCurrent - Average Rectified (Io) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220.3 Full Pack	Manufacturer Part Number	FFPF06U20DPTU
InterformDiodes - Rectifiers - ArraysPackageTO-220-3 Full PackSeries-Diode Configuration1 Pair Common AnodeDiode TypeStandardVoltage - DC Reverse (Vr) (Max)200VCurrent - Average Rectified (Jo) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Jo)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6 μ A @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Manufacturer	Fairchild/ON Semiconductor
PackageTO-220-3 Full PackSeries-Diode Configuration1 Pair Common AnodeDiode TypeStandardVoltage - DC Reverse (Vr) (Max)200VCurrent - Average Rectified (Jo) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trrr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Category	Discrete Semiconductor Products
Series-Series-Diode Configuration1 Pair Common AnodeDiode TypeStandardDiode Type00VVoltage - DC Reverse (Vr) (Max) @ If6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65° C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack		Diodes - Rectifiers - Arrays
Diode Configuration1 Pair Common AnodeDiode TypeStandardVoltage - DC Reverse (Vr) (Max)200VCurrent - Average Rectified (Io) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Package	TO-220-3 Full Pack
Diode TypeStandardDiode TypeStandardVoltage - DC Reverse (Vr) (Max)200VCurrent - Average Rectified (Io) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Series	-
Voltage - DC Reverse (Vr) (Max) 200V Current - Average Rectified (Io) (per Diode) 6A Voltage - Forward (Vf) (Max) @ If 1.2V @ 6A Speed Fast Recovery =< 500ns, > 200mA (Io) Reverse Recovery Time (trr) 35ns Current - Reverse Leakage @ Vr 6µA @ 200V Operating Temperature - Junction -65°C ~ 150°C Mounting Type Through Hole Package / Case TO-220-3 Full Pack	Diode Configuration	1 Pair Common Anode
Current - Average Rectified (Io) (per Diode)6AVoltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Diode Type	Standard
Voltage - Forward (Vf) (Max) @ If1.2V @ 6ASpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Voltage - DC Reverse (Vr) (Max)	200V
SpeedFast Recovery =< 500ns, > 200mA (Io)Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6µA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Current - Average Rectified (Io) (per Diode)	6A
Reverse Recovery Time (trr)35nsCurrent - Reverse Leakage @ Vr6μA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Voltage - Forward (Vf) (Max) @ If	1.2V @ 6A
Current - Reverse Leakage @ Vr6μA @ 200VOperating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Speed	Fast Recovery =< 500ns, > 200mA (Io)
Operating Temperature - Junction-65°C ~ 150°CMounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Reverse Recovery Time (trr)	35ns
Mounting TypeThrough HolePackage / CaseTO-220-3 Full Pack	Current - Reverse Leakage @ Vr	бµА @ 200V
Package / Case TO-220-3 Full Pack	Operating Temperature - Junction	-65°C ~ 150°C
	Mounting Type	Through Hole
Supplier Device Package TO-220F	Package / Case	TO-220-3 Full Pack
	Supplier Device Package	TO-220F
Report errors?		Report errors?

FFPF06U20DPTU Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

FFPF06U20DPTU Payment Methods



FFPF06U20DPTU Shipping Methods



If you have any question about FFPF06U20DPTU, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com