

## **G6BK-1114P-US-DC5**

#### **G6BK-1114P-US-DC5 Information**



For Reference Only

Part Number G6BK-1114P-US-DC5

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Power Relays, Over 2 Amps

**Description** RELAY GENERAL PURPOSE SPST 5A 5V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **G6BK-1114P-US-DC5 Specifications**

Manufacturer Part Number       G6BK-1114P-US-DC5         Manufacturer       Omron Electronics Inc-EMC Div         Category       Relays         Power Relays, Over 2 Amps         Package       -         Series       G6B         Relay Type       General Purpose         Coil Type       Latching, Dual Coil         Coil Current       56mA         Coil Voltage       5VDC         Contact Form       SPST-NO (1 Form A)         Contact Rating (Current)       5A         Switching Voltage       380VAC, 125VDC - Max         Turn On Voltage (Max)       3.5 VDC         Turn Off Voltage (Min)       -         Operate Time       10ms         Release Time       10ms         Features       Sealed - Fully         Mounting Type       Through Hole         Termination Style       PC Pin		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesG6BRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current56mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage380VAC, 125VDC - MaxTurn On Voltage (Max)3.5 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	G6BK-1114P-US-DC5
Package - G6B Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 56mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 3.5 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style	Manufacturer	Omron Electronics Inc-EMC Div
Package-SeriesG6BRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current56mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage380VAC, 125VDC - MaxTurn On Voltage (Max)3.5 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Category	Relays
SeriesG6BRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current56mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage380VAC, 125VDC - MaxTurn On Voltage (Max)3.5 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 56mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 3.5 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Package	-
Coil Type	Series	G6B
Coil Current Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 3.5 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Relay Type	General Purpose
Coil Voltage 5VDC  Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 5A  Switching Voltage 380VAC, 125VDC - Max  Turn On Voltage (Max) 3.5 VDC  Turn Off Voltage (Min) -  Operate Time 10ms  Release Time 10ms  Features Sealed - Fully  Mounting Type Through Hole  Termination Style PC Pin	Coil Type	Latching, Dual Coil
Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 5A  Switching Voltage 380VAC, 125VDC - Max  Turn On Voltage (Max) 3.5 VDC  Turn Off Voltage (Min) -  Operate Time 10ms  Release Time 10ms  Features Sealed - Fully  Mounting Type Through Hole  Termination Style PC Pin	Coil Current	56mA
Contact Rating (Current)  Switching Voltage  380VAC, 125VDC - Max  Turn On Voltage (Max)  3.5 VDC  Turn Off Voltage (Min)  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Through Hole  Termination Style  5A  380VAC, 125VDC - Max  3.5 VDC  10ms  -  10ms  PC Pin	Coil Voltage	5VDC
Switching Voltage 380VAC, 125VDC - Max  Turn On Voltage (Max) 3.5 VDC  Turn Off Voltage (Min) -  Operate Time 10ms  Release Time 10ms  Features Sealed - Fully  Mounting Type Through Hole  Termination Style PC Pin	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Through Hole  Termination Style  3.5 VDC  3.5 VDC	Contact Rating (Current)	5A
Turn Off Voltage (Min)  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Through Hole  Termination Style  PC Pin	Switching Voltage	380VAC, 125VDC - Max
Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Turn On Voltage (Max)	3.5 VDC
Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	-
Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Operate Time	10ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	10ms
Termination Style PC Pin	Features	Sealed - Fully
·	Mounting Type	Through Hole
D ( )	Termination Style	PC Pin
Report errors?		Report errors?

#### **G6BK-1114P-US-DC5 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **G6BK-1114P-US-DC5 Payment Methods**



















### G6BK-1114P-US-DC5 Shipping Methods













If you have any question about G6BK-1114P-US-DC5, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com