



### **HS15 R18 J Information**



For Reference Only

Part Number HS15 R18 J Manufacturer Ohmite Category Resistors

**Chassis Mount Resistors** 

**Description** RES CHAS MNT 0.18 OHM 5% 15W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **HS15 R18 J Specifications**

| Manufacturer Part NumberHS15 R18 JManufacturerOhmiteCategoryResistorsPackageAxial, BoxSeriesARCOL, HSResistance180 mOhmsTolerance±5%Power (Watts)15WCompositionWirewoundTemperature Coefficient±100ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.783" L x 0.440" W (19.89mm x 11.20mm)Height - Seated (Max)0.433" (11.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-  |                          |   |
|---|--------------------------|---|
| Category         Resistors           Package         Axial, Box           Series         ARCOL, HS           Resistance         180 mOhms           Tolerance         ±5%           Power (Watts)         15W           Composition         Wirewound           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -           Features         -           Coating, Housing Type         Aluminum           Mounting Feature         Flanges           Size / Dimension         0.783" L x 0.440" W (19.89mm x 11.20mm)           Height - Seated (Max)         0.443" (11.00mm)           Lead Style         Solder Lugs           Package / Case         Axial, Box           Failure Rate         - | Manufacturer Part Number | HS15 R18 J                              |
| Package         Axial, Box           Series         ARCOL, HS           Resistance         180 mOhms           Tolerance         ±5%           Power (Watts)         15W           Composition         Wirewound           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -           Features         -           Coating, Housing Type         Aluminum           Mounting Feature         Flanges           Size / Dimension         0.783" L x 0.440" W (19.89mm x 11.20mm)           Height - Seated (Max)         0.433" (11.00mm)           Lead Style         Solder Lugs           Package / Case         Axial, Box           Failure Rate         -                                      | Manufacturer             | Ohmite                                  |
| PackageAxial, BoxSeriesARCOL, HSResistance180 mOhmsTolerance±5%Power (Watts)15WCompositionWirewoundTemperature Coefficient±100ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.783" L x 0.440" W (19.89mm x 11.20mm)Height - Seated (Max)0.433" (11.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-   | Category                 | Resistors                               |
| SeriesARCOL, HSResistance180 mOhmsTolerance±5%Power (Watts)15WCompositionWirewoundTemperature Coefficient±100ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.783" L x 0.440" W (19.89mm x 11.20mm)Height - Seated (Max)0.433" (11.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-  |                          | Chassis Mount Resistors                 |
| Resistance 180 mOhms Tolerance ±5% Power (Watts) 15W Composition Wirewound Temperature Coefficient ±100ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -  | Package                  | Axial, Box                              |
| Tolerance ±5%  Power (Watts) 15W  Composition Wirewound  Temperature Coefficient ±100ppm/°C  Operating Temperature - Features - Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max) 0.433" (11.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -   | Series                   | ARCOL, HS                               |
| Power (Watts)  Composition  Wirewound  Temperature Coefficient  ±100ppm/°C  Operating Temperature  - Features  - Coating, Housing Type  Aluminum  Mounting Feature  Flanges  Size / Dimension  0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max)  Lead Style  Solder Lugs  Package / Case  Failure Rate  -  15W  Wirewound  ±100ppm/°C  -  -  0.783" L x 0.440" W (19.89mm x 11.20mm)  Solder Lugs  Axial, Box  Failure Rate   | Resistance               | 180 mOhms                               |
| Composition Wirewound  Temperature Coefficient ±100ppm/°C  Operating Temperature -  Features -  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max) 0.433" (11.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -   | Tolerance                | ±5%                                     |
| Temperature Coefficient ±100ppm/°C  Operating Temperature -  Features -  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max) 0.433" (11.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -  | Power (Watts)            | 15W                                     |
| Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -  | Composition              | Wirewound                               |
| Features - Coating, Housing Type Aluminum  Mounting Feature Flanges Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm) Height - Seated (Max) 0.433" (11.00mm)  Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -  | Temperature Coefficient  | ±100ppm/°C                              |
| Coating, Housing Type  Mounting Feature  Flanges  Size / Dimension  0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max)  0.433" (11.00mm)  Lead Style  Solder Lugs  Package / Case  Axial, Box  Failure Rate  -  | Operating Temperature    | -                                       |
| Mounting Feature  Size / Dimension  0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max)  0.433" (11.00mm)  Lead Style  Package / Case  Axial, Box  Failure Rate  -   | Features                 | -                                       |
| Size / Dimension 0.783" L x 0.440" W (19.89mm x 11.20mm)  Height - Seated (Max) 0.433" (11.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -   | Coating, Housing Type    | Aluminum                                |
| Height - Seated (Max)  Lead Style  Package / Case  Axial, Box  Failure Rate   | Mounting Feature         | Flanges                                 |
| Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-  | Size / Dimension         | 0.783" L x 0.440" W (19.89mm x 11.20mm) |
| Package / Case Axial, Box Failure Rate -  | Height - Seated (Max)    | 0.433" (11.00mm)                        |
| Failure Rate -  | Lead Style               | Solder Lugs                             |
|   | Package / Case           | Axial, Box                              |
| Report errors?  | Failure Rate             | -                                       |
| 1   |                          | Report errors?                          |

### **HS15 R18 J Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **HS15 R18 J Payment Methods**





















### **HS15 R18 J Shipping Methods**













If you have any question about HS15 R18 J, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com