

KA358A Information



For Reference Only

Part Number KA358A

Manufacturer Fairchild/ON Semiconductor
Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

Buffer Amps

Description IC OPAMP GP 8DIP **Package** 8-DIP (0.300", 7.62mm)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









KA358A Specifications

Manufacturer Part Number KA358A Manufacturer Fairchild/ON Semiconductor Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-DIP (0.300", 7.62mm) Series - Amplifier Type General Purpose Number of Circuits 2 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 45nA Voltage - Input Offset 2mV Current - Supply 800µA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP		
Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-DIP (0.300", 7.62mm) Series - Amplifier Type General Purpose Number of Circuits 2 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 45nA Voltage - Input Offset 2mV Current - Supply 800μA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP	Manufacturer Part Number	KA358A
Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps 8-DIP (0.300", 7.62mm) Series - Amplifier Type General Purpose Number of Circuits 2 Output Type - Slew Rate - Gain Bandwidth Product - 3db Bandwidth - Current - Input Bias 45nA Voltage - Input Offset Current - Supply 800µA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package	Manufacturer	Fairchild/ON Semiconductor
Backage 8-DIP (0.300", 7.62mm) Series - Amplifier Type General Purpose Number of Circuits 2 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 45nA Voltage - Input Offset 2mV Current - Supply 800µA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP	Category	Integrated Circuits (ICs)
Series - Amplifier Type General Purpose Number of Circuits 2 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 45nA Voltage - Input Offset 2mV Current - Supply 800µA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP		Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps
Amplifier TypeGeneral PurposeNumber of Circuits2Output Type-Slew Rate-Gain Bandwidth Product3db Bandwidth-Current - Input Bias45nAVoltage - Input Offset2mVCurrent - Supply800μACurrent - Output / Channel30mAVoltage - Supply, Single/Dual (±)3 V ~ 32 V, ±1.5 V ~ 16 VOperating Temperature0°C ~ 70°CMounting TypeThrough HolePackage / Case8-DIP (0.300", 7.62mm)Supplier Device Package8-DIP	Package	8-DIP (0.300", 7.62mm)
Number of Circuits2Output Type-Slew Rate-Gain Bandwidth Product3db Bandwidth-Current - Input Bias45nAVoltage - Input Offset2mVCurrent - Supply800μACurrent - Output / Channel30mAVoltage - Supply, Single/Dual (±)3 V ~ 32 V, ±1.5 V ~ 16 VOperating Temperature0°C ~ 70°CMounting TypeThrough HolePackage / Case8-DIP (0.300", 7.62mm)Supplier Device Package8-DIP	Series	-
Output Type Slew Rate - Gain Bandwidth Product -3db Bandwidth - Current - Input Bias Voltage - Input Offset Current - Supply 800 Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package	Amplifier Type	General Purpose
Slew Rate-Gain Bandwidth Product3db Bandwidth-Current - Input Bias45nAVoltage - Input Offset2mVCurrent - Supply800μACurrent - Output / Channel30mAVoltage - Supply, Single/Dual (±)3 V ~ 32 V, ±1.5 V ~ 16 VOperating Temperature0°C ~ 70°CMounting TypeThrough HolePackage / Case8-DIP (0.300", 7.62mm)Supplier Device Package8-DIP	Number of Circuits	2
Gain Bandwidth Product -3db Bandwidth - Current - Input Bias 45nA Voltage - Input Offset 2mV Current - Supply 800μA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package	Output Type	-
-3db Bandwidth Current - Input Bias 45nA Voltage - Input Offset 2mV Current - Supply 800μA Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package	Slew Rate	-
Current - Input Bias Voltage - Input Offset 2mV Current - Supply 800μA Current - Output / Channel Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package	Gain Bandwidth Product	-
Voltage - Input Offset $2mV$ Current - Supply $800\mu A$ Current - Output / Channel $30mA$ Voltage - Supply, Single/Dual (±) $3 V \sim 32 V, \pm 1.5 V \sim 16 V$ Operating Temperature $0^{\circ}C \sim 70^{\circ}C$ Mounting TypeThrough HolePackage / Case 8 -DIP (0.300", 7.62mm)Supplier Device Package 8 -DIP	-3db Bandwidth	-
Current - Supply $800\mu A$ Current - Output / Channel $30mA$ Voltage - Supply, Single/Dual (±) $3 \text{ V} \sim 32 \text{ V}, \pm 1.5 \text{ V} \sim 16 \text{ V}$ Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Mounting TypeThrough HolePackage / Case $8\text{-DIP } (0.300^{\circ}, 7.62mm)$ Supplier Device Package 8-DIP 	Current - Input Bias	45nA
Current - Output / Channel 30mA Voltage - Supply, Single/Dual (±) $3 \text{ V} \sim 32 \text{ V}, \pm 1.5 \text{ V} \sim 16 \text{ V}$ Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Mounting TypeThrough HolePackage / Case $8\text{-DIP} (0.300^{\circ}, 7.62 \text{mm})$ Supplier Device Package 8-DIP	Voltage - Input Offset	2mV
Voltage - Supply, Single/Dual (\pm) 3 V ~ 32 V, \pm 1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP	Current - Supply	800μΑ
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Mounting TypeThrough HolePackage / Case8-DIP $(0.300^{\circ}, 7.62\text{mm})$ Supplier Device Package8-DIP	Current - Output / Channel	30mA
Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP	Voltage - Supply, Single/Dual (±)	3 V ~ 32 V, ±1.5 V ~ 16 V
Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP	Operating Temperature	0°C ~ 70°C
Supplier Device Package 8-DIP	Mounting Type	Through Hole
	Package / Case	8-DIP (0.300", 7.62mm)
Report errors?	Supplier Device Package	8-DIP
		Report errors?

KA358A Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

KA358A Payment Methods



















KA358A Shipping Methods













If you have any question about KA358A, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com