



KJ0F16N26SN Information

Heisener.com

Part Number KJ0F16N26SN Manufacturer ITT Cannon, LLC

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT 26POS FRT MNT W/SKT

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









KJ0F16N26SN Specifications

Manufacturer Part NumberKJ0F16N26SNManufacturerITT Cannon, LLCCategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-38999 Series II, KJConnector TypeReceptacle, Female SocketsNumber of Positions26Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-38999 Series II, KJConnector TypeReceptacle, Female SocketsNumber of Positions26Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-	Manufacturer Part Number	KJ0F16N26SN
Circular Connectors Package - Series MIL-DTL-38999 Series II, KJ Connector Type Receptacle, Female Sockets Number of Positions 26 Shell Size - Insert 16-26 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Voltage - Rated Voltage - Rated Current Rating - Circular Connectors MIL-DTL-38999 Series II, KJ Receptacle, Female Sockets MIL-DTL-38999 Series II, KJ Ricular Connectors MIL-DTL-38999 Series II, KJ Receptacle, Female Sockets Number Sockets Because Aluminum Flange Coriant Flange Strain Relief Voltage - Rated - Current Rating	Manufacturer	ITT Cannon, LLC
Package-SeriesMIL-DTL-38999 Series II, KJConnector TypeReceptacle, Female SocketsNumber of Positions26Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMIL-DTL-38999 Series II, KJConnector TypeReceptacle, Female SocketsNumber of Positions26Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions26Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-	Package	-
Number of Positions26Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-	Series	MIL-DTL-38999 Series II, KJ
Shell Size - Insert16-26Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Features Strain Relief Voltage - Rated - Current Rating -	Number of Positions	26
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesStrain ReliefVoltage - Rated-Current Rating-	Shell Size - Insert	16-26
Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Strain Relief Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Strain Relief Voltage - Rated - Current Rating - Bayonet Lock N (Normal) Environment Resistant Aluminum Alloy, Nickel Plated - Gold - - - - - - - - - - - - -	Mounting Type	Panel Mount, Flange
Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Strain Relief Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Strain Relief Voltage - Rated - Current Rating -	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Gold Features Strain Relief Voltage - Rated Current Rating	Orientation	N (Normal)
Contact Finish Gold Features Strain Relief Voltage - Rated - Current Rating -	Ingress Protection	Environment Resistant
Features Strain Relief Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum Alloy, Nickel Plated
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	Strain Relief
	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

KJ0F16N26SN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

KJ0F16N26SN Payment Methods





















KJ0F16N26SN Shipping Methods













If you have any question about KJ0F16N26SN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com