



LLS1J123MELC Information



For Reference Only

Part Number LLS1J123MELC

Manufacturer Nichicon
Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 12000UF 20% 63V SNAP

Package Radial, Can - Snap-In

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LLS1J123MELC Specifications

Manufacturer Part NumberLLS1J123MELCManufacturerNichiconCategoryCapacitorsPackageRadial, Can - Snap-InSeriesLLSCapacitance12000μFTolerance±20%Voltage - Rated63VESR (Equivalent Series Resistance)-Lifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolar
CategoryCapacitorsPackageRadial, Can - Snap-InSeriesLLSCapacitance $12000\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $3000 \text{Hrs} @ 85^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
PackageRadial, Can - Snap-InSeriesLLSCapacitance 12000μ FTolerance $\pm 20\%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $3000 \text{Hrs} @ 85^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
PackageRadial, Can - Snap-InSeriesLLSCapacitance $12000μF$ Tolerance $±20%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $3000 Hrs @ 85°C$ Operating Temperature $-40°C \sim 85°C$
SeriesLLSCapacitance $12000μF$ Tolerance $\pm 20\%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $3000 Hrs @ 85°C$ Operating Temperature $-40°C \sim 85°C$
Capacitance $12000μF$ Tolerance $\pm 20\%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $3000 Hrs @ 85°C$ Operating Temperature $-40°C \sim 85°C$
Tolerance $\pm 20\%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance) - Lifetime @ Temp. $3000 \text{ Hrs } @ 85^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Voltage - Rated 63V ESR (Equivalent Series Resistance) - Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -40°C ~ 85°C
ESR (Equivalent Series Resistance) Lifetime @ Temp. Operating Temperature -40°C ~ 85°C
Lifetime @ Temp. $3000 \text{Hrs} @ 85^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Polarization
1 Old
Applications General Purpose
Ripple Current - Low Frequency 6.47A @ 120Hz
Ripple Current - High Frequency 7.4405A @ 50kHz
Impedance -
Lead Spacing 0.394" (10.00mm)
Size / Dimension 1.378" Dia (35.00mm)
Height - Seated (Max) 1.850" (47.00mm)
Surface Mount Land Size -
Mounting Type Through Hole
Package / Case Radial, Can - Snap-In
Report errors?

LLS1J123MELC Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LLS1J123MELC Payment Methods



















LLS1J123MELC Shipping Methods













If you have any question about LLS1J123MELC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com