

PLB4G020005

PLB4G020005 Information



rt Number	PLB4G020005	
nufacturer	ITT Cannon, LLC	
tegory	Connectors, Interconnects Circular Connectors	
scription	CONN RCPT FMALE 5POS GOLD SLDR	
ckage	-	
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



PLB4G020005 Specifications

Manufacturer Part Number PLB4G02005 Manufacturer ITT Cannon, LLC Category Connectors, Interconnects Package - Package PL Connector Type Receptacle, Female Sockets Number of Positions 5 Shell Size - Insert - Mounting Type Panel Mount, Bulkhead - Rear Side Nut Solder Cup Solder Cup Muterial, Finish Solder Cup Orientation 0° Naterial, Finish Bolysulfone (PSU) Contact Finish Gold Features - Yoltage - Rated - Yoltage - Rated -		
CategoryConnectors, Interconnects Circular ConnectorsPackage-Package-SeriesPLConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionPolysulfone (PSU)Shell Material, FinishGoldFatures-Yotage - Rated-Yotage - Rated-	Manufacturer Part Number	PLB4G020005
Initial Circular ConnectorsPackage-SeriesPLConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Shell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Yoltage - Rateing-Yoltage - Rateing-Yol	Manufacturer	ITT Cannon, LLC
Package.SeriesPLConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - Insert.Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLach Lock, Push-PullOrientation0°Ingress ProtectionIS00 - Dust ProtectedShell Material, FinishGoldContact FinishGoldFatures.Voltage - Rated.Yotage - Rated	Category	Connectors, Interconnects
SeriesPLConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionH50 - Dust ProtectedShell Material, FinishOldyContact FinishGoldFeatures-Voltage - Rated-Yurent Rating7A		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionPolysulfone (PSU)Shell Material, FinishGoldContact Finish-Voltage - Rated-Yoltage - Rated-Yoltage - Rated-Yontage State-Yontage State-Y	Package	-
Number of Positions5Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionPolysulfone (PSU)Shell Material, FinishGoldFeatures-Voltage - Rated-Kurent Rating7A	Series	PL
Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionIS00 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Kurent Rating-Shell Raterial-Shell Raterial-Shell Staterial-Shell Staterial-	Connector Type	Receptacle, Female Sockets
Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionIP50 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Yourent Rating7A	Number of Positions	5
Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionP50 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Kurrent Rating7A	Shell Size - Insert	-
TerminationSolder CupFastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionIP50 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Current Rating7A	Shell Size, MIL	-
Fastening TypeLatch Lock, Push-PullOrientation0°Ingress ProtectionIP50 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Current Rating7A	Mounting Type	Panel Mount, Bulkhead - Rear Side Nut
Orientation0°Ingress ProtectionIP50 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Current Rating7A	Termination	Solder Cup
Ingress ProtectionIP50 - Dust ProtectedShell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Current Rating7A	Fastening Type	Latch Lock, Push-Pull
Shell Material, FinishPolysulfone (PSU)Contact FinishGoldFeatures-Voltage - Rated-Current Rating7A	Orientation	0°
Contact FinishGoldFeatures-Voltage - Rated-Current Rating7A	Ingress Protection	IP50 - Dust Protected
Features-Voltage - Rated-Current Rating7A	Shell Material, Finish	Polysulfone (PSU)
Voltage - Rated-Current Rating7A	Contact Finish	Gold
Current Rating 7A	Features	-
-	Voltage - Rated	-
Report errors?	Current Rating	7A
		Report errors?

PLB4G020005 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE GUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

PLB4G020005 Payment Methods



PLB4G020005 Shipping Methods



If you have any question about PLB4G020005, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com