



PM5-PRAD Information

Heisener.com

Part Number PM5-PRAD
Manufacturer Bivar Inc.

Category Optoelectronics

Panel Indicators, Pilot Lights

Description PNL MNT AMBER 9.1MM LENS NO WIRE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PM5-PRAD Specifications

Manufacturer Part Number PM5-PRAD Manufacturer Bivar Inc. Category Optoelectronics Panel Indicators, Pilot Lights Package - Scries - Type LED Lamp Color Amber Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features - Lens Cutout Characteries -		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type LED Lamp Color Amber Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Manufacturer Part Number	PM5-PRAD
Package - Series - Type LED Lamp Color Amber Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Manufacturer	Bivar Inc.
Package - Series - Type LED Lamp Color Amber Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Category	Optoelectronics
Series - Type LED Lamp Color Amber Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -		Panel Indicators, Pilot Lights
TypeLEDLamp ColorAmberLens Color-Lens Transparency-RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating9mcdWavelength - Peak605nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Package	-
Lamp Color Lens Color Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style Ingress Protection Features - Ingress Protection IP67 Features	Series	-
Lens Color-Lens Transparency-RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating9mcdWavelength - Peak605nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Type	LED
Lens Transparency-RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating9mcdWavelength - Peak605nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Lamp Color	Amber
RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating9mcdWavelength - Peak605nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Lens Color	-
Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Lens Transparency	-
Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Ratings	AC/DC
Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Voltage	8 V ~ 48 V
Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 9mcd Wavelength - Peak 605nm Viewing Angle 120° Termination Style Ingress Protection IP67 Features -	Current	20mA
Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating9mcdWavelength - Peak605nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Panel Cutout Shape	Round
Millicandela Rating Wavelength - Peak 605nm Viewing Angle 120° Termination Style Ingress Protection IP67 Features	Panel Cutout Dimensions	0.39" (9.91mm)
Wavelength - Peak Viewing Angle 120° Termination Style Ingress Protection IP67 Features - - - - - - - - - - - - -	Lens Style/Size	Round with Domed Top, 9.10mm
Viewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Millicandela Rating	9mcd
Termination Style - Ingress Protection IP67 Features -	Wavelength - Peak	605nm
Ingress Protection IP67 Features -	Viewing Angle	120°
Features -	Termination Style	-
	Ingress Protection	IP67
Report errors?	Features	-
		Report errors?

PM5-PRAD Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PM5-PRAD Payment Methods


































If you have any question about PM5-PRAD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com