

### **PR12 Information**



For Reference Only

Part Number PR12
Manufacturer Tripp Lite

**Category** Power Supplies - External/Internal (Off-Board)

AC DC Converters

**Description** AC/DC CONVERTER 13.8V 166W

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **PR12 Specifications**

| Manufacturer Part Number         PR12           Manufacturer         Tripp Lite           Category         Power Supplies - External/Internal (Off-Board)           AC DC Converters           Package         -           Series         Trim Line           Type         Linear           Number of Outputs         1           Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)           Report errors? | •                        |   |
|---|--------------------------|---|
| Category         Power Supplies - External/Internal (Off-Board)           AC DC Converters           Package         -           Series         Trim Line           Type         Linear           Number of Outputs         1           Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Manufacturer Part Number | PR12  |
| Package         -           Series         Trim Line           Type         Linear           Number of Outputs         1           Voltage - Input         120V AC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Manufacturer             | Tripp Lite  |
| Package         -           Series         Trim Line           Type         Linear           Number of Outputs         1           Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Category                 | Power Supplies - External/Internal (Off-Board)            |
| Series         Trim Line           Type         Linear           Number of Outputs         1           Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   |                          | AC DC Converters  |
| Type         Linear           Number of Outputs         1           Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Package                  | -   |
| Number of Outputs         1           Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Series                   | Trim Line   |
| Voltage - Input         120VAC           Voltage - Output 1         13.8V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         12A           Power (Watts)         166W           Applications         ITE (Commercial)           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Type                     | Linear  |
| Voltage - Output 1       13.8V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       12A         Power (Watts)       166W         Applications       ITE (Commercial)         Voltage - Isolation       -         Efficiency       -         Operating Temperature       -         Features       -         Mounting Type       Benchtop         Size / Dimension       7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Number of Outputs        | 1   |
| Voltage - Output 2  Voltage - Output 3  - Voltage - Output 4  - Current - Output (Max)  Power (Watts)  Applications  ITE (Commercial)  Voltage - Isolation  - Efficiency  Operating Temperature  Features  Mounting Type  Benchtop  Size / Dimension  -  -  -  -  -  -  -  -  -  -  -  -  -   | Voltage - Input          | 120VAC  |
| Voltage - Output 3  Voltage - Output 4  - Current - Output (Max)  Power (Watts)  Applications  ITE (Commercial)  Voltage - Isolation  - Efficiency  Operating Temperature  Features  Mounting Type  Benchtop  Size / Dimension  - Company (Max)  - Commercial)  - Commercial)  - Commercial)  - Commercial  | Voltage - Output 1       | 13.8V   |
| Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  ITE (Commercial)  Voltage - Isolation  -  Efficiency  Operating Temperature  Features  Mounting Type  Benchtop  Size / Dimension  -  12A  -  166W  -  17E (Commercial)  -  -  -  -  -  -  -  -  -  -  Mounting Type  Benchtop  7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Voltage - Output 2       | -   |
| Current - Output (Max)  Power (Watts)  Applications  ITE (Commercial)  Voltage - Isolation  -  Efficiency  Operating Temperature  Features  Mounting Type  Benchtop  Size / Dimension  12A  12A  166W  17E (Commercial)  -  Commercial)  -  Benchtop  7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Voltage - Output 3       | -   |
| Power (Watts)  Applications  ITE (Commercial)  Voltage - Isolation  -  Efficiency  Operating Temperature  Features  Mounting Type  Benchtop  Size / Dimension  166W   ITE (Commercial)   Buttle (Commercial)   House (Commercial)   Benchtop  7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Voltage - Output 4       | -   |
| Applications ITE (Commercial)  Voltage - Isolation -  Efficiency -  Operating Temperature -  Features -  Mounting Type Benchtop  Size / Dimension 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Current - Output (Max)   | 12A   |
| Voltage - Isolation -  Efficiency -  Operating Temperature -  Features -  Mounting Type Benchtop  Size / Dimension 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Power (Watts)            | 166W  |
| Efficiency - Operating Temperature - Features - Mounting Type Benchtop Size / Dimension 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   | Applications             | ITE (Commercial)  |
| Operating Temperature - Features - Mounting Type Benchtop Size / Dimension 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Voltage - Isolation      | -   |
| Features - Mounting Type Benchtop Size / Dimension 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  |                          | -   |
| Mounting Type         Benchtop           Size / Dimension         7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)   |                          | -   |
| Size / Dimension 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm)  | Features                 | -   |
|   | Mounting Type            | Benchtop  |
| Report errors?  | Size / Dimension         | 7.75" L x 6.75" W x 4.50" H (196.9mm x 171.5mm x 114.3mm) |
|   |                          | Report errors?  |

#### **PR12 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **PR12 Payment Methods**



















# **PR12 Shipping Methods**













If you have any question about PR12, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com