



RSF2JA300R Information

Heisener.com

Part Number RSF2JA300R

Manufacturer Stackpole Electronics Inc.

Category Resistors

Through Hole Resistors

Description RES 300 OHM 2W 5% AXIAL

Package Axia

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









RSF2JA300R Specifications

Manufacturer Part NumberRSF2JA300RManufacturerStackpole Electronics Inc.CategoryResistorsThrough Hole ResistorsPackageAxialSeriesRSFResistance300 OhmsTolerance±5%Power (Watts)2WCompositionMetal Oxide FilmFeaturesFlame Retardant Coating, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 235°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.217" Dia x 0.591" L (5.50mm x 15.00mm)Height - Seated (Max)-Number of Terminations2			
Category Resistors Through Hole Resistors Package Axial Series RSF Resistance 300 Ohms Tolerance ±5% Power (Watts) Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Manufacturer Part Number	RSF2JA300R	
Through Hole Resistors Package Axial Series RSF Resistance 300 Ohms Tolerance ±5% Power (Watts) 2W Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Manufacturer	Stackpole Electronics Inc.	
Package Axial Series RSF Resistance 300 Ohms Tolerance ±5% Power (Watts) 2W Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Category	Resistors	
Series RSF Resistance 300 Ohms Tolerance ±5% Power (Watts) 2W Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -		Through Hole Resistors	
Resistance 300 Ohms Tolerance ±5% Power (Watts) 2W Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Package	Axial	
Tolerance ±5% Power (Watts) 2W Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Series	RSF	
Power (Watts) Composition Metal Oxide Film Features Flame Retardant Coating, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Resistance	300 Ohms	
Composition Metal Oxide Film Features Flame Retardant Coating, Safety ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Tolerance	±5%	
Features Flame Retardant Coating, Safety ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Power (Watts)	2W	
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Composition	Metal Oxide Film	
Operating Temperature -55°C ~ 235°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Features	Flame Retardant Coating, Safety	
Package / Case Axial Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Temperature Coefficient	$\pm 200 ppm/^{\circ}C$	
Supplier Device Package Axial Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Operating Temperature	-55°C ~ 235°C	
Size / Dimension 0.217" Dia x 0.591" L (5.50mm x 15.00mm) Height - Seated (Max) -	Package / Case	Axial	
Height - Seated (Max) -	Supplier Device Package	Axial	
	Size / Dimension	0.217" Dia x 0.591" L (5.50mm x 15.00mm)	
Number of Terminations 2	Height - Seated (Max)	-	
	Number of Terminations	2	
Failure Rate -	Failure Rate	-	
Report errors?			Report errors?

RSF2JA300R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

RSF2JA300R Payment Methods



















RSF2JA300R Shipping Methods













If you have any question about RSF2JA300R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com