


SFR16S0003902JR500

SFR16S0003902JR500 Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



SFR16S0003902JR500 Specifications

ManufacturerVishay BC ComponentsCategoryResistorsThrough Hole ResistorsPackageAxialSeriesSFR 16SResistance39 kOhmsTolerance±5%Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Operating Temperature55°C ~ 155°CPackage / CaseAxialSupplier Device Package.Size / Dimension0.075° Dia x 0.138° L (1.90mm x 3.50mm)Height - Seated (Max)2Number of Terminations2		
CategoryResistorsPackageAxialPackageSFR16SResistance39 kOhmsTolerance±5%Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Tolepranter Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)2	Manufacturer Part Number	SFR16S0003902JR500
Through Hole ResistorsPackageAxialSeriesSFR16SResistance39 kOhmsTolerance±5%Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)2	Manufacturer	Vishay BC Components
PackageAxialSeriesSFR16SResistance39 kOhmsTolerance±5%Power (Wats)0.5W, 1/2WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)2	Category	Resistors
SeriesSFR16SResistance39 kOhmsTolerance±5%Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / Case-Supplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)2		Through Hole Resistors
Resistance39 kOhmsTolerance±5%Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-5°°C ~ 155°°CPackage / Case-Supplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)2	Package	Axial
Tolerance±5%Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Series	SFR16S
Power (Watts)0.5W, 1/2WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Resistance	39 kOhms
CompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Tolerance	±5%
Features-Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Power (Watts)	0.5W, 1/2W
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Composition	Metal Film
Operating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Features	-
Package / CaseAxialSupplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Temperature Coefficient	±100ppm/°C
Supplier Device Package-Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Operating Temperature	-55°C ~ 155°C
Size / Dimension0.075" Dia x 0.138" L (1.90mm x 3.50mm)Height - Seated (Max)-Number of Terminations2	Package / Case	Axial
Height - Seated (Max)-Number of Terminations2	Supplier Device Package	-
Number of Terminations 2	Size / Dimension	0.075" Dia x 0.138" L (1.90mm x 3.50mm)
	Height - Seated (Max)	-
Failure Rate -	Number of Terminations	2
	Failure Rate	-
Report errors?		Report errors?

SFR16S0003902JR500 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

SFR16S0003902JR500 Payment Methods



If you have any question about SFR16S0003902JR500, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com