

SSCSSNT060PAAA5

SSCSSNT060PAAA5 Information

Part Number SSCSSNT060PAAA5

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

Description BRD MNT PRESSURE SENSORS

Package 4-SIP Module

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SSCSSNT060PAAA5 Specifications

Manufacturer Part NumberSSCSSNT060PAAA5ManufacturerHoneywell Sensing and Productivity SolutionsCategorySensors, TransducersPackage4-SIP ModuleSeriesTruStability? SSCPressure TypeAbsoluteOperating Pressure60 PSI (413.69 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply4.75 V ~ 5.25 VPort Size-Port StyleNo PortFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure120 PSI (827.37 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package4-SIP		
CategorySensors, TransducersPressure Sensors, TransducersPackage4-SIP ModuleSeriesTruStability? SSCPressure TypeAbsoluteOperating Pressure60 PSI (413.69 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply4.75 V ~ 5.25 VPort Size-Port StyleNo PortFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure120 PSI (827.37 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package4-SIP	Manufacturer Part Number	SSCSSNT060PAAA5
Package 4-SIP Module Series TruStability? SSC Pressure Type Absolute Operating Pressure 60 PSI (413.69 kPa) Output Type Analog Voltage Output 0.5 V ~ 4.5 V Accuracy ±0.25% Voltage - Supply 4.75 V ~ 5.25 V Port Size - Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package	Manufacturer	Honeywell Sensing and Productivity Solutions
Package4-SIP ModuleSeriesTruStability? SSCPressure TypeAbsoluteOperating Pressure60 PSI (413.69 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply4.75 V ~ 5.25 VPort Size-Port StyleNo PortFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure120 PSI (827.37 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package4-SIP	Category	Sensors, Transducers
Series TruStability? SSC Pressure Type Absolute Operating Pressure Output Type Analog Voltage Output Utype Analog Voltage Output Utype Analog Voltage Output Accuracy ±0.25% Voltage - Supply 4.75 V ~ 5.25 V Port Size - Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package		Pressure Sensors, Transducers
Pressure TypeAbsoluteOperating Pressure60 PSI (413.69 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply4.75 V ~ 5.25 VPort Size-Port StyleNo PortFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure120 PSI (827.37 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package4-SIP	Package	4-SIP Module
Operating Pressure 60 PSI (413.69 kPa) Output Type Analog Voltage Output 0.5 V ~ 4.5 V Accuracy ±0.25% Voltage - Supply 4.75 V ~ 5.25 V Port Size - Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package	Series	TruStability? SSC
Output TypeAnalog VoltageOutput $0.5 \text{ V} \sim 4.5 \text{ V}$ Accuracy $\pm 0.25\%$ Voltage - Supply $4.75 \text{ V} \sim 5.25 \text{ V}$ Port Size-Port StyleNo PortFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure $120 \text{ PSI } (827.37 \text{ kPa})$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case $4-\text{SIP Module}$ Supplier Device Package $4-\text{SIP}$	Pressure Type	Absolute
Output $0.5 \text{ V} \sim 4.5 \text{ V}$ Accuracy $\pm 0.25\%$ Voltage - Supply $4.75 \text{ V} \sim 5.25 \text{ V}$ Port Size-Port StyleNo PortFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure $120 \text{ PSI (827.37 kPa)}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case 4-SIP Module Supplier Device Package 4-SIP	Operating Pressure	60 PSI (413.69 kPa)
Accuracy ±0.25% Voltage - Supply 4.75 V ~ 5.25 V Port Size - Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package 4-SIP	Output Type	Analog Voltage
Voltage - Supply 4.75 V ~ 5.25 V Port Size - Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package	Output	0.5 V ~ 4.5 V
Port Size - Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package 4-SIP	Accuracy	±0.25%
Port Style No Port Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package 4-SIP	Voltage - Supply	4.75 V ~ 5.25 V
Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package 4-SIP	Port Size	-
Termination Style PC Pin Maximum Pressure 120 PSI (827.37 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package 4-SIP	Port Style	No Port
Maximum Pressure120 PSI (827.37 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package4-SIP	Features	Amplified Output, Temperature Compensated
Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package 4-SIP	Termination Style	PC Pin
Package / Case 4-SIP Module Supplier Device Package 4-SIP	Maximum Pressure	120 PSI (827.37 kPa)
Supplier Device Package 4-SIP	Operating Temperature	-40°C ~ 85°C
	Package / Case	4-SIP Module
Report errors?	Supplier Device Package	4-SIP
Report errors.		Report errors?

SSCSSNT060PAAA5 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SSCSSNT060PAAA5 Payment Methods



















SSCSSNT060PAAA5 Shipping Methods













If you have any question about SSCSSNT060PAAA5, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com