



TL3360CF260Q Information

www.heis.

For Reference Only

Part Number TL3360CF260Q

Manufacturer E-Switch
Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 50MA 12V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TL3360CF260Q Specifications

Manufacturer Part Number TL3360CF260Q Manufacturer E-Switch Category Switches Package - Series TL3360 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 4.00mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -		
Category Switches Package - Series TL3360 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -	Manufacturer Part Number	TL3360CF260Q
Package - Series TL3360 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 4.00mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features	Manufacturer	E-Switch
Package - Series TL3360 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 4.00mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -	Category	Switches
SeriesTL3360CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle4.00mmActuator OrientationSide ActuatedTermination StyleGull WingOutline6.50mm x 6.06mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle4.00mmActuator OrientationSide ActuatedTermination StyleGull WingOutline6.50mm x 6.06mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Package	-
Switch Function Contact Rating @ Voltage	Series	TL3360
Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 0.05A @ 12VDC Standard 0.00m - Side Actuated 6.50mm x 6.06mm Non-Illuminated - - - - - - - - - - - - -	Circuit	SPST-NO
Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle 4.00mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 260gf Ingress Protection - Features - Standard Surface Mount, Right Angle - Surface	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Surface Mount, Right Angle	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 100 100 260gf Ingress Protection Features	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force 1260gf Ingress Protection Features 4.00mm 4.00mm 4.00mm 5ide Actuated Finall Wing Fould Wing Fould Wing Following	Mounting Type	Surface Mount, Right Angle
Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color -Illumination Voltage (Nominal) Operating Force 1260gf Ingress Protection Features - Side Actuated Gull Wing - 6.50mm x 6.06mm	Actuator Height off PCB, Vertical	-
Termination Style Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 260gf Ingress Protection - Features -	Actuator Length, Right Angle	4.00mm
Outline 6.50mm x 6.06mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features	Actuator Orientation	Side Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Termination Style	Gull Wing
Illumination Type, Color Illumination Voltage (Nominal) Operating Force 260gf Ingress Protection Features	Outline	6.50mm x 6.06mm
Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Illumination	Non-Illuminated
Operating Force 260gf Ingress Protection - Features -	Illumination Type, Color	-
Ingress Protection - Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	260gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

TL3360CF260Q Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TL3360CF260Q Payment Methods





















TL3360CF260Q Shipping Methods













If you have any question about TL3360CF260Q, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com