

TL36WS84065 Information

Heisener.com

Part Number TL36WS84065 Manufacturer APEM Inc. Category Switches

Toggle Switches

Description SWITCH TOGGLE SPDT 0.4VA 20V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TL36WS84065 Specifications

Manufacturer Part Number Manufacturer APEM Inc. Switches Toggle Switches Package - Series SMT TL Circuit SPDT Switch Function Current Rating On-On Current Rating Voltage Rating - DC Actuator Type Standard Round Actuator Length Illumination Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Surface Mount, Right Angle Famile Cutout Dimensions Bushing Thread Ingress Protection - Features High Temperature Plastic Cap Report errors?		
Category Switches Package - Series SMT TL Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features High Temperature Plastic Cap	Manufacturer Part Number	TL36WS84065
Package-SeriesSMT TLCircuitSPDTSwitch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeStandard RoundActuator Length5.50mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeSurface Mount, Right AngleTermination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Manufacturer	APEM Inc.
Package - Series SMT TL Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features High Temperature Plastic Cap	Category	Switches
Series SMT TL Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features High Temperature Plastic Cap		Toggle Switches
Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features High Temperature Plastic Cap	Package	-
Switch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeStandard RoundActuator Length5.50mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Termination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Series	SMT TL
Current Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeStandard RoundActuator Length5.50mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeSurface Mount, Right AngleTermination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Circuit	SPDT
Voltage Rating - AC Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features High Temperature Plastic Cap	Switch Function	On-On
Voltage Rating - DC Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features High Temperature Plastic Cap	Current Rating	0.4VA (AC/DC)
Actuator Type Standard Round Actuator Length 5.50mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features High Temperature Plastic Cap	Voltage Rating - AC	20V
Actuator Length S.50mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Mounting Type Surface Mount, Right Angle Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features High Temperature Plastic Cap	Voltage Rating - DC	20V
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeSurface Mount, Right AngleTermination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Actuator Type	Standard Round
Illumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeSurface Mount, Right AngleTermination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Actuator Length	5.50mm
Illumination Voltage (Nominal)-Mounting TypeSurface Mount, Right AngleTermination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Illumination	Non-Illuminated
Mounting TypeSurface Mount, Right AngleTermination StyleGull WingPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesHigh Temperature Plastic Cap	Illumination Type, Color	-
Termination Style Gull Wing Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features High Temperature Plastic Cap	Illumination Voltage (Nominal)	-
Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features High Temperature Plastic Cap	Mounting Type	Surface Mount, Right Angle
Bushing Thread Unthreaded Ingress Protection Features High Temperature Plastic Cap	Termination Style	Gull Wing
Ingress Protection - High Temperature Plastic Cap	Panel Cutout Dimensions	-
Features High Temperature Plastic Cap	Bushing Thread	Unthreaded
	Ingress Protection	-
Report errors?	Features	High Temperature Plastic Cap
		Report errors?

TL36WS84065 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TL36WS84065 Payment Methods



















TL36WS84065 Shipping Methods













If you have any question about TL36WS84065, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com