



TL431BIDBZT Information



For Reference Only

Part Number TL431BIDBZT

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)
PMIC - Voltage Reference

DescriptionIC VREF SHUNT ADJ SOT23-3**Package**TO-236-3, SC-59, SOT-23-3

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TL431BIDBZT Specifications

Manufacturer Part NumberTL431BIDBZTManufacturerTexas InstrumentsCategoryIntegrated Circuits (ICs)PMIC - Voltage ReferencePackageTO-236-3, SC-59, SOT-23-3Series-Reference TypeShuntOutput TypeAdjustableVoltage - Output (Min/Fixed)2.495VVoltage - Output (Max)36VCurrent - Output100mATolerance±0.5%Temperature Coefficient-
Category Integrated Circuits (ICs) PMIC - Voltage Reference Package TO-236-3, SC-59, SOT-23-3 Series Reference Type Shunt Output Type Adjustable Voltage - Output (Min/Fixed) Voltage - Output (Max) Current - Output Tolerance Integrated Circuits (ICs) PMIC - Voltage Reference TO-236-3, SC-59, SOT-23-3 Series - Reference Type Shunt 100mA ±0.5%
PMIC - Voltage Reference Package TO-236-3, SC-59, SOT-23-3 Series - Reference Type Shunt Output Type Adjustable Voltage - Output (Min/Fixed) Voltage - Output (Max) Current - Output 100mA Tolerance ±0.5%
Package TO-236-3, SC-59, SOT-23-3 Series - Reference Type Shunt Output Type Adjustable Voltage - Output (Min/Fixed) 2.495V Voltage - Output (Max) 36V Current - Output 100mA Tolerance ±0.5%
Series - Reference Type Shunt Output Type Adjustable Voltage - Output (Min/Fixed) 2.495V Voltage - Output (Max) 36V Current - Output 100mA Tolerance ±0.5%
Reference Type Output Type Adjustable Voltage - Output (Min/Fixed) Voltage - Output (Max) Current - Output 100mA Tolerance Shunt Adjustable 2.495V 2.495V 2.495V 4.500 4.500 4.500 5.5
Output Type Voltage - Output (Min/Fixed) Voltage - Output (Max) Current - Output Tolerance Adjustable 2.495V 36V 400mA ±0.5%
Voltage - Output (Min/Fixed) Voltage - Output (Max) Current - Output Tolerance 2.495V 36V 100mA ±0.5%
Voltage - Output (Max) 36V Current - Output 100mA Tolerance ±0.5%
Current - Output 100mA Tolerance $\pm 0.5\%$
Tolerance ±0.5%
Temperature Coefficient -
Noise - 0.1Hz to 10Hz
Noise - 10Hz to 10kHz
Voltage - Input -
Current - Supply -
Current - Cathode 700µA
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C} \text{ (TA)}$
Mounting Type Surface Mount
Package / Case TO-236-3, SC-59, SOT-23-3
Supplier Device Package SOT-23-3
Report erro

TL431BIDBZT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TL431BIDBZT Payment Methods





















TL431BIDBZT Shipping Methods













If you have any question about TL431BIDBZT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com