



TPS2103DBVR Information



For Reference Only

Part Number TPS2103DBVR

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)

PMIC - OR Controllers, Ideal Diodes

Description IC OR CTRLR SRC SELECT SOT23-5

Package SC-74A, SOT-753

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TPS2103DBVR Specifications

Manufacturer TPS2103DBVR Manufacturer Texas Instruments Category Integrated Circuits (ICs) Package SC-74A, SOT-753 Series - Type Source Selector Switch FET Type N and P-Channel Ratio - Input:Output 2:1 Internal Switch(s) Yes Delay Time - ON - Delay Time - OFF - Current - Output (Max) 500mA, 100mA Current - Supply 14μA Voltage - Supply 2.7 V ~ 4 V Applications Handheld/Mobile Devices Operating Temperature -40°C ~ 70°C Mounting Type Surface Mount Package / Case SC-74A, SOT-753 Supplier Device Package SOT-23-5		
Category Integrated Circuits (ICs) PMIC - OR Controllers, Ideal Diodes Package SC-74A, SOT-753 Series - Type Source Selector Switch FET Type N and P-Channel Ratio - Input:Output 2:1 Internal Switch(s) Yes Delay Time - ON - Delay Time - OFF - Current - Output (Max) 500mA, 100mA Current - Supply 14μA Voltage - Supply 2.7 V ~ 4 V Applications Handheld/Mobile Devices Operating Temperature -40°C ~ 70°C Mounting Type Surface Mount Package / Case SC-74A, SOT-753	Manufacturer Part Number	TPS2103DBVR
Package SC-74A, SOT-753 Series - Type Source Selector Switch FET Type N and P-Channel Ratio - Input:Output 2:1 Internal Switch(s) Yes Delay Time - ON - Delay Time - OFF - Current - Output (Max) 500mA, 100mA Current - Supply 14μA Voltage - Supply 2.7 V ~ 4 V Applications Handheld/Mobile Devices Operating Temperature -40°C ~ 70°C Mounting Type Surface Mount Package / Case SC-74A, SOT-753	Manufacturer	Texas Instruments
PackageSC-74A, SOT-753Series-TypeSource Selector SwitchFET TypeN and P-ChannelRatio - Input:Output2:1Internal Switch(s)YesDelay Time - ON-Delay Time - OFF-Current - Output (Max)500mA, 100mACurrent - Supply14μAVoltage - Supply2.7 V ~ 4 VApplicationsHandheld/Mobile DevicesOperating Temperature-40°C ~ 70°CMounting TypeSurface MountPackage / CaseSC-74A, SOT-753	Category	Integrated Circuits (ICs)
Series-TypeSource Selector SwitchFET TypeN and P-ChannelRatio - Input:Output2:1Internal Switch(s)YesDelay Time - ON-Delay Time - OFF-Current - Output (Max)500mA, 100mACurrent - Supply 14μ AVoltage - Supply $2.7 \text{ V} \sim 4 \text{ V}$ ApplicationsHandheld/Mobile DevicesOperating Temperature $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Mounting TypeSurface MountPackage / CaseSC-74A, SOT-753		PMIC - OR Controllers, Ideal Diodes
TypeSource Selector SwitchFET TypeN and P-ChannelRatio - Input:Output2:1Internal Switch(s)YesDelay Time - ON-Delay Time - OFF-Current - Output (Max)500mA, 100mACurrent - Supply14μAVoltage - Supply2.7 V ~ 4 VApplicationsHandheld/Mobile DevicesOperating Temperature-40°C ~ 70°CMounting TypeSurface MountPackage / CaseSC-74A, SOT-753	Package	SC-74A, SOT-753
FET Type N and P-Channel Ratio - Input:Output 2:1 Internal Switch(s) Yes Delay Time - ON - Delay Time - OFF - Current - Output (Max) 500mA, 100mA Current - Supply 14µA Voltage - Supply 2.7 V ~ 4 V Applications Handheld/Mobile Devices Operating Temperature -40°C ~ 70°C Mounting Type Surface Mount Package / Case SC-74A, SOT-753	Series	-
Ratio - Input:Output2:1Internal Switch(s)YesDelay Time - ON-Delay Time - OFF-Current - Output (Max)500mA, 100mACurrent - Supply14μAVoltage - Supply2.7 V ~ 4 VApplicationsHandheld/Mobile DevicesOperating Temperature-40°C ~ 70°CMounting TypeSurface MountPackage / CaseSC-74A, SOT-753	Type	Source Selector Switch
Internal Switch(s)YesDelay Time - ON-Delay Time - OFF-Current - Output (Max)500mA, 100mACurrent - Supply14μAVoltage - Supply2.7 V ~ 4 VApplicationsHandheld/Mobile DevicesOperating Temperature-40°C ~ 70°CMounting TypeSurface MountPackage / CaseSC-74A, SOT-753	FET Type	N and P-Channel
Delay Time - ON-Delay Time - OFF-Current - Output (Max)500mA, 100mACurrent - Supply14μAVoltage - Supply2.7 V ~ 4 VApplicationsHandheld/Mobile DevicesOperating Temperature-40°C ~ 70°CMounting TypeSurface MountPackage / CaseSC-74A, SOT-753	Ratio - Input:Output	2:1
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Internal Switch(s)	Yes
Current - Output (Max) $500 mA, 100 mA$ Current - Supply $14 \mu A$ $2.7 \text{ V} \sim 4 \text{ V}$ Applications Handheld/Mobile Devices Operating Temperature $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Mounting Type Surface Mount Package / Case $SC-74A, SOT-753$	Delay Time - ON	-
Current - Supply $14\mu A$ $Voltage - Supply \qquad 2.7 \ V \sim 4 \ V$ $Applications \qquad Handheld/Mobile Devices$ $Operating Temperature \qquad -40^{\circ}C \sim 70^{\circ}C$ $Mounting Type \qquad Surface Mount \\ Package / Case \qquad SC-74A, SOT-753$	Delay Time - OFF	-
Voltage - Supply2.7 V ~ 4 VApplicationsHandheld/Mobile DevicesOperating Temperature-40°C ~ 70°CMounting TypeSurface MountPackage / CaseSC-74A, SOT-753	Current - Output (Max)	500mA, 100mA
Applications Handheld/Mobile Devices Operating Temperature -40°C ~ 70°C Mounting Type Surface Mount Package / Case SC-74A, SOT-753	Current - Supply	14μΑ
Operating Temperature -40°C ~ 70°C Mounting Type Surface Mount Package / Case SC-74A, SOT-753	Voltage - Supply	2.7 V ~ 4 V
Mounting Type Surface Mount Package / Case SC-74A, SOT-753	Applications	Handheld/Mobile Devices
Package / Case SC-74A, SOT-753	Operating Temperature	-40°C ~ 70°C
-	Mounting Type	Surface Mount
Supplier Device Package SOT-23-5	Package / Case	SC-74A, SOT-753
	Supplier Device Package	SOT-23-5
Report errors?		Report errors?

TPS2103DBVR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TPS2103DBVR Payment Methods



















TPS2103DBVR Shipping Methods













If you have any question about TPS2103DBVR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com