



UKL1C222KHD Information



For Reference Only

Part Number UKL1C222KHD

Manufacturer Nichicon
Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 2200UF 10% 16V RADIAL

Package Radial, Car

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









UKL1C222KHD Specifications

| Manufacturer Part NumberUKL1C222KHDManufacturerNichiconCategoryCapacitorsPackageRadial, CanSeriesUKLCapacitance2200μFTolerance±10%Voltage - Rated16VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolar |
|--|
| CategoryCapacitorsPackageRadial, CanSeriesUKLCapacitance $2200\mu F$ Tolerance $\pm 10\%$ Voltage - Rated $16V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. 2000Hrs @ 85°C Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| PackageRadial, CanSeriesUKLCapacitance $2200\mu F$ Tolerance $\pm 10\%$ Voltage - Rated $16V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. 2000Hrs @ 85°C Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| PackageRadial, CanSeriesUKLCapacitance 2200μ FTolerance $±10\%$ Voltage - Rated $16V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. 2000Hrs @ 85°C Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| SeriesUKLCapacitance $2200\mu F$ Tolerance $±10\%$ Voltage - Rated $16V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. 2000 Hrs @ 85°C Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| Capacitance $2200\mu F$ Tolerance $\pm 10\%$ Voltage - Rated $16V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. 2000Hrs @ 85°C Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| Tolerance $\pm 10\%$ Voltage - Rated 16V ESR (Equivalent Series Resistance) - Lifetime @ Temp. $2000 \text{ Hrs @ } 85^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| Voltage - Rated16VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°C |
| ESR (Equivalent Series Resistance) Lifetime @ Temp. 2000 Hrs @ 85°C Operating Temperature -40°C ~ 85°C |
| Lifetime @ Temp. $2000 \text{Hrs} @ 85^{\circ} \text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| |
| Polarization |
| 2.77 |
| Applications General Purpose |
| Ripple Current - Low Frequency 1.3A @ 120Hz |
| Ripple Current - High Frequency 1.495A @ 10kHz |
| Impedance - |
| Lead Spacing 0.295" (7.50mm) |
| Size / Dimension 0.630" Dia (16.00mm) |
| Height - Seated (Max) 1.043" (26.50mm) |
| Surface Mount Land Size - |
| Mounting Type Through Hole |
| Package / Case Radial, Can |
| Report errors? |

UKL1C222KHD Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

UKL1C222KHD Payment Methods



















UKL1C222KHD Shipping Methods













If you have any question about UKL1C222KHD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com