









CKT SIZE	DIM A	DIM B
2	5.00	9.94 +/-0.04
3	10.00	14.93 +/-0.05
4	15.00	19.93 +/-0.05



- NOTES:
- MATERIALS:
HOUSING: PA 6,UL94 V-2
COLOUR : SEE SHEET 2
TERMINAL: PHOSPHOR BRONZE, (0.50)/0.020 THICK REF
PLATING: (2µm)/79µin MIN SILVER IN CONTACT AREA
(0.10µm)/0.004µin MIN SILVER FLASH ALLOVER
 - PRODUCT CONFORMS TO SPECIFICATION: PS-99020-0037
 - ACCEPTS CABLE, PER ES-99036-0010
 - SEE SUBSEQUENT SHEETS FOR PART NUMBERS SHOWING THE VARIOUS CODING, KEYING AND LATCHING OPTIONS.
 - PACKAGING SPECIFICATION PK-90833-001
 - APPLICATION SPECIFICATION AS-99033-0004

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED P/N'S SHT 3&5		
mm	2:1			
GENERAL TOLERANCES (UNLESS SPECIFIED)				
ANGULAR TOL	± °			
4 PLACES	±			
3 PLACES	±			
2 PLACES	± 0.05			
1 PLACE	± 0.1			
0 PLACES	±			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES
			A2-SIZE	91779

EC NO: 606020
DRWN: AKABADI
CHK'D: TCLEARY
APPR: DRYAN

2018/10/16
2018/10/23
2018/11/03

INITIAL REVISION:
DRWN: AKABADI
APPR: BRUTTLE

2017/04/17
2017/07/26

molex

RAST 5 INDIRECT
FEMALE ASSEMBLY 16 AMPS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
917790001	PSD	000	F

MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
SEE FOLLOWING SHEETS	GENERAL MARKET	1 OF 6

DOCUMENT STATUS	P1	RELEASE DATE	2018/11/03	19:16:44
-----------------	----	--------------	------------	----------

14	13		12		11		10		9		8
2 CIRCUIT											
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF	
91779-0001	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c d20	1/2		NONE	K00	
91779-0002	91779-9001	2	NATURAL	9001	1b 2a	01c d20	1/2		NONE	K01	
91779-0003	91779-9001	2	NATURAL	9001	1a 2b	d20	1/2		NONE	K05	
91779-0004	91779-9001	2	NATURAL	9001	1a	01c d20	1/2		NONE	K12	
91779-0005	91779-9001	2	NATURAL	9001	1a 2b	01c d20	1/2		BLUE	K48	
91779-0006	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	NONE	1/2		NONE	K41	
91779-0007	91779-9001	2	NATURAL	9001	2a	01c	1/2		NONE	K42	
91779-0008	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	d20	1/2		NONE	K34	
91779-0009	PART NUMBER OBSOLETE, REPLACED WITH 91779-0006.										
91779-0010	91779-9001	2	NATURAL	5004	1a 1b 2a 2b	NONE	1/2		BLACK	K41	
91779-0011	91779-9001	2	NATURAL	9001	1a	d20	1/2		NONE	K66	
91779-0012	91779-9001	2	NATURAL	9001	1b	01c d20	1/2		NONE	K16	
91779-0013	91779-9001	2	NATURAL	9001	1a	NONE	1/2		NONE	K70	
91779-0014	91779-9001	2	NATURAL	9001	1b 2a 2b	d20	1/2		NONE	K--	
91779-0015	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	d20	1/2		NONE	K34	
91779-0016	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c	1/2		NONE	K33	
91779-0017	91779-9004	2	RED(PINK)	3014	1a 1b 2b	NONE	1/2		NONE	K43	
91779-0018	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		NONE	K09	
91779-0019	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		GREEN	K--	
91779-0020	91779-9001	2	NATURAL	9001	1a 2b	d20	1/2		GREEN	K--	
91779-0021	91779-9001	2	NATURAL	9001	2a	01c d20	1/2		BLACK	K--	
91779-0022	91779-9001	2	NATURAL	9001	1b	d20	1/2		RED	K--	
91779-0023	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		BLUE	K--	
DOCUMENT STATUS		P1	RELEASE DATE		2018/11/03 19:16:44						

7	6	5	4	3	2	1				
2 CIRCUIT										
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF
91779-0024	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		ORANGE	K--
91779-0025	91779-9001	2	NATURAL	9001	1a 1b	d20	1/2		NONE	K--
91779-0026	91779-9001	2	NATURAL	9001	1a 2b	01c	1/2		NONE	K--
91779-0027	91779-9003	2	BLACK	5004	1a 2b	NONE	1/2		NONE	K06
91779-0028	91779-9004	2	RED(PINK)	3014	2a 2b	NONE	1/2		NONE	K31
91779-0029	91779-9001	2	NATURAL	9001	NONE	01c d20	1/2		NONE	K--
91779-0030	91779-9001	2	NATURAL	9001	1a 2a 2b	01c d20	1/2		NONE	K62
91779-0031	91779-9001	2	NATURAL	9001	1a 2a	01c d20	1/2		NONE	K--
91779-0032	91779-9001	2	NATURAL	9001	1b 2b	01c d20	1/2		NONE	K--
91779-0033	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c d20	1/2		RED	K09
91779-0034	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c d20	1/2		GREEN	K--
91779-0035	91779-9001	2	NATURAL	9001	2b	NONE	1/2		NONE	K--
91779-0036	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	NONE	1/2		NONE	K41
91779-0038	91779-9001	2	NATURAL	9001	1b	NONE	1/2		NONE	K--

TABLE CONTINUES NEXT PAGE

1a

1b

2a

2b

3a

3b

4a

4b

1

2

3

4

01c

d20

03c

d30

04c

d40

CKT 1

CKT 2

CKT 3


CKT 4

LATCH POSITION

POSITION KEYS

KEYING , CODING & LATCH IDENTIFICATION
(4 CKT EXAMPLE SHOWN)
VIEW IN MATING DIRECTION

CODING KEYS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED P/N'S SHT 3&5				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 606020 DRWN: AKABADI 2018/10/16 CHK'D: TCLEARY 2018/10/23 APPR: DRYAN 2018/11/03				RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS							
ANGULAR TOL ± °															
4 PLACES ±															
3 PLACES ±															
2 PLACES ± 0.05															
1 PLACE ± 0.1				INITIAL REVISION: DRWN: AKABADI 2017/04/17 APPR: BRUTTLE 2017/07/26				PRODUCT CUSTOMER DRAWING							
0 PLACES ±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
				A2-SIZE		91779		917790001		PSD		000		F	
				SEE FOLLOWING SHEETS		GENERAL MARKET		SHEET NUMBER 2 OF 6							


14	13	12	11	10	9	8	CIRCUIT 2 CONTIN'D			
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF
91779-0039	91779-9001	2	NATURAL	9001	1a 2b	NONE	1/2		NONE	K06
91779-0040	91779-9004	2	RED(PINK)	3014	1a 2a	01c	1/2		NONE	K10
91779-0041	91779-9001	2	NATURAL	9001	1b 2a 2b	01c d20	1/2		NONE	K78
91779-0042	91779-9001	2	NATURAL	9001	NONE	01c	1/2		NONE	K51
91779-0043	91779-9005	2	NATURAL	9001	NONE	NONE	1/2b & SHORT STD LATCH 1/2		NONE	K--
91779-0044	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c	1/2		NONE	K--
91779-0045	91779-9001	2	NATURAL	9001	NONE	d20	1/2		NONE	K56
91779-0046	91779-9001	2	NATURAL	9001	NONE	NONE	1/2		NONE	K61
91779-0047	91779-9005	2	NATURAL	9001	NONE	01c	1/2b & SHORT STD LATCH 1/2		NONE	K--
91779-0048	91779-9005	2	NATURAL	9001	2b	01c d20	1/2b & SHORT STD LATCH 1/2		NONE	K--
91779-0049	91779-9005	2	NATURAL	9001	1a 2b	01c d20	1/2b & SHORT STD LATCH 1/2		NONE	K--
91779-0050	91779-9001	2	NATURAL	9001	2a 2b	NONE	1/2		NONE	K--
91779-0051	91779-9005	2	NATURAL	9001	1a 2b	d20	1/2b & SHORT STD LATCH 1/2		NONE	K--
91779-0052	91779-9001	2	NATURAL	9001	NONE	01c d20	1/2		NONE	K54
91779-0053	91779-9005	2	NATURAL	9001	1a 2b	NONE	1/2b & SHORT STD LATCH 1/2		NONE	K--
91779-0054	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	01c d20	1/2		NONE	K00
91779-0055	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	01c	1/2		NONE	K33
91779-0056	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	d20	1/2		NONE	K34
91779-0057	91779-9004	2	RED(PINK)	3014	1a 2b	d20	1/2		NONE	K05
91779-0058	91779-9001	2	NATURAL	9001	1a 2b	d20	1/2		NONE	K05
91779-0059	91779-9001	2	NATURAL	9001	1a 2a	01c	1/2		NONE	K--

DOCUMENT STATUS	P1	RELEASE DATE	2018/11/03	19:16:44
-----------------	----	--------------	------------	----------

FORMAT: 10/11/14
REVISION: 1/4


CIRCUIT 2 CONTIN'D

MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF
91779-0061	91779-9004	2	RED(PINK)	3014	2a	01c d20	1/2		NONE	K03
91779-0062	91779-9004	2	RED(PINK)	3014	1a 2b	NONE	1/2		NONE	K06



KEYING , CODING & LATCH IDENTIFICATION
(4 CKT EXAMPLE SHOWN)
VIEW IN MATING DIRECTION

LATCH OPTION 1/2b



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED P/N'S SHT 3&5				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 606020 DRWN: AKABADI 2018/10/16 CHK'D: TCLEARY 2018/10/23 APPR: DRYAN 2018/11/03				RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS							
ANGULAR TOL ± °															
4 PLACES		±													
3 PLACES		±													
2 PLACES		± 0.05													
1 PLACE		± 0.1		INITIAL REVISION: DRWN: AKABADI 2017/04/17 APPR: BRUTTLE 2017/07/26				DOCUMENT NUMBER 917790001		DOC TYPE PSD	DOC PART 000	REVISION F			
0 PLACES		±													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A2-SIZE		SERIES 91779		MATERIAL NUMBER SEE FOLLOWING SHEETS		CUSTOMER GENERAL MARKET		SHEET NUMBER 3 OF 6	

	14		13		12		11		10		9		8
	3 CIRCUIT												
H	MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF		
	91779-0101	91779-9101	3	NATURAL	9001	1a 1b 2a 2b 3a 3b	01c d20 03c d30	1/2		NONE	K00		
	91779-0102	91779-9102	3	NATURAL	9001	1a 1b 2a 2b 3a 3b	01c d10 02c d30	2/3		NONE	K90		
G	91779-0103	91779-9101	3	NATURAL	9001	1b	01c d20	1/2		NONE	K01		
	91779-0104	91779-9102	3	NATURAL	9001	2a	d10 d30	2/3		NONE	K44		
	91779-0105	91779-9102	3	NATURAL	9001	3b	02c d30	2/3		NONE	K--		
F	91779-0106	91779-9101	3	NATURAL	9001	NONE	NONE	1/2		NONE	K59		
	91779-0107	91779-9101	3	NATURAL	9001	1b	01c d20	1/2		RED	K01		
	91779-0108	91779-9101	3	NATURAL	9001	1a	01c d20	1/2		NONE	K154		
E	91779-0109	91779-9103	3	RED(PINK)	3014	1a 1b 2a 2b 3a 3b	NONE	2/3		NONE	K39		
	91779-0110	91779-9103	3	RED(PINK)	3014	2b 3b	d10	2/3		NONE	K84		
	91779-0111	91779-9102	3	NATURAL	9001	2b 3a	d10 d30	2/3		NONE	K--		
D	91779-0112	PART NUMBER OBSOLETE, REPLACED WITH 91779-0109											
	91779-0113	91779-9103	3	RED(PINK)	3014	1a 1b 2a 2b 3a 3b	d10	2/3		NONE	K41		
	91779-0114	91779-9102	3	NATURAL	9001	1a 1b 2a 2b 3a 3b	d10	2/3		NONE	K41		
C	91779-0115	91779-9101	3	NATURAL	9001	NONE	03c	1/2		NONE	K72		
	91779-0116	91779-9101	3	NATURAL	9001	1a 1b	d30	1/2		NONE	K05		
	91779-0117	91779-9102	3	NATURAL	9001	2a	d10 02c d30	2/3		NONE	K--		
	91779-0118	91779-9102	3	NATURAL	9001	2a	d10	2/3		NONE	K--		
B	91779-0119	91779-9101	3	NATURAL	9001	2a	01c d30	1/2		NONE	K--		
A													
DOCUMENT STATUS		P1	RELEASE DATE		2018/11/03		19:16:44						
	4	13		12		11		10		9			8

7	6	5	4	3	2	1					
3 CIRCUIT											
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	VOID CIRCUIT	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF
91779-0120	91779-9102	3	NATURAL	9001	NONE	2b 3b	d30	2/3		NONE	K--
91779-0121	91779-9101	3	NATURAL	9001	NONE	NONE	01c d30	1/2		NONE	K--
91779-0122	91779-9103	3	RED(PINK)	3014	NONE	1b 2a 2b 3b	NONE	2/3		NONE	K124
91779-0123	91779-9103	3	RED(PINK)	3014	2	2b 3b	d10	2/3		NONE	K84
91779-0124	91779-9102	3	NATURAL	9001	NONE	NONE	d10 02c d30	2/3		NONE	K--
91779-0126	91779-9101	3	NATURAL	9001	NONE	3b	01c d30	1/2		NONE	K--
91779-0127	91779-9102	3	NATURAL	9001	NONE	1a 2a 3b	d10 d30	2/3		NONE	K170
91779-0128	91779-9102	3	NATURAL	9001	NONE	1a 2b	NONE	2/3		NONE	K--
91779-0129	91779-9102	3	NATURAL	9001	NONE	1a 1b 2a 2b 3a 3b	01c d30	2/3		NONE	K--
91779-0130	91779-9101	3	NATURAL	9001	NONE	1a 3b	01c	1/2		NONE	K--
91779-0132	91779-9102	3	NATURAL	9001	NONE	2a 3a	d30	2/3		NONE	K31

TABLE CONTINUES NEXT PAGE

KEYING , CODING & LATCH IDENTIFICATION
(4 CKT EXAMPLE SHOWN)
VIEW IN MATING DIRECTION

POSITION KEYS

CODING KEYS

LATCH POSITION


CKT 1 CKT 2 CKT 3 CKT 4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS mm		SCALE 1:1		CURRENT REV DESC: ADDED P/N'S SHT 3&5				molex			
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 606020 DRWN: AKABADI 2018/10/16 CHK'D: TCLEARY 2018/10/23 APPR: DRYAN 2018/11/03				RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS			
ANGULAR TOL ± °				INITIAL REVISION:				PRODUCT CUSTOMER DRAWING			
4 PLACES ±				DRWN: AKABADI 2017/04/17				DOCUMENT NUMBER 917790001		DOC TYPE PSD	
3 PLACES ±				APPR: BRUTTLE 2017/07/26				DOC PART 000		REVISION F	
2 PLACES ±		0.05						SHEET NUMBER 4 OF 6			
1 PLACE ±		0.1									
0 PLACES ±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A2-SIZE		SERIES 91779		MATERIAL NUMBER SEE FOLLOWING SHEETS	
								CUSTOMER GENERAL MARKET			

7	6	5	4	3	2	1
---	---	---	---	---	---	---

14	13	12	11	10	9	8	7	6	5	4	3	2	1
4 CIRCUIT													
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF			
91779-0201	91779-9201	4	NATURAL		1a 1b 2a 2b 3a 3b 4a 4b	01c d20 03c d40	1/2, 3/4		NONE	K00			
91779-0202	91779-9201	4	NATURAL	9001	1b	03c d40	1/2, 3/4		NONE	K01			
91779-0203	91779-9201	4	NATURAL	9001	1a 3a 3b	01c d20 d40	1/2, 3/4		NONE	K32			
91779-0204	91779-9202	4	NATURAL	9001	NONE	d20	1/2		NONE	K127			
91779-0205	91779-9201	4	NATURAL	9001	2a, 4b	d20	1/2, 3/4		NONE	K07			
91779-0206	91779-9201	4	NATURAL	9001	2b	d20	1/2, 3/4		NONE	K--			
91779-0207	91779-9207	4	NATURAL	9001	3a	01c d20 03c d40	3/4		NONE	K--			
91779-0208	91779-9201	4	NATURAL	9001	3a	01c d20 03c d40	1/2, 3/4		NONE	K--			
91779-0209	91779-9208	4	NATURAL	9001	1a 2b 3b 4b	01c d10 02c d30 04c d40	2/3		NONE	K--			
91779-0210	91779-9201	4	NATURAL	9001	1a 1b 2b 3a 3b 4b	d20 d40	1/2, 3/4		NONE	K--			
91779-0211	91779-9201	4	NATURAL	9001	2a 2b 3b 4b	01c d20 03c d40	1/2, 3/4		NONE	K--			
91779-0212	91779-9201	4	NATURAL	9001	2a 3a 4b	01c	1/2, 3/4		NONE	K--			
91779-0213	91779-9202	4	NATURAL	9001	2a 4b	01c d30	1/2		NONE	K--			
91779-0214	91779-9202	4	NATURAL	9001	1a 1b 2a 2b 3a 3b 4a 4b	01c d20 03c d30 04c d40	1/2		NONE	K--			
91779-0215	91779-9201	4	NATURAL	9001	1a 2b 3b	d40	1/2, 3/4		NONE	K--			

4 CIRCUIT										
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP	REF
91779-0216	91779-9201	4	NATURAL	9001	1b 2a 3a 4b	01c d40	1/2, 3/4		NONE	K--
91779-0217	PART NUMBER OBSOLETE. REPLACED WITH 91779-0205									
91779-0218	91779-9201	4	NATURAL	9001	1a 1b 3a 3b	03c d40	1/2, 3/4		NONE	K--
91779-0219	91779-9201	4	NATURAL	9001	1b 2a 3a 4a	01c d20 03c	1/2, 3/4		NONE	K--
91779-0220	91779-9207	4	NATURAL	9001	1a 1b 2a 2b 3a 4b	01c d40	3/4		NONE	K--
91779-0221	91779-9202	4	NATURAL	9001	1a 1b 2a 2b 3a 4b	01c d40	1/2		NONE	K--
91779-0222	91779-9208	4	NATURAL	9001	1a 1b 2a 2b 3a 4b	01c d40	2/3		NONE	K--
91779-0223	91779-9209	4	NATURAL	9001	1a 2b	04c	1/2b 3/4b & SHORT STD LATCH 1/2		NONE	K--
91779-0224	91779-9209	4	NATURAL		2b	04c	1/2b 3/4b & SHORT STD LATCH 1/2		NONE	K00
91779-0225	91779-9210	4	NATURAL	9001	1a 2b	04c	1/2b & SHORT STD LATCH 1/2		NONE	K--



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED P/N'S SHT 3&5						molex						
mm		1:1														
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 606020 DRWN: AKABADI 2018/10/16 CHK'D: TCLEARY 2018/10/23 APPR: DRYAN 2018/11/03						RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS						
ANGULAR TOL ± °																
4 PLACES		±														
3 PLACES		±		PRODUCT CUSTOMER DRAWING						DOCUMENT NUMBER 917790001				DOC TYPE	DOC PART	REVISION
2 PLACES		± 0.05														
1 PLACE		± 0.1														
INITIAL REVISION:				2017/04/17 2017/07/26						PSD	000	F				
0 PLACES		±														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
						A2-SIZE		91779		SEE FOLLOWING SHEETS		GENERAL MARKET		6 OF 6		