









RECOMMENDED EDGE CARD LAYOUT
EDGE CARD THICKNESS: 1.57±0.02
PLATING: GOLD 30 μINCHES MIN
OVER 150 μINCHES NICKEL

NOTES:

- HOUSING MATL: LCP, UL94V-0, BLACK
TERMINAL MATL: COPPER ALLOY
- FINISH: SELECT GOLD: 30 M.I. MIN IN CONTACT AREA
SELECT TIN: 150 M.I. MIN IN SOLDER AREA
BOTH OVER NICKEL: 50 M.I. MIN
- PRODUCT SPECIFICATION: PS-45719-001.
- PACKAGING SPECIFICATION: ES-45714-001.
- PCB THICKNESS: SEE CHART
- EDGE CARD THICKNESS: 1.57±0.08
- DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE
- PCB HOLE SPECIFICATION: SEE PS-45719-001.
- THIS EDGE WILL TOUCH HOUSING WHEN EDGE CARD IS FULLY SEATED



MATERIAL NUMBER	SEG'S	DIM P	PCB THK
45844-1000	1	4.33	3.18/2.36
45844-1001	1	3.19	1.57
45844-0001	2	4.33	3.18/2.36
45844-0004	2	3.19	1.57

ADD DATUM E EC NO: UCP2014-5371 DRWN: JSCHAFER 2014/08/27 CHKD: APPR: APATEL 2014/09/03 REV F4	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES SEE CHART ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE MARGULIS 2004/07/29 CHECKED BY DATE MARGULIS 2004/07/29 APPROVED BY DATE MARGULIS 2004/07/29 MATERIAL NO. SEE CHARTS SIZE B	SCALE 2:1 TITLE 5 POWER EDGE ASSEMBLY SIGNAL VERTICAL SOLDER TAIL molex DOCUMENT NO. SD-45844-001 SHEET NO. 1 OF 3	DESIGN UNITS METRIC THIRD ANGLE PROJECTION

6

5





4

3


2

1

SEE SHEET ONE FOR NOTES AND DIMENSIONS NOT SHOWN

5.40
TYP 2RECOMMENDED EDGE CARD LAYOUT:
TOLERANCE: ±0.05

TOOLING STATUS	MATERIAL NUMBER	SEG's	DIM P	PCB THK
TOOLED	45844-0002	3	4.33	3.18/2.36
TOOLED	45844-0005	3	3.19	1.57



EC NO: UCP2014-5371	DRWN: JSCHAER	2014/08/27	CHKD: APPR: APATEL	2014/09/03
REV	F4	DESCRIPTION		

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---

ANGULAR ±1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONSDIMENSION STYLE
MM ONLY

DRAWN BY	DATE
MARGULIS	2004/07/29
CHECKED BY	DATE
MARGULIS	2004/07/29
APPROVED BY	DATE
MARGULIS	2004/07/29

MATERIAL NUMBER
SEE CHARTSIZE
ASCALE
2:1DESIGN UNITS
METRICTHIRD ANGLE
PROJECTIONTITLE
POWER EDGE ASSEMBLY
SIGNAL VERTICAL
SOLDER TAIL

MOLEX INCORPORATED

DOCUMENT NO.
SD-45844-001SHEET NO.
2 OF 5




5

4

3


2

1




PCB LAYOUT: COMPONENT SIDE

SEE SHEET ONE FOR NOTES AND DIMENSIONS NOT SHOWN



RECOMMENDED EDGE CARD LAYOUT
TOLERANCE:±0.05



EC NO: UCP2014-5371	DRWN:JSCHAFER	2014/08/27
CHKD: APPR:APATEL	2014/09/03	
F4	REV	DESCRIPTION

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
MARGUL IS	2004/07/29
CHECKED BY	DATE
MARGUL IS	2004/07/29
APPROVED BY	DATE
MARGUL IS	2004/07/29
MATERIAL NUMBER	
SEE CHART	
SIZE	
A	

SCALE 2:1		DESIGN UNITS METRIC		 THIRD ANGLE PROJECTION	
TITLE					
POWER EDGE ASSEMBLY SIGNAL VERTICAL SOLDER TAIL					
 MOLEX INCORPORATED					
DOCUMENT NO. SD-45844-001				SHEET NO. 3 OF 5	
THIS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

6

5

4





3

2

1

NOTES:

1. HOUSING MATL: LCP, UL94V-0, BLACK
TERMINAL MATL: COPPER ALLOY
2. FINISH: SELECT GOLD: 30 M.I. MIN IN CONTACT AREA
SELECT TIN: 150 M.I. MIN IN SOLDER AREA
BOTH OVER NICKEL: 50 M.I. MIN
3. PRODUCT SPECIFICATION: PS-45719-001.
4. PACKAGING SPECIFICATION: PK-45714-001.
5. PCB THICKNESS: SEE CHART
6. EDGE CARD THICKNESS: 1.57±0.15
7. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
8. 0.50 X 45° CHAMFER ON LEADING EDGE, TYP 4 SIDES.



RECOMMENDED EDGE CARD LAYOUT
TOLERANCE: ±0.05

SEG's	MATERIAL NUMBER	DIM P	PCB THK
2	45844-0901	4.23	3.18/2.36
2	45844-0904	3.19	1.57

VOID DRAWING	EC NO: UCP2015-0887	DRWN: JSCHAFFER	2014/11/06	CH'KD:	2014/11/10	APPR: APATEL	DESCRIPTION
A							REV

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE MM ONLY	
DRAWN BY	DATE
JSCHAFFER	2011/11/07
CHECKED BY	DATE
APPROVED BY	DATE
APATEL	2014/08/25
SEE CHART	
SIZE	
A	

SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
TITLE POWER EDGE ASSEMBLY SIGNAL RT ANGLE SOLDER TAIL		
MOLEX INCORPORATED		
DOCUMENT NO. SD-45844-002		SHEET NO. 1 OF 4
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

5

4

3

2

1

6

5




4

3


2

1


SEE SHEET ONE FOR NOTES AND DIMENSIONS NOT SHOWN

SEGMENT 1
CIRCUIT 15.40
TYP 2



PBC LAYOUT: COMPONENT SIDE

SEGMENT 1
CIRCUIT 1SEGMENT 1
CIRCUIT 1RECOMMENDED EDGE CARD LAYOUT:
TOLERANCE: ± 0.05

SEG's	MATERIAL NUMBER	DIM P	PCB THK
3	45844-0902	4.23	3.18/2.36
3	45844-0905	3.19	1.57




EC NO: UCP2015-0887 DRWN: JSCHAFAER 2014/11/06 CHKD: APATEL 2014/11/10 APPR: APATEL 2014/11/10 REV	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY JSCHAFAER 2011/11/07		TITLE POWER EDGE ASSEMBLY SIGNAL RT ANGLE SOLDER TAIL				
		4 PLACES	± ---	± ---	CHECKED BY DATE						
		3 PLACES	± ---	± ---	APPROVED BY APATEL 2014/08/25		MOLEX INCORPORATED				
		2 PLACES	± 0.25	± ---							
		1 PLACE	± ---	± ---	MATERIAL NUMBER SEE CHART		DOCUMENT NO. SD-45844-002				
		ANGULAR ±1/2°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								




PCB LAYOUT: COMPONENT SIDE

SEE SHEET ONE FOR NOTES AND DIMENSIONS NOT SHOWN



RECOMMENDED EDGE CARD LAYOUT
TOLERANCE:±0.05

SEG's	MATERIAL NUMBER	DIM P	PCB THK
4	45844-0903	4.23	3.18/2.36
4	45844-0906	3.19	1.57



EC NO: UCP2015-0887	DRWN:JSCHAFFER	2014/11/06
CH'KD:	APPR:APATEL	2014/11/10
REV	DESCRIPTION	
A		

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---

ANGULAR ±1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE MM ONLY	
DRAWN BY	DATE
JSCHAFFER	2011/11/07
CHECKED BY	DATE
APPROVED BY	DATE
APATEL	2014/08/25
MATERIAL NUMBER	SEE CHART
SIZE	A

SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
TITLE POWER EDGE ASSEMBLY SIGNAL RT ANGLE SOLDER TAIL		
molex MOLEX INCORPORATED		
DOCUMENT NO. SD-45844-002	SHEET NO. 3	

D

C

B

A

D

C

B

A

ADD END LATCH OPTION

EC NO: UCP2015-0887
DRWN:JSCHAFAER 2014/11/06
CHKD:
APPR:APATEL 2014/11/10

REV	DESCRIPTION
A	

QUALITY SYMBOLS
 =0
 =0

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE MM ONLY	
DRAWN BY JSCHAFAER	DATE 2011/11/07
CHECKED BY	DATE
APPROVED BY APATEL	DATE 2014/08/25
MATERIAL NO.	SEE CHARTS
SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
TITLE POWER EDGE ASSEMBLY SIGNAL RT ANGLE SOLDER TAIL		
 MOLEX INCORPORATED		
DOCUMENT NO. SD-45844-002		SHEET NO. 4 OF 4

ALL INFORMATION THAT IS PROPRIETARY TO MOLEX
SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION