








NOTES

- 1) CONTACT-PLATED PHOSPHOR BRONZE.
- 2) HOUSING-15% GLASS FILLED POLYESTER.
COLOUR-BLACK.
- 3) COMPATIBLE WITH PCB HOLE PATTERN.
- 4) FOR (0.635)/.025 SQ. MALE PINS THE
LENGTH MUST BE (5.65)/.222 MIN &
(7.00)/.276 MAX. TO ENSURE GOOD
CONNECTION WITH CONTACT.

ADD INSET FOR GATE
EC NO: E2009-0250 2008/12/08
DRWN:BMAGUIRE 2008/12/08
CHKD:
APPR:BMAGUIRE 2008/12/08
AH

QUALITY
SYMBOLS
▽=0
C=0
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	± --- ± ---
3 PLACES	± --- ± ---
2 PLACES	± 0.05 ± ---
1 PLACE	± 0.10 ± ---
ANGULAR ± ---°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE MM ONLY	
DRAWN BY	DATE
DB	21/07/86
CHECKED BY	DATE
APPROVED BY	DATE
MATERIAL NO.	DOCUMENT NO.
SIZE	SEE CHART
A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
TITLE		
C-GRID III DUAL ROW VERTICAL P.C. BOARD CONNECTOR		
molex MOLEX INCORPORATED		
DOCUMENT NO.		
SDA-90151		SHEET NO. 1 OF 5

6	AF
5	AD
4	AD
3	AD
2	AG
1	AH

