






TRADE MARK



NOTE

- MATED WITH : 104077-0600, 104077-0610
- MATERIALS
 - HEADER : LCP(E130I), GLASS FILLED, UL94V-0, HALOGEN FREE, COLOR OF NATURAL
 - FITTING NAIL : PHOSPHOR BRONZE, 0.20mm THICKNESS
 - CONTACT TERMINAL : POSPHOR BRONZ, 0.25mm THICKNESS
- FINISHES
 - FITTING NAIL : PURE-TIN PLATING ON OVERALL. THICKNESS 3.0μm~5.0μm UNDER PLATING Ni OVERALL. THICKNESS 1.25μm~3.75μm
 - CONTACT TERMINAL : PURE-TIN PLATING ON OVERALL. THICKNESS 3.0μm~5.0μm UNDER PLATING Ni OVERALL. THICKNESS 1.25μm~3.75μm
- COPLANALITY OF SOLDER TAILS (PEAK TEMP. : 260°C), BEFORE & AFTER REFLOW : 0.08MAX



NEW RELEASED
EC NO: KOR2011-0057
DRWN:CBCHIN 2010/12/02
CHKD:SH. CHU 2010/12/02
APPR:YUNSIKKIM 2010/12/02

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY


DRAWN BY	DATE	TITLE
JB. JIN	2010/06/29	
CHECKED BY	DATE	
SH. CHU	2010/06/29	
APPROVED BY	DATE	
YS00.KIM	2010/06/29	

MATERIAL NO.
1040780610


SCALE
10:1

ORDER NUMBER	104078-0610
DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
1.25 W-T-B CONN. HEADER ASS'Y-6P	
MOLEX INCORPORATED	
DOCUMENT NO. SD-104078-001	SHEET NO. 1 OF 02

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




SECTION Z-Z (SCALE 20:1)




RECOMMEND PATTERN (REF.)

(GENERAL TOLERANCE ± 0.05)




MATED CONDITION (REF.)

NEW RELEASED EC NO: KOR2011-0057 DRWN:CBCHIN 2010/12/02 CHKD:SH. CHU 2010/12/02 APPR:YUNSIKKIM 2010/12/02	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY JB. JIN	DATE 2010/06/29	TITLE 1.25 W-T-B CONN. HEADER ASS'Y-6P	
			4 PLACES	± ---	± ---	CHECKED BY SH. CHU	DATE 2010/06/29		
			3 PLACES	± ---	± ---				
			2 PLACES	± 0.20	± ---				
A	REV		1 PLACE	± 0.25	± ---	APPROVED BY YSOO. KIM	DATE 2010/06/29	MOLEX INCORPORATED	
			ANGULAR ± 1 °		MATERIAL NO. 1040780610	DOCUMENT NO. SD-104078-001	SHEET NO. 2 OF 02		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					




PULL OUT DIRECTION


A




PULL OUT DIRECTION




PLASTIC BOBBIN



SECTION A-A




SECTION B-B




NOTES

1. QUANTITY OF CONNECTORS : 2,000 PCS/REEL

2. LEAD LENGTH



3. PEELING OFF FORCE OF COVER TAPE : 0.1N~0.59N(10.2GF~60GF)
(PEELING DIRECTION AS SHOW IN FOLLOW FIG.)
PEELING OFF SPEED : 300mm/Min.(Ref.)



4. FLASH IN ANY PORTION SHOULD BE LESS THAN 0.20mm MAX.
5. UNLESS OTHERWISE SPECIFIED INNER R0.2 MAX
6. DRAFT ANGLE 3°MAX

3	PLASTIC BOBBIN	HI P.S	WHITE
2	COVER TAPE	PET ANTISTATIC	21.3m
1	CARRIER (EMBOSSSED) TAPE	PET ANTISTATIC	
NO.	DESCRIPTION	MATERIAL	REMARK

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
	mm		4:1							
= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 604036 DRWN: JSSHIN 2018/09/06 CHK'D: SHCHU 2018/09/06 APPR: SHCHU 2018/09/06			1.25 W-T-B CONN. HEADER ASS'Y-6P EMBOSSSED PACKAGE		
= 0										
= 0										
= 0	ANGULAR TOL ± 3.0 °				INITIAL REVISION: DRWN: CBCHIN 2010/12/02 APPR: YUNSIKKIM 2010/12/02			PRODUCT CUSTOMER DRAWING		
= 0	4 PLACES ±									
= 0	3 PLACES ±									
= 0	2 PLACES ± 0.25				THIRD ANGLE PROJECTION DRAWING SERIES MATERIAL NUMBER CUSTOMER SHEET NUMBER			DOCUMENT NUMBER SD-104078-002 DOC TYPE PSD DOC PART 001 REVISION B1		
= 0	1 PLACE ± 0.25									
= 0	0 PLACES ±									
= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
= 0								A3-SIZE 104078		

DOCUMENT STATUS	P1	RELEASE DATE	2018/09/06	23:57:42
-----------------	----	--------------	------------	----------

FORMAT: master-B-prod-A3
REVISION: 14
DATE: 2018/01/18