










NOTES:

1. MATERIAL: HOUSING: SPS, GLASS FILLED, COLOR: SEE CHART.
TERMINAL: COPPER ALLOY C26000.
2. FINISHES: TERMINAL: 150-250µm TIN (Sn) OVERALL;
125µm MIN NICKEL (Ni) UNDERPLATE OVERALL.
3. PRODUCT SPECIFICATION: PS-30700-0001
4. PACKAGING SPECIFICATION: TUBE: PK-30907-227, TRAY: PK-30907-260
5. MATES WITH: SERIES 30700, SEE SALES DRAWING SD-30700-120.
6. DATECODE DESCRIPTION:
 - 1ST DIGIT: MACHINE ID#
 - 2ND THROUGH 4TH DIGIT: DAY # OF THE CALENDAR YEAR
(EXAMPLE: FEB. 3RD = "034")
 - 5TH DIGIT: LAST DIGIT OF THE CALENDAR YEAR
(EXAMPLE: 1999 = "9")
 - 6TH THROUGH 7TH DIGIT: HOUR OF THE DAY.
7. RECOMMENDED OPTIONAL SCREW: M2 x 0.89, 6mm IN LENGTH, PAN
COLLAR HEAD, 6 LOBE,
TORQUE: 7 NEWTON CENTIMETERS


20 CIRCUIT VERTICAL HEADER
ASSEMBLY SHOWN




SEE ECN# UAU2001-0258 EC NO: UAU2017-0902 DRWN: JFISCHER02017/04/04 CHKD: APPR: RBAUMAN 2017/04/13	QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		REVISE ON CAD ONLY	
				mm	INCH	DIMENSION STYLE		TITLE			
			 -0	4 PLACES ± ---	± ---	MM ONLY		6-20 CIRCUIT VERTICAL HEADER ASSEMBLY			
				3 PLACES ± ---	± ---	DRAWN BY DATE					
				2 PLACES ± 0.13	± ---	RCARLSON	01/03/20	MOLEX INCORPORATED			
			 -0	1 PLACE ± 0.25	± ---	CHECKED BY DATE					
				ANGULAR ± 1 °		CKRISHNA	01/03/27	ENTER-PART SD-30700-420			
				DRAFT WHERE APPLICABLE		APPROVED BY DATE	MATERIAL NO.			DOCUMENT NO.	SHEET NO.
				MUST REMAIN WITHIN DIMENSIONS		LGEIB	01/03/28			1 OF 3	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

12 11 10 9 8 7 6 5 4 3 2 30700

BELOW VIEWS APPLY TO
30700-4067/8/9 PART NUMBERS










SECTION Y-Y
SCALE 3:1



EC NO: UAU2017-0902 DRWN: JFISCHER02017/04/04 CHKD: APPR: RBAUMAN 2017/04/13	DESCRIPTION	QUALITY SYMBOLS ▽ - 0 ▽ - 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 1:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	REVISE ON CAD ONLY			
				mm	INCH	DIMENSION STYLE MM ONLY		TITLE 6-20 CIRCUIT VERTICAL HEADER ASSEMBLY MOLEX INCORPORATED				
			4 PLACES	± ---	± ---	DRAWN BY						DATE
			3 PLACES	± ---	± ---	RCARLSON	01/03/20					
			2 PLACES	± 0.13	± ---	CHECKED BY	DATE	MATERIAL NO. DOCUMENT NO. SHEET NO. ENTER-PART SD-30700-420 2 OF 3				
	1 PLACE	± 0.25	± ---	CKRISHNA	01/03/27							
	ANGULAR ± 1 °		APPROVED BY	DATE								
	DRAFT WHERE APPLICABLE		LGEIB	01/03/28	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
	MUST REMAIN WITHIN DIMENSIONS											

11 10 9 8 7 6 5 4 3 2 1






NOTES:

1. MATERIAL: HOUSING: SPS, GLASS FILLED, COLOR: SEE CHART.
TERMINAL: COPPER ALLOY C26000.
2. FINISHES: TERMINAL: 150-250µm TIN (Sn) OVERALL;
125µm MIN NICKEL (Ni) UNDERPLATE OVERALL.
3. PRODUCT SPECIFICATION: PS-30700-0001
4. PACKAGING SPECIFICATION: TUBE: PK-30907-227, TRAY: PK-30907-260
5. MATES WITH: SERIES 30700, SEE SALES DRAWING SD-30700-120.
6. DATECODE DESCRIPTION:
 - 1ST DIGIT: MACHINE ID#
 - 2ND THROUGH 4TH DIGIT: DAY # OF THE CALENDAR YEAR
(EXAMPLE: FEB. 3RD = "034")
 - 5TH DIGIT: LAST DIGIT OF THE CALENDAR YEAR
(EXAMPLE: 1999 = "9")
 - 6TH THROUGH 7TH DIGIT: HOUR OF THE DAY.
7. RECOMMENDED OPTIONAL SCREW: M2 x 0.89, 6mm IN LENGTH, PAN
COLLAR HEAD, 6 LOBE,
TORQUE: 7 NEWTON CENTIMETERS


20 CIRCUIT VERTICAL HEADER
ASSEMBLY SHOWN




SEE ECN# UAU2001-0258 EC NO: UAU2017-0902 DRWN: JFISCHER02017/04/04 CHKD: APPR: RBAUMAN 2017/04/13	QUALITY SYMBOLS DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE 2:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		REVISE ON CAD ONLY	
			mm		INCH		DIMENSION STYLE MM ONLY		TITLE	
			4 PLACES ± ---		± ---		DRAWN BY RCARLSON		DATE 01/03/20	
			3 PLACES ± ---		± ---		CHECKED BY CKRISHNA		DATE 01/03/27	
E4	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	2 PLACES ± 0.13		± ---		APPROVED BY LGEIB		DATE 01/03/28	
			1 PLACE ± 0.25		± ---		MATERIAL NO.		DOCUMENT NO.	
			ANGULAR ± 1 °				ENTER-PART		SD-30700-420	
							THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 1 OF 3	

12 11 10 9 8 7 6 5 4 3 2 30700

BELOW VIEWS APPLY TO
30700-4067/8/9 PART NUMBERS



SECTION Y-Y
SCALE 3:1



EC NO: UAU2017-0902 DRWN: JFISCHER02017/04/04 CHKD: APPR: RBAUMAN 2017/04/13	QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 1:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	REVISE ON CAD ONLY		
				mm	INCH	DIMENSION STYLE		TITLE 6-20 CIRCUIT VERTICAL HEADER ASSEMBLY			
			4 PLACES	± ---	± ---	MM ONLY					
			3 PLACES	± ---	± ---	DRAWN BY	DATE	MOLEX INCORPORATED			
			2 PLACES	± 0.13	± ---	RCARLSON	01/03/20				
	1 PLACE	± 0.25	± ---	CHECKED BY	DATE	MOLEX INCORPORATED					
	ANGULAR ± 1 °			CKRISHNA	01/03/27						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			APPROVED BY	DATE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.			
				LGEIB	01/03/28	ENTER-PART	SD-30700-420	2 OF 3			
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					C		

11 10 9 8 7 6 5 4 3 2 1

