

01R-LEBSS-TB(LF)(SN)

01R-LEBSS-TB(LF)(SN) Information



For Reference Only

Part Number 01R-LEBSS-TB(LF)(SN)

Manufacturer JST Sales America Inc.

Category Connectors, Interconnects
Solid State Lighting Connectors

Description CONN SSL RECEPTACLE 1POS SOLDER

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









01R-LEBSS-TB(LF)(SN) Specifications

Manufacturer Part NumberOIR-LEBSS-TB(LF)(SN)ManufacturerJST Sales America Inc.CategoryConnectors, InterconnectsPackage-SeriesLEBStyleBoard to Board or CableConnector TypeReceptacleNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°CReport errors?		
CategoryConnectors, InterconnectsPackage-SeriesLEBStyleBoard to Board or CableConnector TypeReceptacleNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°C	Manufacturer Part Number	01R-LEBSS-TB(LF)(SN)
Package-SeriesLEBStyleBoard to Board or CableConnector TypeReceptacleNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C~105°C	Manufacturer	JST Sales America Inc.
Package-SeriesLEBStyleBoard to Board or CableConnector TypeReceptacleNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°C	Category	Connectors, Interconnects
SeriesLEBStyleBoard to Board or CableConnector TypeReceptacleNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°C		Solid State Lighting Connectors
StyleBoard to Board or CableConnector TypeReceptacleNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°C	Package	-
Connector Type Receptacle Number of Positions 1 Mounting Type Surface Mount, Right Angle Termination Solder Pitch - Fastening Type - Features Solder Retention Housing Color White Wire Gauge Contact Material Contact Finish Tin Housing Material Operating Temperature Receptacle Receptacle Surface Mount, Right Angle Solder Solder Munth (Right Angle Solder Solder Copper Solder Solder Copper Solder Solde	Series	LEB
Number of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°C	Style	Board to Board or Cable
Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-FeaturesSolder RetentionHousing ColorWhiteWire Gauge-Contact MaterialCopper AlloyContact FinishTinHousing MaterialPolyamide (PA9T), Nylon 9TOperating Temperature-55°C ~ 105°C	Connector Type	Receptacle
Termination Solder Pitch - Fastening Type - Features Solder Retention Housing Color White Wire Gauge - Contact Material Copper Alloy Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature	Number of Positions	1
Pitch - Fastening Type - Solder Retention Housing Color White Wire Gauge - Contact Material Copper Alloy Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Mounting Type	Surface Mount, Right Angle
Fastening Type - Features Solder Retention Housing Color White Wire Gauge - Contact Material Copper Alloy Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Termination	Solder
Features Solder Retention Housing Color White Wire Gauge Contact Material Copper Alloy Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Pitch	-
Housing Color White Wire Gauge - Contact Material Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Fastening Type	-
Wire Gauge Contact Material Copper Alloy Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Features	Solder Retention
Contact Material Copper Alloy Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Housing Color	White
Contact Finish Tin Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105°C	Wire Gauge	-
Housing Material Polyamide (PA9T), Nylon 9T Operating Temperature -55°C ~ 105 °C	Contact Material	Copper Alloy
Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Contact Finish	Tin
	Housing Material	Polyamide (PA9T), Nylon 9T
Report errors?	Operating Temperature	-55°C ~ 105°C
		Report errors?

01R-LEBSS-TB(LF)(SN) Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

01R-LEBSS-TB(LF)(SN) Payment Methods





















01R-LEBSS-TB(LF)(SN) Shipping Methods













If you have any question about 01R-LEBSS-TB(LF)(SN), please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com