



## 020801.5DRT1P Information

www.heisener.com

Part Number020801.5DRT1PManufacturerLittelfuse Inc.CategoryCircuit Protection

Fuses

**Description** FUSE GLASS 1.5A 350VAC 2AG

Package 2AG, 5mm x 15mm (Axial)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 020801.5DRT1P Specifications

Manufacturer Part Number         020801.5DRT1P           Manufacturer         Littelfuse Inc.           Category         Circuit Protection           Fuses         Package           Package         2AG, 5mm x 15mm (Axial)           Series         208           Fuse Type         Cartridge, Glass           Current Rating         1.5A           Voltage Rating - AC         350V           Voltage Rating - DC         -           Response Time         Fast           Package / Case         2AG, 5mm x 15mm (Axial)           Mounting Type         Holder           Breaking Capacity @ Rated Voltage         100A           Melting 12t         0.8           Approvals         CE, cURus, PSE           Operating Temperature         -55°C ~ 125°C           Color         -           Size / Dimension         0.185" Dia x 0.570" L (4.70mm x 14.48mm)	•	
Category         Circuit Protection           Fuses           Package         2AG, 5mm x 15mm (Axial)           Series         208           Fuse Type         Cartridge, Glass           Current Rating         1.5A           Voltage Rating - AC         350V           Voltage Rating - DC         -           Response Time         Fast           Package / Case         2AG, 5mm x 15mm (Axial)           Mounting Type         Holder           Breaking Capacity @ Rated Voltage         100A           Melting I2t         0.8           Approvals         CE, cURus, PSE           Operating Temperature         -55°C ~ 125°C           Color         -           Size / Dimension         0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Manufacturer Part Number	020801.5DRT1P
Fuses           Package         2AG, 5mm x 15mm (Axial)           Series         208           Fuse Type         Cartridge, Glass           Current Rating         1.5A           Voltage Rating - AC         350V           Voltage Rating - DC         -           Response Time         Fast           Package / Case         2AG, 5mm x 15mm (Axial)           Mounting Type         Holder           Breaking Capacity @ Rated Voltage         100A           Melting 12t         0.8           Approvals         CE, cURus, PSE           Operating Temperature         -55°C ~ 125°C           Color         -           Size / Dimension         0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Manufacturer	Littelfuse Inc.
Package       2AG, 5mm x 15mm (Axial)         Series       208         Fuse Type       Cartridge, Glass         Current Rating       1.5A         Voltage Rating - AC       350V         Voltage Rating - DC       -         Response Time       Fast         Package / Case       2AG, 5mm x 15mm (Axial)         Mounting Type       Holder         Breaking Capacity @ Rated Voltage       100A         Melting I2t       0.8         Approvals       CE, cURus, PSE         Operating Temperature       -55°C ~ 125°C         Color       -         Size / Dimension       0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Category	Circuit Protection
Series       208         Fuse Type       Cartridge, Glass         Current Rating       1.5A         Voltage Rating - AC       350V         Voltage Rating - DC       -         Response Time       Fast         Package / Case       2AG, 5mm x 15mm (Axial)         Mounting Type       Holder         Breaking Capacity @ Rated Voltage       100A         Melting I2t       0.8         Approvals       CE, cURus, PSE         Operating Temperature       -55°C ~ 125°C         Color       -         Size / Dimension       0.185" Dia x 0.570" L (4.70mm x 14.48mm)		Fuses
Fuse Type  Current Rating  1.5A  Voltage Rating - AC  350V  Voltage Rating - DC  Response Time  Fast  Package / Case  2AG, 5mm x 15mm (Axial)  Mounting Type  Holder  Breaking Capacity @ Rated Voltage  Melting I2t  0.8  Approvals  CE, cURus, PSE  Operating Temperature  -55°C ~ 125°C  Color  Size / Dimension  Cartridge, Glass  1.5A  1.5A  1.5A  350V  -  Cartridge, Glass  1.5A  350V  -  Current Rating  1.5A  2.5A  2.5A  2.5A  2.5A  350V  -  Current Rating  1.5A  2.5A  2.5A  2.5A  350V  -  Current Rating  1.5A  2.5A  2.5A  2.	Package	2AG, 5mm x 15mm (Axial)
Current Rating Voltage Rating - AC 350V  Voltage Rating - DC Response Time Fast Package / Case 2AG, 5mm x 15mm (Axial)  Mounting Type Holder Breaking Capacity @ Rated Voltage Melting I2t 0.8  Approvals Operating Temperature -55°C ~ 125°C  Color Size / Dimension  1.5A 350V  0.8  CE, cURus, PSE 0.8  0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Series	208
Voltage Rating - AC  Voltage Rating - DC  Response Time  Fast  Package / Case  Package / Case  Breaking Capacity @ Rated Voltage  Melting I2t  Approvals  Operating Temperature  CE, cURus, PSE  Operating Temperature  Color  Size / Dimension  350V  -  Sixum x 15mm (Axial)  -  100A  Mounting Type  Holder  100A  0.8  CE, cURus, PSE  Operating Temperature  -55°C ~ 125°C  -  0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Fuse Type	Cartridge, Glass
Voltage Rating - DC  Response Time Fast  Package / Case 2AG, 5mm x 15mm (Axial)  Mounting Type Holder  Breaking Capacity @ Rated Voltage 100A  Melting I2t 0.8  Approvals CE, cURus, PSE Operating Temperature -55°C ~ 125°C  Color - Size / Dimension 0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Current Rating	1.5A
Response Time Fast  Package / Case 2AG, 5mm x 15mm (Axial)  Mounting Type Holder  Breaking Capacity @ Rated Voltage 100A  Melting I2t 0.8  Approvals CE, cURus, PSE  Operating Temperature -55°C ~ 125°C  Color -  Size / Dimension 0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Voltage Rating - AC	350V
Package / Case 2AG, 5mm x 15mm (Axial)  Mounting Type Holder  Breaking Capacity @ Rated Voltage 100A  Melting I2t 0.8  Approvals CE, cURus, PSE  Operating Temperature -55°C ~ 125°C  Color -  Size / Dimension 0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Voltage Rating - DC	-
Mounting TypeHolderBreaking Capacity @ Rated Voltage100AMelting I2t0.8ApprovalsCE, cURus, PSEOperating Temperature-55°C ~ 125°CColor-Size / Dimension0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Response Time	Fast
Breaking Capacity @ Rated Voltage  Melting I2t  Approvals  CE, cURus, PSE  Operating Temperature  -55°C ~ 125°C  Color  Size / Dimension  100A  0.8  CE, cURus, PSE  -55°C ~ 125°C  - 125°C  0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Package / Case	2AG, 5mm x 15mm (Axial)
Melting I2t $0.8$ ApprovalsCE, cURus, PSEOperating Temperature $-55^{\circ}$ C $\sim 125^{\circ}$ CColor-Size / Dimension $0.185''$ Dia x $0.570''$ L $(4.70 \text{mm x } 14.48 \text{mm})$	Mounting Type	Holder
Approvals  CE, cURus, PSE  Operating Temperature  -55°C ~ 125°C  Color  Size / Dimension  CE, cURus, PSE  -55°C ~ 125°C  - 125°C  0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Breaking Capacity @ Rated Voltage	100A
Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Color - Size / Dimension $0.185^{\circ}$ Dia x $0.570^{\circ}$ L $(4.70  \text{mm x } 14.48  \text{mm})$	Melting I2t	0.8
Color - Size / Dimension 0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Approvals	CE, cURus, PSE
Size / Dimension 0.185" Dia x 0.570" L (4.70mm x 14.48mm)	Operating Temperature	-55°C ~ 125°C
	Color	-
Report errors?	Size / Dimension	0.185" Dia x 0.570" L (4.70mm x 14.48mm)
		Report errors?

#### 020801.5DRT1P Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 020801.5DRT1P Payment Methods



















### 020801.5DRT1P Shipping Methods













If you have any question about 020801.5DRT1P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com