

059-0118 Information

w melsener.com

Part Number 059-0118 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE BRD MNT 5A 440VAC CYLINDR

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









059-0118 Specifications

Manufacturer Part Number059-0118ManufacturerEatonCategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)Series-Fuse TypeBoard MountCurrent Rating5AVoltage Rating - AC440VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.471" Dia x 1.335" L (11.96mm x 33.90mm)Report errors?		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)Series-Fuse TypeBoard MountCurrent Rating5AVoltage Rating - AC440VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Manufacturer Part Number	059-0118
PackageElectrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)Series-Fuse TypeBoard MountCurrent Rating5AVoltage Rating - AC440VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)Series-Fuse TypeBoard MountCurrent Rating5AVoltage Rating - AC440VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Category	Circuit Protection
Series-Fuse TypeBoard MountCurrent Rating5AVoltage Rating - AC440VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.471" Dia x 1.335" L (11.96mm x 33.90mm)		Electrical, Specialty Fuses
Fuse TypeBoard MountCurrent Rating5AVoltage Rating - AC440VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating 5A Voltage Rating - AC 440V Voltage Rating - DC	Series	-
Voltage Rating - AC Voltage Rating - DC Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 440V 440V 440V 440V 440V 440V - Bolt Mount Clease - Clease Cylindrical, Blade Terminal (Bolt) 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Fuse Type	Board Mount
Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Overating Temperature (Sylindrical, Blade Terminal (Bolt) Overating Temperature (Sylindrical, Blade Terminal (Bolt) Overating Temperature (Sylindrical, Blade Terminal (Bolt) Overating Type (Sylindrical, Blade T	Current Rating	5A
Response Time - General Features - Glass - Gla	Voltage Rating - AC	440V
Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 33kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Voltage Rating - DC	-
Features - Class - Class - Coperating Temperature - Streaking Capacity @ Rated Voltage 33kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Response Time	-
Class - Approvals - Coperating Temperature - Seraking Capacity @ Rated Voltage 33kA Bolt Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Applications	Electrical, Industrial
Approvals Operating Temperature Breaking Capacity @ Rated Voltage Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension O.471" Dia x 1.335" L (11.96mm x 33.90mm)	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage 33kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Class	-
Breaking Capacity @ Rated Voltage 33kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Approvals	-
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Breaking Capacity @ Rated Voltage	33kA
Size / Dimension 0.471" Dia x 1.335" L (11.96mm x 33.90mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.471" Dia x 1.335" L (11.96mm x 33.90mm)
		Report errors?

059-0118 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

059-0118 Payment Methods

































If you have any question about 059-0118, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com