



06031C103K4T4A Information



For Reference Only

Part Number 06031C103K4T4A

Manufacturer AVX Corporation

Category Capacitors

Ceramic Capacitors

Description CAP CER 10000PF 100V X7R 0603

Package 0603 (1608 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









06031C103K4T4A Specifications

Manufacturer Part Number 06031C103K4T4A Manufacturer AVX Corporation Category Capacitors Package 0603 (1608 Metric) Series - Capacitance 10000pF Tolerance ±10% Voltage - Rated 100V Temperature Coefficient X7R Operating Temperature -55°C ~ 125°C Features - Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Surface Mount, MLCC Probase / Green 0002 (1608 Metric)
Category Capacitors Package 0603 (1608 Metric) Series - Capacitance 10000pF Tolerance ±10% Voltage - Rated 100V Temperature Coefficient X7R Operating Temperature -55°C ~ 125°C Features - Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Surface Mount, MLCC
Ceramic CapacitorsPackage0603 (1608 Metric)Series-Capacitance10000pFTolerance±10%Voltage - Rated100VTemperature CoefficientX7ROperating Temperature-55°C ~ 125°CFeatures-RatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeSurface Mount, MLCC
Package0603 (1608 Metric)Series-Capacitance10000pFTolerance±10%Voltage - Rated100VTemperature CoefficientX7ROperating Temperature-55°C ~ 125°CFeatures-RatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeSurface Mount, MLCC
Series-Capacitance10000pFTolerance±10%Voltage - Rated100VTemperature CoefficientX7ROperating Temperature-55°C ~ 125°CFeatures-RatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeSurface Mount, MLCC
Capacitance10000pFTolerance±10%Voltage - Rated100VTemperature CoefficientX7ROperating Temperature-55°C ~ 125°CFeatures-RatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeSurface Mount, MLCC
Tolerance ±10% Voltage - Rated 100V Temperature Coefficient X7R Operating Temperature -55°C ~ 125°C Features - Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Surface Mount, MLCC
Voltage - Rated100VTemperature CoefficientX7ROperating Temperature-55°C ~ 125°CFeatures-RatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeSurface Mount, MLCC
Temperature CoefficientX7ROperating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Features-RatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeSurface Mount, MLCC
Operating Temperature -55°C ~ 125°C Features - Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Surface Mount, MLCC
Features Ratings AEC-Q200 Applications Automotive Failure Rate Mounting Type Surface Mount, MLCC
Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Surface Mount, MLCC
Applications Automotive Failure Rate - Mounting Type Surface Mount, MLCC
Failure Rate - Mounting Type Surface Mount, MLCC
Mounting Type Surface Mount, MLCC
•
Declare (Co.)
Package / Case 0603 (1608 Metric)
Size / Dimension 0.063" L x 0.032" W (1.60mm x 0.81mm)
Height - Seated (Max)
Thickness (Max) 0.035" (0.90mm)
Lead Spacing -
Lead Style -
Report errors?

06031C103K4T4A Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

06031C103K4T4A Payment Methods



















06031C103K4T4A Shipping Methods













If you have any question about 06031C103K4T4A, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com