



0603N331J101CT Information



For Reference Only

Part Number 0603N331J101CT

Manufacturer Walsin Technology Corporation

Category Capacitors

Ceramic Capacitors

Description CAP CER 330PF 100V C0G/NP0 0603

Package 0603 (1608 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









0603N331J101CT Specifications

Manufacturer Part Number 0603N331J101CT Manufacturer Walsin Technology Corporation Category Capacitors Package 0603 (1608 Metric) Series - Capacitance 330pF Tolerance ±5% Voltage - Rated 100V Temperature Coefficient C0G, NPO Operating Temperature -55°C ~ 125°C Features - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC Package / Case 0603 (1608 Metric)
Category Capacitors Package 0603 (1608 Metric) Series - Capacitance 330pF Tolerance ±5% Voltage - Rated 100V Temperature Coefficient COG, NPO Operating Temperature -55°C ~ 125°C Features Ratings - Ratings - Applications General Purpose Failure Rate Mounting Type Surface Mount, MLCC
Package 0603 (1608 Metric) Series - Capacitance 330pF Tolerance ±5% Voltage - Rated 100V Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC
Package0603 (1608 Metric)Series-Capacitance330pFTolerance±5%Voltage - Rated100VTemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeSurface Mount, MLCC
Series - Capacitance 330pF Tolerance ±5% Voltage - Rated 100V Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features - CAPAPPICATION General Purpose Failure Rate - Mounting Type Surface Mount, MLCC
Capacitance330pFTolerance±5%Voltage - Rated100VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeSurface Mount, MLCC
Tolerance ±5% Voltage - Rated 100V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC
Voltage - Rated100VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeSurface Mount, MLCC
Temperature Coefficient COG, NPO Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate Mounting Type Surface Mount, MLCC
Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC
Features - Ratings - Applications General Purpose Failure Rate - Surface Mount, MLCC
Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC
Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC
Failure Rate - Mounting Type Surface Mount, MLCC
Mounting Type Surface Mount, MLCC
Package / Case 0603 (1608 Metric)
Size / Dimension 0.063" L x 0.031" W (1.60mm x 0.80mm)
Height - Seated (Max)
Thickness (Max) 0.034" (0.87mm)
Lead Spacing -
Lead Style -
Report errors?

0603N331J101CT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

0603N331J101CT Payment Methods



















0603N331J101CT Shipping Methods













If you have any question about 0603N331J101CT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com