



0GBC040.H Information

Heisener.com

Part Number 0GBC040.H

Manufacturer Littelfuse Inc.

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CARTRIDGE 25A 36VDC 100PC

Package Torpedo

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









0GBC040.H Specifications

Manufacturer Part NumberOGBC040.HManufacturerLittelfuse Inc.CategoryCircuit ProtectionBectrical, Specialty FusesPackageTorpedoSeriesGBCFuse TypeAutomotiveCurrent Rating40AVoltage Rating - AC32VVoltage Rating - DC32VResponse Time-ApplicationsAutomotiveFeaturesVisual IndicatingClass-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseTorpedoSize / Dimension0.236" Dia x 0.984" L (6.00mm x 25.00mm)		
Category Circuit Protection Electrical, Specialty Fuses Package Torpedo Series GBC Fuse Type Automotive Current Rating 40A Voltage Rating - AC 32V Voltage Rating - DC 32V Response Time - Applications Automotive Features Visual Indicating Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Torpedo Size / Dimension (GBC) Torpedo Circuit Protection Electrical, Specialty Fuses (GBC) (GBC) (GBC) (Automotive 40A 40A 40A 40A 40A 40A 40A 40A 40A 40	Manufacturer Part Number	0GBC040.H
Backage Torpedo Series GBC Fuse Type Automotive Current Rating 40A Voltage Rating - AC 32V Voltage Rating - DC 32V Response Time - Automotive Applications Automotive Features Visual Indicating Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Manufacturer	Littelfuse Inc.
PackageTorpedoSeriesGBCFuse TypeAutomotiveCurrent Rating40AVoltage Rating - AC32VVoltage Rating - DC32VResponse Time-ApplicationsAutomotiveFeaturesVisual IndicatingClass-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseTorpedoSize / Dimension0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Category	Circuit Protection
Series GBC Fuse Type Automotive Current Rating 40A Voltage Rating - AC 32V Voltage Rating - DC 32V Response Time - C Applications Automotive Features Visual Indicating Class - C Approvals - C Breaking Capacity @ Rated Voltage - C Mounting Type Holder Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 40A Voltage Rating - AC 32V Voltage Rating - DC 32V Response Time - Applications Automotive Features Visual Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Automotive Automotive - Holder Torpedo Size / Dia x 0.984" L (6.00mm x 25.00mm)	Package	Torpedo
Current Rating 40A Voltage Rating - AC 32V Voltage Rating - DC 32V Response Time Applications Automotive Features Visual Indicating Class Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Series	GBC
Voltage Rating - AC Voltage Rating - DC 32V Response Time Applications Automotive Features Visual Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension 32V 32V 32V 32V Automotive - Automotive - Automotive - Automotive - Visual Indicating - Visual Indicating - Holder - Torpedo 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Fuse Type	Automotive
Voltage Rating - DC Response Time - Applications Automotive Features Visual Indicating Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension 32V - Automotive - Visual Indicating - Visual I	Current Rating	40A
Response Time - Applications Automotive Features Visual Indicating Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Voltage Rating - AC	32V
Applications Automotive Visual Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Automotive Automotive Visual Indicating - Holder - Torpedo 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Voltage Rating - DC	32V
Features Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Size / Dimension Visual Indicating - Holder - Torpedo 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Response Time	-
Class - Approvals - Coperating Temperature - Coperating Capacity @ Rated Voltage - Coperating Type Holder - Coperating Type Holder - Coperating Type Case Torpedo - Coperating Type Case Type	Applications	Automotive
Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Torpedo Size / Dimension	Features	Visual Indicating
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Torpedo Size / Dimension O.236" Dia x 0.984" L (6.00mm x 25.00mm)	Class	-
Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Approvals	-
Mounting Type Holder Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Operating Temperature	-
Package / Case Torpedo Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 0.236" Dia x 0.984" L (6.00mm x 25.00mm)	Mounting Type	Holder
·	Package / Case	Torpedo
Report errors?	Size / Dimension	0.236" Dia x 0.984" L (6.00mm x 25.00mm)
		Report errors?

0GBC040.H Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

0GBC040.H Payment Methods



















0GBC040.H Shipping Methods













If you have any question about 0GBC040.H, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com