



0TLS001.TXV Information

Heisener.com

Part Number 0TLS001.TXV
Manufacturer Littelfuse Inc.
Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CRTRDGE 1A 170VDC RAD BEND

Package Radial Bend Cylinder

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









0TLS001.TXV Specifications

Manufacturer Part NumberOTLS001.TXVManufacturerLittelfuse Inc.CategoryCircuit ProtectionElectrical, Specialty FusesPackageRadial Bend CylinderSeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating1AVoltage Rating - AC-Voltage Rating - DC170VResponse TimeFastApplicationsTelecomFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)		
CategoryCircuit ProtectionFlectrical, Specialty FusesPackageRadial Bend CylinderSeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating1AVoltage Rating - AC-Voltage Rating - DC170VResponse TimeFastApplicationsTelecomFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Manufacturer Part Number	0TLS001.TXV
Package Radial Bend Cylinder Series POWR-GARD? TLS Fuse Type Cartridge Current Rating 1A Voltage Rating - AC - Voltage Rating - DC 170V Response Time Fast Applications Telecom Features - Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension Electrical, Specialty Fuses Radial Bend Cylinder Size / Dimension 1.56.	Manufacturer	Littelfuse Inc.
Package Radial Bend Cylinder Series POWR-GARD? TLS Fuse Type Cartridge Current Rating 1A Voltage Rating - AC - Voltage Rating - DC 170V Response Time Fast Applications Telecom Features - Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Category	Circuit Protection
SeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating1AVoltage Rating - AC-Voltage Rating - DC170VResponse TimeFastApplicationsTelecomFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating1AVoltage Rating - AC-Voltage Rating - DC170VResponse TimeFastApplicationsTelecomFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Package	Radial Bend Cylinder
Current Rating Voltage Rating - AC Voltage Rating - DC Response Time Fast Applications Telecom Features - Class - Approvals Ce, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension 1A 1A A A A A A A A A A A	Series	POWR-GARD? TLS
Voltage Rating - AC Voltage Rating - DC 170V Response Time Fast Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension - Response Time Fast Fast Fast Cle, UR CE, UR 100kA Mounting Type Through Hole Radial Bend Cylinder Size / Dimension - Size / Dimension - Size / Dimension - Size / S	Fuse Type	Cartridge
Voltage Rating - DC Response Time Fast Applications Telecom Features - Class - Approvals Ce, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension 170V 170V 170V 170V 1804 100K	Current Rating	1A
Response Time Fast Applications Telecom Features - Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Voltage Rating - AC	-
Applications Features - Class - Approvals Ce, UR Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension Telecom - Cleom - Theodem - Though Hole Radial Bend Cylinder 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Voltage Rating - DC	170V
Features - Class - Class - CE, UR Operating Temperature - CE, UR Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Response Time	Fast
Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Applications	Telecom
Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Class	-
Breaking Capacity @ Rated Voltage 100kA Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Approvals	CE, UR
Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Operating Temperature	-
Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Mounting Type	Through Hole
	Package / Case	Radial Bend Cylinder
Report errors?	Size / Dimension	0.563" Dia x 0.877" H (14.30mm x 22.28mm)
		Report errors?

0TLS001.TXV Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

0TLS001.TXV Payment Methods



















0TLS001.TXV Shipping Methods













If you have any question about 0TLS001.TXV, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com