



## **0TLS100.TXMB Information**

Heisener.com

Part NumberOTLS100.TXMBManufacturerLittelfuse Inc.CategoryCircuit Protection

Electrical, Specialty Fuses

**Description** FUSE CARTRIDGE 100A 170VDC RAD

Package Radial Bend Cylinder

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **0TLS100.TXMB Specifications**

Manufacturer Part NumberOTLS100.TXMBManufacturerLittelfuse Inc.CategoryCircuit ProtectionBeckrical, Specialty FusesPackageRadial Bend CylinderSeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC-Voltage Rating - DC170VResponse Time-ApplicationsTelecomFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)Report errors?		
CategoryCircuit ProtectionPackageRadial Bend CylinderSeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC-Voltage Rating - DC170VResponse Time-ApplicationsTelecomFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Manufacturer Part Number	0TLS100.TXMB
PackageRadial Bend CylinderSeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC-Voltage Rating - DC170VResponse Time-ApplicationsTelecomFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Manufacturer	Littelfuse Inc.
PackageRadial Bend CylinderSeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC-Voltage Rating - DC170VResponse Time-ApplicationsTelecomFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Category	Circuit Protection
SeriesPOWR-GARD? TLSFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC-Voltage Rating - DC170VResponse Time-ApplicationsTelecomFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating100AVoltage Rating - AC-Voltage Rating - DC170VResponse Time-ApplicationsTelecomFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Package	Radial Bend Cylinder
Current Rating Voltage Rating - AC  Voltage Rating - DC  Response Time  - Applications  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Through Hole  Package / Case  Size / Dimension  100A  100A  100A  100V  100V  100V  100V  100V  100A	Series	POWR-GARD? TLS
Voltage Rating - AC  Voltage Rating - DC  Response Time  - Applications  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Through Hole  Package / Case  Size / Dimension  - Size / Dimension  - Closs  - Response Time  - Clecom  - Cl	Fuse Type	Cartridge
Voltage Rating - DC  Response Time - Applications Telecom  Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension  170V  170V  170V  170V  1800  - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Current Rating	100A
Response Time - General Features - General Feature	Voltage Rating - AC	-
Applications Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension  Telecom - Telecom - Telecom - Though Hole - Size / Dimension  Telecom - Though Hole - Size / Dimension  Telecom - Though Hole - Size / Dimension	Voltage Rating - DC	170V
Features - Class - Cla	Response Time	-
Class - Approvals - Coperating Temperature - Coperating Capacity @ Rated Voltage 100kA Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Applications	Telecom
Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  100kA  Mounting Type  Through Hole  Package / Case  Radial Bend Cylinder  Size / Dimension  0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Class	-
Breaking Capacity @ Rated Voltage 100kA  Mounting Type Through Hole  Package / Case Radial Bend Cylinder  Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Approvals	-
Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Operating Temperature	-
Package / Case Radial Bend Cylinder Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 0.563" Dia x 0.877" H (14.30mm x 22.28mm)	Mounting Type	Through Hole
	Package / Case	Radial Bend Cylinder
Report errors?	Size / Dimension	0.563" Dia x 0.877" H (14.30mm x 22.28mm)
		Report errors?

### **0TLS100.TXMB Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **0TLS100.TXMB Payment Methods**



















## **0TLS100.TXMB Shipping Methods**













If you have any question about 0TLS100.TXMB, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com