

1-1445322-2 Information

Heisener.com

Part Number 1-1445322-2

Manufacturer TE Connectivity AMP Connectors

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG CPC 2POS SOLDER CUP

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1-1445322-2 Specifications

Manufacturer Part Number1-1445322-2ManufacturerTE Connectivity AMP ConnectorsCategoryConnectors, InterconnectsPackage-SeriesMicro CPCConnector TypePlug, Female SocketsNumber of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A		
CategoryConnectors, InterconnectsPackage-SeriesMicro CPCConnector TypePlug, Female SocketsNumber of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Manufacturer Part Number	1-1445322-2
Package-SeriesMicro CPCConnector TypePlug, Female SocketsNumber of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Manufacturer	TE Connectivity AMP Connectors
Package-SeriesMicro CPCConnector TypePlug, Female SocketsNumber of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Category	Connectors, Interconnects
SeriesMicro CPCConnector TypePlug, Female SocketsNumber of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A		Circular Connectors
Connector TypePlug, Female SocketsNumber of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Package	-
Number of Positions2Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Series	Micro CPC
Shell Size - Insert Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features Spring Probe Voltage - Rated Current Rating M9.5 M9.5 M9.5 M9.5 Free Hanging (In-Line) Keyed Latch Lock Gold Gold Gold Spring Probe Voltage - Rated 250V Current Rating	Connector Type	Plug, Female Sockets
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features Spring Probe Voltage - Rated 250V Current Rating A Solder Cup Latch Lock Seyed Latch Lock Keyed Latch Lock Seyed Latch Lock Latch Lock Latch Lock Seyed Latch Lock Latch Lock Latch Lock Latch Lock Seyed Latch Lock L	Number of Positions	2
Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Shell Size - Insert	M9.5
Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features Spring Probe Voltage - Rated 250V Current Rating 2A	Shell Size, MIL	-
Fastening Type Crientation Crientation Contentation Ingress Protection IP65 - Dust Tight, Water Resistant Thermoplastic Contact Finish Gold Features Spring Probe Voltage - Rated Current Rating Latch Lock Keyed IP65 - Dust Tight, Water Resistant Thermoplastic Contact Finish Gold Spring Probe 250V Current Rating	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features Spring Probe Voltage - Rated 250V Current Rating 2A	Termination	Solder Cup
Ingress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Fastening Type	Latch Lock
Shell Material, FinishThermoplasticContact FinishGoldFeaturesSpring ProbeVoltage - Rated250VCurrent Rating2A	Orientation	Keyed
Contact Finish Gold Features Spring Probe Voltage - Rated 250V Current Rating 2A	Ingress Protection	IP65 - Dust Tight, Water Resistant
Features Spring Probe Voltage - Rated 250V Current Rating 2A	Shell Material, Finish	Thermoplastic
Voltage - Rated 250V Current Rating 2A	Contact Finish	Gold
Current Rating 2A	Features	Spring Probe
	Voltage - Rated	250V
Report errors?	Current Rating	2A
		Report errors?

1-1445322-2 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1-1445322-2 Payment Methods



















1-1445322-2 Shipping Methods













If you have any question about 1-1445322-2, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com