


## 1.5KE20AG

#### **1.5KE20AG Information**



### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



#### 1.5KE20AG Specifications

ManufacturerLittelse Inc.CategoryCircuit Protection TVS - DiodesPackageDO-201AD, AxialSeriesMosorb?SpriesZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)17.1VVoltage - Breakdown (Min)99VVoltage - Clamping (Max) @ Ipp54APower Line Protection500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-Mounting Type-Package / CaseDo-201AD, AxialSupplier Device PackageDo-201AD, AxialSupplier Device PackageDo-201AD, AxialSupplier Device PackageAnial		
CategoryCircuit ProtectionTVS - DiodesPackageDO-201AD, AxialSeriesMosorb?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)17.1VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature65°C ~ 175°C (TJ)Mounting TypeDo-201AD, AxialPackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Manufacturer Part Number	1.5KE20AG
TVS - DiodesPackageDO-201AD, AxialSeriesMosorb?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)17.1VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Manufacturer	Littelfuse Inc.
PackageDO-201AD, AxialSeriesMosorb?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)17.1VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Category	Circuit Protection
SeriesMosorb?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)17.1VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial		TVS - Diodes
TypeZenerUndirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)17.1VVoltage - Reverse Standoff (Typ)19VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-50°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDo-201AD, AxialSupplier Device PackageAxial	Package	DO-201AD, Axial
Image: An antiset of the section of	Series	Mosorb?
Bidirectional Channels-Bidirectional Channels17.1VVoltage - Reverse Standoff (Typ)19VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Туре	Zener
Voltage - Reverse Standoff (Typ)17.1VVoltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse (10/1000µs)1500W (1.5kW)Power - Peak PulseNoPower Line ProtectionGeneral PurposeApplicationsGeneral PurposeOperating Temperature-Operating TemperatureThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Unidirectional Channels	1
Voltage - Breakdown (Min)19VVoltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Bidirectional Channels	-
Voltage - Clamping (Max) @ Ipp27.7VCurrent - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Voltage - Reverse Standoff (Typ)	17.1V
Current - Peak Pulse (10/1000µs)54APower - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Voltage - Breakdown (Min)	19V
Power - Peak Pulse1500W (1.5kW)Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Voltage - Clamping (Max) @ Ipp	27.7V
Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Current - Peak Pulse (10/1000µs)	54A
ApplicationsGeneral PurposeCapacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Power - Peak Pulse	1500W (1.5kW)
Capacitance @ Frequency-Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Power Line Protection	No
Operating Temperature-65°C ~ 175°C (TJ)Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Applications	General Purpose
Mounting TypeThrough HolePackage / CaseDO-201AD, AxialSupplier Device PackageAxial	Capacitance @ Frequency	-
Package / CaseDO-201AD, AxialSupplier Device PackageAxial	Operating Temperature	-65°C ~ 175°C (TJ)
Supplier Device Package Axial	Mounting Type	Through Hole
	Package / Case	DO-201AD, Axial
Report errors?	Supplier Device Package	Axial
		Report errors?

#### **1.5KE20AG Guarantees**



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE GUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 1.5KE20AG, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com