

## 10-1200-LPI Information

Heisener.com

10-1200-LPI Part Number

Manufacturer Signal Transformer

Category Transformers **Power Transformers** 

**Description** XFRMR SEMI-TORO 12VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 10-1200-LPI Specifications

Manufacturer         10-1200-LPI           Manufacturer         Signal Transformer           Category         Transformers           Package         -           Series         LPI           Type         Semi-Toroidal           Voltage - Primary         115V, 230V           Voltage - Secondary (Full Load)         Parallel 5V, Series 10V           Current - Output (Max)         Parallel 2.4A, Series 1.2A           Primary Winding(s)         Dual           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         12 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         66.80mm L x 55.60mm W           Height - Seated (Max)         26.60mm           Voltage - Isolation         4000Vrms           Weight         0.75 lb (340.19g)		
Category         Transformers           Package         -           Series         LPI           Type         Semi-Toroidal           Voltage - Primary         115V, 230V           Voltage - Secondary (Full Load)         Parallel 5V, Series 10V           Current - Output (Max)         Parallel 2.4A, Series 1.2A           Primary Winding(s)         Dual           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         12 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         66.80mm L x 55.60mm W           Height - Seated (Max)         26.60mm           Voltage - Isolation         4000Vrms           Weight         0.75 lb (340.19g)	Manufacturer Part Number	10-1200-LPI
Package Power Transformers  Package LPI Type Semi-Toroidal Voltage - Primary Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 2.4A, Series 1.2A Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 12 VA Mounting Type Through Hole Termination Style Size / Dimension Height - Seated (Max) Voltage - Isolation Weight  Power Transformers  Power Transformers  A Primary Winding(s) Parallel 5V, Series 10V Parallel 2.4A, Series 1.2A Primary Winding(s) Pual  Parallel 2.4A, Series 1.2A Primary Winding(s) Pual  Boula  Power - Max Primary Winding(s) Power - Max Primary Winding(s) Power - Max Primary Winding(s) Power - Max Parallel 5V, Series 10V P	Manufacturer	Signal Transformer
Package         -           Series         LPI           Type         Semi-Toroidal           Voltage - Primary         115V, 230V           Voltage - Secondary (Full Load)         Parallel 5V, Series 10V           Current - Output (Max)         Parallel 2.4A, Series 1.2A           Primary Winding(s)         Dual           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         12 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         66.80mm L x 55.60mm W           Height - Seated (Max)         26.60mm           Voltage - Isolation         4000Vrms           Weight         0.75 lb (340.19g)	Category	Transformers
Series         LPI           Type         Semi-Toroidal           Voltage - Primary         115V, 230V           Voltage - Secondary (Full Load)         Parallel 5V, Series 10V           Current - Output (Max)         Parallel 2.4A, Series 1.2A           Primary Winding(s)         Dual           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         12 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         66.80mm L x 55.60mm W           Height - Seated (Max)         26.60mm           Voltage - Isolation         4000Vrms           Weight         0.75 lb (340.19g)		Power Transformers
Type Semi-Toroidal  Voltage - Primary 115V, 230V  Voltage - Secondary (Full Load) Parallel 5V, Series 10V  Current - Output (Max) Parallel 2.4A, Series 1.2A  Primary Winding(s) Dual  Secondary Winding(s) Dual  Center Tap No Power - Max 12 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 66.80mm L x 55.60mm W  Height - Seated (Max) 26.60mm  Voltage - Isolation 4000Vrms  Weight 0.75 lb (340.19g)	Package	-
Voltage - Primary       115V, 230V         Voltage - Secondary (Full Load)       Parallel 5V, Series 10V         Current - Output (Max)       Parallel 2.4A, Series 1.2A         Primary Winding(s)       Dual         Secondary Winding(s)       Dual         Center Tap       No         Power - Max       12 VA         Mounting Type       Through Hole         Termination Style       PC Pin         Size / Dimension       66.80mm L x 55.60mm W         Height - Seated (Max)       26.60mm         Voltage - Isolation       4000Vrms         Weight       0.75 lb (340.19g)	Series	LPI
Voltage - Secondary (Full Load)  Current - Output (Max)  Parallel 5V, Series 10V  Parallel 2.4A, Series 1.2A  Primary Winding(s)  Dual  Secondary Winding(s)  Center Tap  No  Power - Max  12 VA  Mounting Type  Through Hole  Termination Style  Size / Dimension  66.80mm L x 55.60mm W  Height - Seated (Max)  Voltage - Isolation  Weight  Parallel 5V, Series 10V  Parallel 5V, Series 1.2A  Primary Winding(s)  Dual  Secondary Winding(s)  10	Type	Semi-Toroidal
Current - Output (Max)Parallel 2.4A, Series 1.2APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension66.80mm L x 55.60mm WHeight - Seated (Max)26.60mmVoltage - Isolation4000VrmsWeight0.75 lb (340.19g)	Voltage - Primary	115V, 230V
Primary Winding(s)  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  12 VA  Mounting Type  Through Hole  Termination Style  PC Pin  Size / Dimension  66.80mm L x 55.60mm W  Height - Seated (Max)  Voltage - Isolation  Weight  Dual  No  12 VA  No  12 VA  4000Vrms  0.75 lb (340.19g)	Voltage - Secondary (Full Load)	Parallel 5V, Series 10V
Secondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension66.80mm L x 55.60mm WHeight - Seated (Max)26.60mmVoltage - Isolation4000VrmsWeight0.75 lb (340.19g)	Current - Output (Max)	Parallel 2.4A, Series 1.2A
Center Tap No Power - Max 12 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 66.80mm L x 55.60mm W Height - Seated (Max) 26.60mm Voltage - Isolation 4000Vrms Weight 0.75 lb (340.19g)	Primary Winding(s)	Dual
Power - Max  Mounting Type  Through Hole  Termination Style  PC Pin  Size / Dimension  66.80mm L x 55.60mm W  Height - Seated (Max)  Voltage - Isolation  Weight  12 VA  12 VA  12 VA  12 VA  16 Weight Hole  PC Pin  66.80mm L x 55.60mm W  26.60mm  4000Vrms  0.75 lb (340.19g)	Secondary Winding(s)	Dual
Mounting Type Through Hole PC Pin Size / Dimension 66.80mm L x 55.60mm W Height - Seated (Max) 26.60mm Voltage - Isolation 4000Vrms Weight 0.75 lb (340.19g)	Center Tap	No
Termination Style PC Pin Size / Dimension 66.80mm L x 55.60mm W Height - Seated (Max) 26.60mm Voltage - Isolation 4000Vrms Weight 0.75 lb (340.19g)	Power - Max	12 VA
Size / Dimension 66.80mm L x 55.60mm W  Height - Seated (Max) 26.60mm  Voltage - Isolation 4000Vrms  Weight 0.75 lb (340.19g)	Mounting Type	Through Hole
Height - Seated (Max)  Voltage - Isolation  Weight  26.60mm  4000Vrms  0.75 lb (340.19g)	Termination Style	PC Pin
Voltage - Isolation 4000Vrms Weight 0.75 lb (340.19g)	Size / Dimension	66.80mm L x 55.60mm W
Weight 0.75 lb (340.19g)	Height - Seated (Max)	26.60mm
	Voltage - Isolation	4000Vrms
	Weight	0.75 lb (340.19g)
Report errors?		Report errors?

#### 10-1200-LPI Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 10-1200-LPI Payment Methods



















# 10-1200-LPI Shipping Methods













If you have any question about 10-1200-LPI, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com