



100 PSI-G-DO Information

Heisener.com

Part Number 100 PSI-G-DO

ManufacturerAll Sensors CorporationCategorySensors, Transducers

Pressure Sensors, Transducers

Description SENSOR 100PSIG DO DUAL

Package 6-SIP Module

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









100 PSI-G-DO Specifications

Manufacturer Part Number 100 PSI-G-DO Manufacturer All Sensors Corporation Category Sensors, Transducers Package 6-SIP Module Series ADO Pressure Type Vented Gauge Operating Pressure 100 PSI (689.48 kPa) Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -		
Category Sensors, Transducers Package 6-SIP Module Series ADO Pressure Type Vented Gauge Operating Pressure 100 PSI (689.48 kPa) Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Manufacturer Part Number	100 PSI-G-DO
Pressure Sensors, Transducers Package 6-SIP Module Series ADO Pressure Type Vented Gauge Operating Pressure 100 PSI (689.48 kPa) Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Manufacturer	All Sensors Corporation
Package 6-SIP Module Series ADO Pressure Type Vented Gauge Operating Pressure 100 PSI (689.48 kPa) Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Category	Sensors, Transducers
SeriesADOPressure TypeVented GaugeOperating Pressure100 PSI (689.48 kPa)Output TypeSPIOutput12 bAccuracy±0.25%Voltage - Supply7VPort SizeMale - 0.19" (4.8mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePCBMaximum Pressure200 PSI (1378.95 kPa)Operating Temperature-40°C ~ 125°CPackage / Case6-SIP ModuleSupplier Device Package-		Pressure Sensors, Transducers
Pressure Type Vented Gauge Operating Pressure 100 PSI (689.48 kPa) Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package	Package	6-SIP Module
Operating Pressure Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style Maximum Pressure Operating Temperature -40°C ~ 125°C Package / Case Supplier Device Package 100 PSI (689.48 kPa) 100 PSI (689.48 kPa) 12 b 14 c 12 b 12 b 14 c 12 b 14 c 12 b 14 c 12 b 14 c 14 c 15 c 16 c 16 c 17 c 18 c 18 c 19 c 10 PSI (1378.95 kPa) 10 PSI (1378.95 kPa) 10 PSI (1378.95 kPa) 11 C 12 c 13 c 14 c 16 c 16 c 17 c 18	Series	ADO
Output TypeSPIOutput12 bAccuracy±0.25%Voltage - Supply7VPort SizeMale - 0.19" (4.8mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePCBMaximum Pressure200 PSI (1378.95 kPa)Operating Temperature-40°C ~ 125°CPackage / Case6-SIP ModuleSupplier Device Package-	Pressure Type	Vented Gauge
Output 12 b Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Operating Pressure	100 PSI (689.48 kPa)
Accuracy ±0.25% Voltage - Supply 7V Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package	Output Type	SPI
Voltage - Supply7VPort SizeMale - 0.19" (4.8mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePCBMaximum Pressure200 PSI (1378.95 kPa)Operating Temperature-40°C ~ 125°CPackage / Case6-SIP ModuleSupplier Device Package-	Output	12 b
Port Size Male - 0.19" (4.8mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Accuracy	±0.25%
Port Style Barbless Features Temperature Compensated Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Voltage - Supply	7V
FeaturesTemperature CompensatedTermination StylePCBMaximum Pressure200 PSI (1378.95 kPa)Operating Temperature-40°C ~ 125°CPackage / Case6-SIP ModuleSupplier Device Package-	Port Size	Male - 0.19" (4.8mm) Tube
Termination Style PCB Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Port Style	Barbless
Maximum Pressure 200 PSI (1378.95 kPa) Operating Temperature -40°C ~ 125°C Package / Case 6-SIP Module Supplier Device Package -	Features	Temperature Compensated
Operating Temperature-40°C ~ 125°CPackage / Case6-SIP ModuleSupplier Device Package-	Termination Style	PCB
Package / Case 6-SIP Module Supplier Device Package -	Maximum Pressure	200 PSI (1378.95 kPa)
Supplier Device Package -	Operating Temperature	-40°C ~ 125°C
	Package / Case	6-SIP Module
Report errors?	Supplier Device Package	-
		Report errors?

100 PSI-G-DO Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

100 PSI-G-DO Payment Methods



















100 PSI-G-DO Shipping Methods













If you have any question about 100 PSI-G-DO, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com