

10070158-00219XLF

10070158-00219XLF Information

	10070158-00219XLF Amphenol FCI Connectors, Interconnects D-Sub Connectors CONN DSUB PLUG 4 X 2POS R/A SLDR - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

E-mail: salesdept@heisener.com

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



10070158-00219XLF Specifications

ManufacturerAmphenol FCICategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesMicroTCA?Connector StyleD-Sub, Combo - StackedConnector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)FeaturesSolder PasteFeaturesGoldContact FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Auterial Flanmability Rating-		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesMicroTCA?Connector StyleD-Sub, Combo - StackedConnector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)FeaturesSolder PasteShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Manufacturer Part Number	10070158-00219XLF
D-Sub ConnectorsPackage-SeriesMicroTCA?Connector StyleD-Sub, Combo - StackedConnector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeBoard Cutout, Through Hole, Right AngleMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)FeaturesSolder PasteShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Manufacturer	Amphenol FCI
Package-SeriesMicroTCA?Connector StyleD-Sub, Combo - StackedConnector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeBoard Cutout, Through Hole, Right AngleMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)FeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Category	Connectors, Interconnects
SeriesMicroTCA?Connector StyleD-Sub, Combo - StackedConnector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-		D-Sub Connectors
Connector StyleD-Sub, Combo - StackedConnector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Package	-
Connector TypePlug, Male PinsNumber of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Series	MicroTCA?
Number of Positions4 (2 + 2 Power) x 2Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Connector Style	D-Sub, Combo - Stacked
Number of Rows1,1Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Connector Type	Plug, Male Pins
Shell Size, Connector Layout2 (DA, A) - 4W2; 2 (DA, A) - 4W2Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Number of Positions	4 (2 + 2 Power) x 2
Contact TypeSignal and PowerMounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Auterial Flammability Rating-	Number of Rows	1,1
Mounting TypeBoard Cutout, Through Hole, Right AngleFlange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Shell Size, Connector Layout	2 (DA, A) - 4W2; 2 (DA, A) - 4W2
Flange FeatureHousing/Shell (4-40)TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Contact Type	Signal and Power
TerminationSolder PasteFeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Mounting Type	Board Cutout, Through Hole, Right Angle
FeaturesBoard Guide, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Flange Feature	Housing/Shell (4-40)
Shell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Termination	Solder Paste
Contact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Features	Board Guide, Grounding Indents, Mounting Brackets
Contact Finish Thickness-Ingress Protection-Material Flammability Rating-	Shell Material, Finish	Steel, Nickel Plated
Ingress Protection-Material Flammability Rating-	Contact Finish	Gold
Material Flammability Rating -	Contact Finish Thickness	-
	Ingress Protection	-
Report errors?	Material Flammability Rating	-
hepoit chois.		Report errors?

10070158-00219XLF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

10070158-00219XLF Payment Methods



If you have any question about 10070158-00219XLF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com